

REFERENCE

AGENCY, E. P. (1996) A Citizen's Guide to Solvent Extraction.

ANGELI, J., GONZAGA, L. R. M., SDE, A. S., MP, M. R., MS, M. T., STIDL, R., KNASMUELLER, S., LINHARES, R. & MANTOVANI, M. (2006) Protective effects of beta-glucan extracted from Agaricus brasiliensis against chemically induced DNA damage in human lymphocytes. *Cell Biology Toxicol*, 22(4):285-91.

AGOSTONI, C., BRESSON, J.-L., FAIRWEATHER-TAIT, S., FLYNN, A., GOLLY, I., KORHONEN, H., LEGIOU, P., LOVIK, M., MARCHEILI, R., MARTIN, A., MOSELEY, B., NEUHAEUSER-BERTHOLD, M., PRZYREMBEL, H., SALMINEN, S., SANZ, Y., STRAIN, S. J. J., STROBEI, S., TETERIA, I., TOME, D., LOVEREN, H. V. & VERHAGEN, H. (2010) Scientific opinion on the substantiation of a health claim related to oat beta-glucan and lowering blood cholesterol and reduced risk of (coronary) heart disease pursuant to article 14 of regulation (EC) no 1924/2006. *Eropean Food Safety Authority (EFSA) journal*, 8(12):1885.

ALAKALI, J. S., OKONKWO, T. M., IORDYE, E. M. (2007) Effect of Stabilizers on the Physicochemical and Sensory Attributes of Thermized Yogurt, *Food Science and Technology*, Nigeria, pp 2.

ARDIANSYAH (2006) Bekatul atau Rice Bran Untuk Menurunkan Hipertensi dan Hiperlipidemia. Cilegon, Health Care of Pt Krakatau Medika.

AYUPUTRI, R. (2010) Ultrasonic pretreatment of seaweed and woodchips for the conversion of cellulose to glucose. *Food Technology*. Tangerang, Swiss German University.

BANGARI, S. (2011) Effects of Oat Beta Glucan on the Stability and TexturalProperties of Beta Glucan FortifiedMilk Beverage. *Food and nutritional science*. Wisconsin, University of Wisconsin-Stout.

BARNET, J. (1990) Characteristic and Identification Yeast. New York: Cambridge University Press.

BEER, M., ARRIGONI, E. & AMADO, R. (1995) Effects of oat gum on blood cholesterol levels in healthy young men. *European Journal of Clinical Nutrition*, 49(7):517-22.

BEHALL, K. M., SCHOLFIELD, D. J. & HALLFRISCH, J. (1994) Effect of beta-glucan level in oat fiber extracts on blood lipids in men and women. *European Journal of Clinical Nutrition*, 48(7):465-74.

BELL, S., GOLDMAN, V., BISTRIAN, B., ARNOLD, A., OSTROFF, G. & FORSE, R. (1999) Effect of beta-glucan from oats and yeast on serum lipids. *Critical Reviews in Food Science and Nutrition*, 39(2):189-202.

BHATTY, R. S. (1993) Extraction and enrichment of (1-> 3), (1->4)- β -D-glucan from barley and oat barns. *Journal of Cereal Chemistry*, 70, 73-77.

BHATTY, R. S. (1995) Laboratory and pilot plant extraction and purification of β -glucans from hull-less barley and oat bran. *Journal of Cereal Science*, 22, 163-170.

BINGHAM, S. A. (1990) Mechanisms experimental and epidemiological evidence relating dietary fiber (non-starchy polysaccharides) and starch to protection against larger bowel cancer. *Proceeding of the Nutritional Society*, 49, 153-171.

BOBEK, P., OZDIN, L. & KAJABA, I. (1997) Dose-dependent hypercholesterolaemic effect of oyster mushroom (*Pleurotus ostreatus*) in rats. *Physiological Research*, 46(4):327-9.

BORNET, F. R. J., COSTAGLIOLA, D., RIZKALLA, S. W., BLAYO, A., FONTVIEILLE, A. M., HAARDT, M. J., LETANOUX, M., TCHOBROUTSKY, G. & SLAMA, G. (1987) Insulenemic and glycemic indexes of six starch rich foods taken alone and in a mixes meal by type 2 diabetics. *American Journal of Clinical Nutrition*, 45, 588-595.

BRAATER, J., WOOD, P., SCOTT, F., WOLYNETZ, M., LOWE, M., BRADLEY-WHITE, P. & CPLLINS, M. (1995) Oat β -Glucan reduces blood cholesterol concentration in hypercholesterolemia subjects. *European Journal of Clinical Nutrition*, 48(7):517-22, 465-74.

BRENNAN, C. S. & TUDORICA, C. M. (2008) Carbohydrate-based fat replacers in the modification of the rheological, textural and sensory quality of yoghurt: Comparative study of the utilization of barley beta-glucan, guar gum and inulin. *International Journal of Food Science and Technology*, 43, 824-833.

BROWN, L., ROSNER, B., WILLETT, W. & SACKS, F. (1999) Cholesterol-lowering effects of dietary fiber. *American Journal of Clinical Nutrition*, 69, 30-42.

BROWN, G. & GORDON, S. (2001) immune recognition. A new receptor for beta-glucans. *Journal of Nature*, 413(6851):36-7.

BROWN, G. D., TAYLOR, P. R., REID, D. M., WILLMENT, J. A., WILLIAMS, D. L., MARTINEZ-POMARES, L., WONG, S. Y. & Gordon, S. (2002) Dectin-1 is a major beta-glucan receptor on macrophages. *The Journal of Experimental Medicine*, 196(3):407-12.

BROWN, M. S. & GOLDSTEIN, J. L. (1986) A Receptor-Mediated Pathway for Cholesterol Homeostasis. *Journal of Science*, 232, 34 - 47.

BURKUS, Z., & TEMELLI, F. (1998) Effect of extraction conditions on yield, composition, and viscosity stability of barley β -glucan gum. *Journal of Cereal Chemistry*, 75, 805-809.

CAMELINI, C., MARASCHIN, M., MENDONÇA, M. D., ZUCCO, C., FERREIRA, A. & TAVARES, L. (2005) Structural characterization of beta-glucans of *Agaricus brasiliensis* in different stages of fruiting body maturity and their use in nutraceutical products. *Biotechnology Letter*, 27(17):1295-9.

CHAPLIN, M. (2010) β -Glucan. London, Emeritus Professor of Applied Science London South Bank University.

CRITTENDEN, R., KARPPINEN, S., OJANEN, S., TENKANEN, M., FAGERSTROM, R., MATTO, J., MATIILA-SADHOLM, T. & POUTANEN, K. (2002) In vitro fermentation of cereal dietary carbohydrates by probiotic and intestinal bacteria. *Journal of the Science of Food and Agriculture*, 82, 781-789.

CRONIN, D. A. & SMITH, S. (1979) A simple and rapid procedure for the analysis of reducing, total and individual sugar in potatoes. *American Journal of Potato Research*, 22, 104, 99-105.

CZOP, J. K., Austen, K. F. (1985) Generation of leukotrienes by human monocytes upon stimulation of their beta-glucan receptor during phagocytosis. *Proceedings of the National Academy of Sciences of the United States of America*, 82(9):2751-5.

DISASTRO, S. P. (2010) Penderita Stroke Indonesia Meningkat di Generasi Muda. *Metrogaya*. [online] Available at: <<http://www.metrogaya.com/home/penderita-stroke-indonesia-meningkat-di-generasi-muda>>. [Accessed on 19 March 2011]

EFENDY, W. (2008) Extraction of rice bran oil by using N-hexane, ethanol, and cold press. *Food Technology*. Tangerang, Swiss German University.

FAIVRE, J. & BONITHON-KOPP, C. (1999) Diets, fibers and colon cancer. *Advanced Experiments in Medical Biology*, 472, 199-206.

FELDHEIM, W. & WISKER, E. (2000) Studies on the improvement of dietary fiber intake. *Deutsche Lebensmittel - Rundschau*, 96, 327-330.

FONTAINE, T., HARTLAND, R. P., DIAQUIN, M., SIMENEL, C. & LATGE, J.-P. (1997) Differential patterns of activity displayed by two exo-b-1,3-glucanases associated with the *Aspergillus fumigatus* cell wall. *Journal of Bacteriology*, 179, 3154-3163.

FRIEDMAN, M. D. M., ROSENMAN, M. D. R. H., CARROLL, V. & TAT, M. D. R. J. (1958) Changes in the Serum Cholesterol and Blood Clotting Time in Men Subjected to Cyclic Variation of Occupational Stress American Heart Association, *The Journal of the American Medical Association*, 17:852-861.

FROST, G., LEEDS, A. A., DORE, C. J., MADERIOS, S., BRADING, S. & DORNHURST, A. (1999) Glycemic index as a determinant of serum, cholesterol concentration. *Lancet*, 353, 1045-1048.

FURIA, T. E. (1972) *Handbook of Food Additives*, Chemical Rubber Company Press.

GALLAGHER, D. D., HASSEL, C. A., LEE, K. J. & GALLAGHER, C. M. (1993) Viscosity and fermentability as attributes of dietary fiber responsible hypercholesterolemia effects in hamster. *Journal of Nutrition*, 123, 244-252.

HEALTHCARE, P. (2011) Beta-glucan overview. Germany. accessed 29 June 2011. <http://betaglukan.info/Oat_Betaglucan.html>

HEARN, V. M., ESCOTT, G. M., EVANS, E. G. V. & ADAMS, D. J. (1996) Chitinase of the cell surface and wall of *Aspergillus fumigatus*. *Chitin Enzymology*, vol. 2, 261-271.

HEGSTED, M., WINDHAUSER, M. M., MORRIS, S. K., LESTER, S. B (1993) Stabilized rice bran and oat bran lower cholesterol in humans. *Nutritional Research*, 13:387-398.

HERRE, J., GORDON, S. & BROWN, G. (2004) Dectin-1 and its role in the recognition of beta-glucans by macrophages. *Molecular Immunology*, 40(12):869-76.

HERRE, J., WILLMENT, J., GORDON, S. & G. B. (2004) The role of Dectin-1 in antifungal immunity. *Critical Review of Immunology*, 24(3):193-203.

HILL, M. J. (1977) Cereals, cereal fiber and colorectal cancer risk: A review of the epidemiological literature. *European Journal of Cancer Prevention*, 6, 219-225.

HOHNER, G. A. & HYLDON, R. G. (1977) Oat Groat Fractionation Process. *United State*, The Quaker Oats Company.

HUI, YH., BARTA J. (2006) Handbook of fruits and fruit processing, *Blackwell Publishing*, Iowa, USA.

HUI, YH., CHANDAN, RC., CLARKE, S. (2007) Handbook of Food Products Manufacturing: Health, Meat, Milk, Poultry, Seafood, and Vegetables, *John Wiley and Sons, Inc.*, New Jersey.

HUNNINGHAKE, D., MILLER, V., LAROSA, J., KINOSIAN, B., JACOBSON, T., BROWN, V., HOWARD, W., EDELMAN, D. & O'CONNOR, R. (1994) Long-term treatment of hypercholesterolemia with dietary fiber. *American Journal of Medicine*, 97(6):504-8.

HUNTER, K., GAULT, R. & JORDAN, F. (2001) Mode of Action of B-Glucan Immunopotentiators - Research Summary Release. Department of Microbiology. University of Nevada School of Medicine.

JOINT FAO/WHO EXPERT COMMITTEE ON FOOD ADDITIVES (1998) 'Gum Arabic', *Frederick News Post* 52 Add 6.

JUDOAMIJOJO, M., ABDUL, A. & ENDANG, G. (1992) Technology fermentation. *Jakarta*: Rajawali Press.

KAHLON, T. S. (2007) Rice bran: production, composition, functionality and food applications, physiological benefits. USDA governor.

KARPPINEN, S., LIUKKONEN, K., AURA, A. M., FORSHELL, P. & POUTANEN, K. (2000) In vitro fermentation of polysaccharides of rye, wheat and oat bran and inulin by human fecal bacteria. *Journal of the Science Food Agricultural*, 80, 1469-1476.

KATAOKA, K., MUTA, T., YAMAZAKI, S. & TAKESHIGE, K. (2002) Activation of macrophages by linear (1right-arrow3)-beta-D-glucans. Implications for the recognition of fungi by innate immunity. *Journal of Biological Chemistry*, 227(39):36825-31.

KEENAN, J., WENZ, J., MYERS, S., RIPSIN, C. & HUANG, Z. (1991) Randomized, controlled, crossover trial of oat bran in hypercholesterolemia subjects. *The Journal of Family Practice*, 33(6):600-8.

KESTIN M., R. MOSS, C. M. CLIFTON, and P. J. NESTE. (1990) Comparative effects of three cereal bran on plasma lipids, blood pressure, and glucose metabolism in mildly hypercholesterolemia men. *American Journal of Clinical Nutrition*. 52:661-666.

KLOPFENSTEIN, C. F., & HONESENEY, R.C. (1987) Cholesterol lowering effect of β -glucan enriched bread. *Nutrition Reports International*, 36, 1091-1098.

KNOPP, R., SUPERKO, H., DAVIDSON, M., INSULL, W., DUJOVNE, C., KWITEROVICH, P., ZAVORAL, J., GRAHAM, K., O'CONNOR, R. & EDELMAN, D. (1999) Long-term blood cholesterol-lowering effects of a dietary fiber supplement. *American Journal of Preventive Medicine*, 17(1):18-23.

KUBO, K. & NANBA, H. (1996) The effect of maitake mushrooms on liver and serum lipids. *Alternative Therapies in Health and Medicine*, 2(5):62-6.

LAWTHER, M. (2008) β -glucans and cereal soluble fibers: their role in functional foods. *Kvistgård*, PromOat.

LEE, ROBERT D., & NIEMAN, D. C. (2010) *Nutritional assessment*. 5th edition. New York, NY: McGraw Hill.

LOVEGROVE, J., CLOHESSY, A., MILON, H. & WILLIAMS, C. (2000) Modest doses of beta-glucan do not reduce concentration of potentially atherogenic lipoproteins. *American Journal of Clinical Nutrition*, 72(1):49-55.

MARLETT, J. A., HOSIG, K. B., VOLLENDORF, N. W., SHINNICK, F. L., HAACK, V. S. and STORY, J. A. (1994), Mechanism of serum cholesterol reduction by oat bran. *Hepatology*, 20: 1450–1457. doi: 10.1002/hep.1840200612

MARKET NEWS SERVICE. (2008), Gum Arabic, Quarterly Edition, International Trade Center

MCCANN, B. S., WARNICK, G. R. & KNOPP, R. H. (1990) Changes in Plasma Lipids and Dietary Intake Accompanying Shifts in Perceived Workload and Stress. *American Psychosomatic Society*, 52:97-108.

MCCLEMENTS, D. J. (2003) Analysis of Lipids. Determination of Total Lipid Concentration. Massachusetts, University of Massachusetts Amherst.

MCLINTOSH, G., WHYTE, J., MCARTHUR, R. & NESTEL, P. (1991) Barley and wheat foods: influence on plasma cholesterol concentration in hypercholesterolemia men. *American Journal of Clinical Nutrition*, 53(5):1205-9.

NAUMANN, E., REES, A. B. V., ONNING, G., RICKARD, O., WYDRA, M. & MENSINK, R. P. (2006) β -Glucan incorporated into a fruit drink effectively lowers serum LDL-cholesterol concentrations. *American Journal of Clinical Nutrition*, 83:601-5.

NELSON, D. L. & COX, M. M. (2008) Lehninger Principles of Biochemistry, New York, W.H. Freeman and Company.

NG, M.L. & YAP, A. (2002) Inhibition of human colon cancer development by Lentinan from shiitake mushrooms (*Lentinus edodes*). *Journal of Alternative Complement Medicine*, 8(5):581-9.

NICOLOSI, R., BELL, S., BISTRAN, B., GREENBERG, I., FORSE, R. & BLACKBURN, G. (1990) Plasma lipid changes after supplementation with beta-glucan fiber from yeast. *American Journal of Clinical Nutrition*, 70(2):208-12.

ONNING, G., WALLMARK, A., PERSSON, M., AKESSON, B., ELMSTAHL, S. & OSTE, R. (1999) Consumption of oat milk for 5 weeks lowers serum cholesterol and LDL cholesterol in free-living men with moderate hypercholesterolemia. *Annals of Nutrition and Metabolism*, 43(5):301-9.

PROJECT, I. C. (2005) Starch Utilization in Food Industries - Glucose from starch: starch hydrolysis. *Nigeria*, International Institute of Tropical Agriculture.

QUEENAN, K. M., STEWART, M. L., SMITH, K. N., THOMAS, W., FULCHER, R. G. & SLAVIN, J. L. (2007) Concentrated oat β -glucan, a fermentable fiber, lowers serum cholesterol in hypercholesterolemia adults in a randomized controlled trial. *Nutrition Journal 2007*, 6:6 doi:10.1186/1475-2891-6-6.

RAJNARAYANA, K., PRABHAKAR, M. & KRISHNA, D. (2001) Influence of rice bran oil on serum lipid peroxides and lipids in human subjects. *Indian Journal of Physiological Pharmacology*, 45(4):442-4.

REDMOND, FIELDER, M. J. & DAVID, A. (2006) Extraction and purification method for cereal beta-glucan. IN ROTHWELL, F., ERNST, & MANBECK, P.C (Ed.). Ceapro Inc.

REICHARD, U., HUNG, C. Y., THOMAS, P. W. & COLE, G. T. (2000) Disruption of the gene which encodes a serodiagnostic antigen and chitinase of the human fungal pathogen *Coccidioides immitis*. *Infection and immunology*, 68, 5830-5838.

RIPSIN, C. M., KEENAN, J. M., JACOBS, D. R, ELMER, P. J., WELCH, R. R., HORN, L. V. P., LIU, K. P., TURNBULL, W. H. P., THYE, F. W. P., KESTIN, M. P., HEGSTED, M. P., DAVIDSON, D. M., DAVIDSON, M. H., DUGAN, L. D. M., WAHNEFRIED, W. P., & BELING, S. M. (1992) Oat products and lipid lowering. *The Journal of the American Medical Association*, 267(24):3317-3325.

SALIM, Y. K. (2005) Aktivitas antioksidan dan antihiperkolesterolemia ekstrak beta glucan dari *Saccharomyces cerevisiae* pada tikus putih. Bogor, Institute Pertanian Bogor.

SCOTT, E. (2008) Cortisol and stress: How to stay Healthy. *Medical Review Board*

SETIAWAN, N. (2011) Daging dan Telur Ayam Sumber Protein Murah Universitas Padjadjaran.

SPECIALTY BIOTECH CO., L. (2005) Structure of yeast cell wall. Chonburi 20000.

STRYER, L., BERG, J. M. & TYMOCZKO, J. L. (2002) Biochemistry, New York, W. H. Freeman and Company.

SUMARDIKAN, H, (2007), Penggunaan Carboxymethylcellulose (CMC) Terhadap pH, Keasaman, Viskositas, Sineresis dan Mutu Organoleptik Yogurt Set, Universitas Brawijaya, Malang

SUSILA, W. R. & MUNADI, E. (2007) Application of Analytical Hierarchy Process on Prioritizing Research Proposal Infomatika Pertanian, 16 No.2, 983 -998.

TAYLOR, P., BROWN, G., REID, D., WILLMENT, J., POMARES, L., GORDON, S. & WONG, S. Y. C. (2002) The beta-glucan receptor, Dectin-1, is predominately expresses on the surface of cells of the

monocyte/macrophage and neutrophils lineages. *Journal of Immunology*, 169(7):3876-82

TEMELLI, F. (1997) Extraction and functional properties of barley β -glucan as affected by temperature and pH. *Journal of Food Science*, 62, 1192-1201

TIENBOON, P. (2001) Cardiovascular risk in the Asia-Pacific region from a nutrition and metabolic point of view: lipid. *Asia Pacific Journal of Clinical Nutrition*, 10(2): 108–111.

TISSUE, B. M. (1996) Definition of Extraction. ChemiCool.

TSAO, G. T., LADISCH, M. R., BOSE, A. & LAFAYERRE, A. O. W. (1979) Acid Hydrolysis of Cellulose to yield Glucose USA, *Purdue Research Foundation*, West Lafayette, Ind.

TUDORICA, C. M., JONES, E., KURI, V. & C.S. BREANNAN (2002) Nutritional and physicochemical characteristics of dietary fiber enriched pasta. *Journal of Science of Food and Agriculture*, 84, 1159-1169.

UUSITUPA, M., MIETTINEN, T., SARKKINEN, E., RUUSKANEN, E., KERVINEN, K. & KESANIEMI, Y. (1997) Lathosterol and other non-cholesterol sterols during treatment of hypercholesterolaemia with beta-glucan-rich oat bran. *European Journal of Clinical Nutrition*, 51(9):607-11.

VELASQUEZ, P., DAVIES, C., MARRET, R., SLAVIN, J. L. & FEIRTAG, J. M. (2000) Effect of oligosaccharides and fibre substitutes on short chain fatty acid production by human microflora. *Anaerobe*, 6, 87-92.

VENUTO, T. (2011) Cortisol, Stress, and Body Fat. Straight answers to top 20 question about "The Stress Hormone".

VOLIKAKIS, P., BILIADERIS, C. G., VAMAKAS, C. & ZERFIRIDIAS, C. K. (2004) Effects of a commercial oat-beta-glucan concentrate on the chemical, physicochemical and sensory attributes of a low-fat white brined cheese product. *Food Research International*, 37, 83-94.

WATERBORG, J. H. (2002) The Protein Protocols Handbooks. IN WALKER, J. M. (Ed.) *The Lowry Method for Protein Quantization 2ed*. Totowa.

WISKER, E., DANIEL, M., RAVE, G. & FELDEIM, W. (2002) Short chain fatty acids produced in vitro from fiber residues obtained from mixed diets containing different breads and in human faces during ingestion of diets. *British Journal of Nutrition*, 84, 31-37.

WOOD, P. J., PATON, D. & SIDDIQUI, I. R. (1977) Determination of β -glucan in oats and barley. *Cereal Chemistry*, 54, 524-533.

