

REFERENCES

- Abedon, Stephen, T 1998, *Counting Microbes*, accessed May 15, 2011, <http://www.mansfield.ohio-state.edu/~sabedon/biol4038.htm#spread_plate>.
- Ahmed, J, Shivhare, US, Raghavan, GSV 2004, 'Thermal Degradation Kinetics of Anthocyanin and Visual Color of Plum Puree', *Springer-Verlag*.
- Anonymous 1973, 'Thermal degradation of anthocyanins with particular reference to the 3-glycosides of cyanidin. I. In acidified aqueous solution at 100.deg', *J Sci Food Agric* 24: 747-762.
- Anonymous, *All Purpose and PMO Pasteurizers Pasteurization for Juice, Cider, Herbs and more*, accessed June 26, 2011, <http://www.goodnature.com/Juice_Equipment/Juice_Pasteurizers/>.
- Anonymous, *Anthocyanes*, accessed June 24, 2011, <<http://webpeda.ac-montpellier.fr/spc/ABCDORGA/Famille/ANTHOCYANES.html>>.
- Anonymous, *Testing*, accessed June 26, 2011, <<http://www.cs.umd.edu/~aporter/html/currTesting.html>>.
- Arthur, Jay 2011, *Paired T-test in Excel using the QI Macros*, accessed June 26, 2011, <<http://www.qimacros.com/qiwizard/t-test-paired-two-sample.html>>.
- Assay, Joshua, *Manufacturing Juices and Other Acidic Beverages – What Pasteurization Process is Right for You?*, accessed May 7, 2011, <<http://EzineArticles.com/4478750>>
- Azanha, AB, Faria July, 2005, 'Use of mathematical models for estimating the shelf-life of cornflakes in flexible packaging', *Packaging Technology and Science*, 18 (4): 161–222.
- Bajpai, M, Pande, A, Tewari, SK, Prakash, D 2005, 'Phenolic contents and antioxidant activity of some food and medicinal plants', *International Journal of Food Sciences and Nutrition*, 56(4): 287-291.
- Bandyopadhyaya, Uday, Das, Dipak, Banerjee, Ranajit, K, 'Reactive Oxygen Species: Oxidative Damage and Pathogenesis', *Department of Physiology, Indian Institute of Chemical Biology, India*

- Barro, C, Ribeiro, A 1983, 'The Study of Clitoria Ternatea L. hay as a Forage Alternative in Tropical Countries Evolution of the Chemical Composition at Four Different Growth Stages', *J. Sci. Food and Agri*, pp780-782
- Biochrom, *Determination of D-malic acid in fruit juice samples*, accessed May 6, 2011, <www.biochrom.co.uk>.
- Biology-Online 2008, *Colony Forming Unit*, accessed June 27, 2011, <http://www.biology-online.org/dictionary/Colony-forming_unit>.
- Blois, MS 1958, 'Antioxidant Determination by the Use of a Stable Free Radical', *Nature*, vol. 181, pp. 1199–2000.
- Bonderud, Douglas, Arevalo, Michelle, *What is Malic Acid?*, accessed May 6, 2011, <<http://www.wisegeek.com/what-is-malic-acid.htm>>
- Bosso, Antonella, Guaita, Massimo, Panero, Loretta, Borsa, Daniella, Follis, Roberto 2009, 'Influence of Two Winemaking Techniques on Polyphenolic Composition and Color of Wines', *Am. J. Enol. Vitic*, 60:3:379-385, accessed June 21, 2011, <<http://www.ajevonline.org/cgi/content/short/60/3/379>>.
- Cabrita, L, Fossen, T, Andersen, øM 2000, 'Color and Stability of the Six Common Anthocyanidine-3-glucosides in Aqueous Solution', *Food Chem*, 68(1), 101-107.
- Cahyana, Herry 2006, "Chemistry and Application of Antioxidants." Swiss German University, Tangerang.
- Chance, B, Sies, H and Boveris, A 1979, *Physiol. Rev.* 59, pp. 527–605.
- Childress, W Michael 1985, 'Correlation analysis; a statistical test for relationships between two sets of data', p. 96.
- Daravingas, G, Cain, RF 1968, 'Thermal degradation of black raspberry anthocyanin pigments in model systems', *J Food Sci* 33: 138-142.
- Darias-Martin, J, Martin-Luis, B, Carrillo-Lopez, M, Lamuela-Raventos, R, Diaz-Romero, C, Boulton, R 2002, 'Effect of caffeic acid on the color of red wine', *J Agric Food Chem* 50: 2062-2067.
- De Ancos, B, Cano, MP, Hernandez, A, Monreal, M 1999, 'Effects of microwave heating on pigment composition and color of fruit purees', *J Sci Food Agric* 79: 663-670.
- Deisseroth, A and Dounce, AL 1970, *Physiol. Rev.* 50, pp. 319–375.

- Delgado-Vargas, F, Paredes-López, O 2003, 'Natural colorants for food and nutraceutical uses', *CRC Press*.
- Dyrby, M, Westergaard, N, Stapelfeldt, H 2001, 'Light and heat sensitivity of red cabbage extract in soft drink model systems', *Food Chem* 72: 431-437.
- Edwards, RL, Lyon, T, Litwin, SE, Rabovsky, A, Symons, JD, Jalili, T 2007, 'Quercetin Reduces Blood Pressure in Hypertensive Subjects', pp. 2405-2411.
- Food and Drug Administration 2000, *Irradiation in the production, processing, and handling of food*, 21CFR, Part 179, Fed. Regist, 65: 71056-71058.
- Fossen, T, Andersen, OM 1999, 'Delphinidin 3'-galloylgalactosides from blue flowers of *Nymphaea caerulea*', *Phytochemistry* 50: 1185-1188.
- Fossen, T, Slimestad, R, Andersen, OM 2003, 'Anthocyanins with 4'-glucosidation from red onion, *Allium cepa*', *Phytochemistry* 64: 1367-1374.
- Francis, F 1989, 'Foodcolourants: Anthocyanins', *Critical Reviews in Food Science and Nutrition*, 28: 273-314.
- Friedman, M 1997, 'Chemistry, Biochemistry, and Dietary Role of Potato Polyphenols', *J. Agric. Food Chem.*, 45, 1523-1540.
- Friedman, Mendel, Ju`rgens, Hella S 2000, 'Effect of pH on Stability of Plant Phenolic Compound', *Western Regional Research Center*, pp. 2101-2109.
- GEA Process Engineering Inc, *Pasteurization*, accessed May 7, 2011, <http://www.niroinc.com/gea_liquid_processing/pasteurization.asp>.
- George, S, Brat, P, Alter, P, Amiot, MJ 2005, 'Rapid determination of polyphenols and vitamin C in plant-derived products', *J Agric Food Chem*, 53:1370-3.
- Giusti, MM, Rodriguez-Saona, LE, Wrolstad, RE 1999, 'Molar absorptivity and color characteristics of acylated and non-acylated pelargonidin-based anthocyanins', *J Agric Food Chem* 47: 4631-4637.
- Gomez, S. Michael, Kalamani, A 2003, 'Butterfly pea (*Clitoria ternatea*): A Nutritive Multipurpose Forage Legume for the Tropics', *Pakistan Journal of Nutrition*, pp. 374-375.
- Gould, KS, Kuhn, DN, Lee, DW, Oberbauer, SF 1995, 'Why leaves are sometimes red', pp. 241-242

- Gould, KS, Markham, KR, Smith, RG, Goris, JJ 2000, 'Functional role of anthocyanins in the leaves of *Quintinia serrata* A Cunn', pp. 1107-1115.
- Great Ships Initiative, 2008, *Procedure for Microbial Analysis using the Heterotrophic Plate Count Method*, GSI/SOP/RDTE/SA/M/2 : 2008.
- Grimmer, HR, Parbhoo, V, and Mc Grath, RM 1992, 'Antimutagenicity of Polyphenol-rich Fractions from Sorghum Bicolor Grain', *J. Sci. Food Agric.*, 59:251-256.
- Guo, DJ, Cheng, HL, Chan, SW, Yu, PHF 2008, 'Antioxidant activities and the total phenolic contents of tonic Chinese medicinal herbs', pp. 202.
- Hagiwara, A, Miyashita, K, Nakanishi, T, Sano, M, Tamano, S, Kadota, T, Koda, T, Nakamura, M, Imaida, K, Ito, N, Shirai, T 2001, 'Pronounced inhibition by a natural anthocyanin, purple corn color, of 2-amino-16-phenylimidazo (4,5-b) pyridine (PhIP)-associated colorectal carcinogenesis in male F344 rats pretreated with 1,2-dimethylhydrazine', *Cancer Letters*, Amsterdam, , v. 171, n. 1, p. 17-25.
- Harman, D 1993, 'Drug Aging', 3, pp. 60-80.
- Hendry, GAF, Houghton, JD 1996, *Natural food colorants, 2nd edition*, Blackie Academic Press.
- Hilman, Taufik 2010, Tan Am An, accessed March 26, 2011, <<http://www.scribd.com/doc/40318177/Tan-Am-An>>.
- Holetzky, Sherry, Wynn, LS 2011, *What are Antioxidants?*, accessed April 17, 2011, <<http://www.wisegeek.com/what-are-antioxidants.htm>>.
- Hollman, PCH, and Katan, MB 1997, 'Absorption, Metabolism, and Health Effects of Dietary Flavonoids in Man', *Biomed. Pharmacother.*, 51:305-310.
- Huang, HT 1955, 'Decolorization of anthocyanins by fungal enzymes', *J Agric Food Chem* 3: 141-146.
- Huang, HT 1956, 'The kinetics of the decolorization of anthocyanins by fungal anthocyanase', *J Am Chem Soc* 78: 2390-2393.
- Huang, JL, Fu, ST, Jiang, YY, Cao, VB, Guo, ML, Wang, Y, Xu, Z, 'Protective Effects of Nicotiflorin on Reducing Memory Dysfunction, Energy Metabolism Failure, and Oxidative Stress in Multi-Infarct Dementia Model Rats', *Pharmacol Biochem Behav*, pp. 71-74.

- IDFA 2009, *Pasteurization: Definition and Methods*, accessed May 7, 2011, <http://www.idfa.org/files/249_Pasteurization%20Definition%20and%20Methods.pdf>.
- ILOIS 1994, *Plants and their constituents*, New York: *Chapman and Hall*, pp. 1-748.
- International Organisation for Standardization 2003, *Total Aerobic Plate Counts for use with Minced Meat or Mechanically-Separated Meat*, BS EN ISO 4833:2003 Standard Protocol.
- International Standardization for Organization 2005, *Determination of substances characteristic of green and black tea. Part 1: Content of total polyphenols in tea. Colorimetric method using Folin-Ciocalteu reagent*, ISO 14502-1: 2005.
- Jackman, RL, Yada, RY, Tung, MA, Speers, RA 1987, 'Anthocyanins as food colorants - a review', *J Food Biochem* 11: 201-247.
- Jang September 13, 2010, *Thai Dessert: Kànm Chán* ขนมชั้น, accessed April 9, 2011, <<http://www.learnthailanguage.org/tag/thai-dessert/>>.
- Kamkaen, N, Wilkinson, JM 2009, *The antioxidant activity of Clitoria ternatea flower petal extracts and eye gel*, pp. 1624-1625.
- Kemp, Sarah, E 2009, *Sensory Evaluation-a Practical Handbook*, pp. 16, 17, 81-135.
- Kim, Dong-Min, Bae, Jun-Soo, Lee, Heung-Sook, Yoo, Sang-Ho 2010, 'Effects of pH, light and temperature on stability and antioxidant activity of anthocyanins', *Dept of Food Science & Technology and Carbohydrate Bioproduct Res Ctr*, Sejong Univ, Seoul, Korea.
- Klimczak, Inga, Malecka, Maria, Szlachta, Mirosława, Gliszczyn'ska-S'wigło, Anna 2006, 'Effect of storage on the content of polyphenols, vitamin C and the antioxidant activity of orange juices', *Faculty of Commodity Science*, The Poznań University of Economics, Al. Niepodległości 10, 60-967 Poznań, Poland.
- Kulisic, T, Radonic, A, Katalinic, V, Milos, M 2004, 'Use of Different Methods for Testing Antioxidative Activity of Oregano Essential Oil', *Food Chem*, 85, pp. 633-640.

- Kumar, Ajay November 7, 2009, *Hair Is a Reflection on the Overall Condition of Your Body*, Health, General Community, accessed April 9, 2011, <<http://www.thefreelibrary.com/Hair+Is+a+Reflection+on+the+Overall+Condition+of+Your+Body-a01074007300>>.
- Kuskoski, EM, Asuero, AG, Garcia-Parilla, MC, Troncoso, AM, Fett, R 2004, *Actividad antioxidante de pigmentos antocianicos*. Ciência e Tecnologia de Alimentos, Campinas - SP, v. 24, n. 4, pp. 691-693.
- Laleh, GH, Frydoonfar, H, Heidary, R, Jameei, R, Zare, S 2006, 'The Effect of Light, Temperature, pH and Species on Stability of Anthocyanin Pigments in Four *Berberis* Species', *Pakistan Journal of Nutrition* 5 (1): 90-92.
- Lauro, GJ and Francis, FJ 2000, *Natural Food colours, Science and technology*. IFT Basic Symposium Series 14, Marcel Dekker.
- Lee, Pat M, Abdullah, Rosmawati, Hung, Lee Kong 2011, 'Thermal Degradation of Blue Anthocyanin Extract of *Clitoria ternatea* Flower', *2nd International Conference on Biotechnology and Food Science*.
- Maccarone, E, Maccarrone, A, Rapisarda, P 1985, 'Stabilization of anthocyanins of blood orange fruit juice', *J Food Sci* 50: 901-904.
- Malabadi, RB, Mulgund, GS, Nataraja, K 2005, 'Screening of Antibacterial Activity in The Extracts of *Clitoria Ternatea*', *J Med Aromat Plant Sci*, pp. 26-29.
- Malien-Aubert, C, Dangles, O, and Amiot, MJ 2001, 'Color stability of commercial anthocyanin – based extracts in relation to the phenolic composition. Protective effects by intra and intermolecular copigmentation', *J. Agri. Food Chem.*, 49: 170-176.
- Mazza, G, Brouillard, R, 1987, 'Recent developments in the stabilization of anthocyanins in food products', *Food Chem* 25: 207-225.
- Mazza, G and Minitiati, E 1993, *Introduction. In Anthocyanin in Fruits, vegetables, and grains*, (pp: 1-28), Boca raton, FL: CRC Press(Chapter 1).
- Meschter, EE 1953, 'Effects of carbohydrates and other factors on color loss in strawberry products', *J Agric Food Chem* 1: 574-579.
- Meurman, JH, Härkönen, M, Näveri, H, Koskinen, J, Torkko, H, Rytömaa, I, Järvinen, V, Turunen, R 1990, 'Experimental sports drinks with minimal dental

erosion effect', *Department of Cariology, University of Helsinki, Finland*, 98(2):120-8.

- Microbiology Procedure, *Direct Counting of Cells, Spores, Viable Plate Count*, accessed May 15, 2011, <<http://www.microbiologyprocedure.com/microbiological-methods/direct-counting-of-cells-spores-viable-plate-count.htm>>.
- Microbiology Procedure, *Factors Affecting Microbial Growth in Food*, accessed June 26, 2011, <<http://www.microbiologyprocedure.com/food-microbiology/factors-affecting-microbial-growth-in-foods.htm>>.
- Milner, JA, 'New Insights into the Mechanism of Action of Antioxidants, *Nutrition Science Research Group, Division of Cancer Prevention, National Cancer Institute, Bethesda*.
- Molyneux, P 2004, 'The Use of The Stable Free Radical Diphenylpicrylhydrazyl (DPPH) for Estimating Antioxidant Activity', *Songklanakarin J. Sci. Technol.*, 26(2) : 211-219.
- Morris, JB 2009, *Characterization of Butterfly pea (Clitoria ternatea L.) Accessions for Morphology, Phenology, Reproduction and Potential Nutraceutical, Pharmaceutical Trait Utilization*, pp. 425-426.
- Morris, JB, Wang, ML 2007, *Anthocyanin and Potential Therapeutic Traits in Clitoria Desmodium Corchorus, Catharanthus, and Hibiscus Species*, *Acta Horti*, pp. 381-388.
- National Standardization Agency of Indonesia 1995, *Fruit Juices*, SNI 01-03719-1995.
- National Standardization Agency of Indonesia 1995, *Milk Pasteurization*, SNI 01-3951-1995.
- National Standardization Agency of Indonesia 2002, *Energy Drink*, SNI 01-6684-2002.
- National Standardization Agency of Indonesia 2006, *In Container Beverages*, SNI 01-3553-2006.
- National Standardization Agency of Indonesia 2006, *Procedures in Analysing In Container Beverages*, SNI 01-3554-2006.

- Nebesky, EA, Esselen, WB, McConnell, JEW Jr., Fellers, CR 1949, 'Stability of color in fruit juices', *Food Research* 14: 261-274.
- Noda, Y 2000, *Antioxidant activity of nasunin, an anthocyanin in eggplant peels*, accessed March 25, 2011, <<http://www.chiro.org/nutrition/FULL/Anthocyanins.shtml>>.
- Ohio-stat Edu, *Antioxidant*, accessed April 15, 2011, <<http://class.fst.ohio-state.edu/fst821/Lect/AA.pdf>>.
- Palamidis, N, Markakis, P 1978, 'Stability of grape anthocyanin in carbonated beverages', *Semana Vitivinicola* 33: 2633, 2635, 2637-2639
- Palamidis, N and Markakis, T 1975, 'Structure of anthocyanin', *J. Food Sci.*, 40: 104
- Parr, AI, and Bolwell, GP 2000, 'Phenols in Plant and in Man, the Potential for Possible Nutritional Enhancement of the Diet by Modifying the Phenols Content or Profile', *J. Sci. Food Agric.*, 80:985-1013
- Pearson Education 2004, *The Growth of Bacterial Culture*, accessed May 15, 2011, <<http://classes.midlandstech.com/carterp/Courses/bio225/chap06/Microbial%20Growth%20ss5.htm>>.
- Plant of The Week 1999, *Clitoria Ternatea – Butterfly pea Fabaceae*, accessed April 3, 2011, <<http://www.plantoftheweek.org/week043.shtml>>.
- Prakash, Aruna, Rigelhof, Fred, Eugene, Miller 2001, 'Antioxidant Activity', *Medallion Laboratories*, 19(2), pp. 2-4.
- Pruetong, Sasithorn, Saijeen, Suwaree, Thongfak, Kodcharat 2009, 'STUDY AND PROCESSING OF PLANT EXTRACTS FOR USE AS PH INDICATORS', Thailand: *University of Technology Lanna, Chiang-Mai*, pp. 363.
- Qian, H, Nihorimbere, V 2004, 'Antioxidant Power of Phytochemicals from *Psidium guajava* Leaf', *Journal of Zhejiang University SCIENCE*, 5(6): 676-683.
- R&D System 1997, *Reactive Oxygen Species*, accessed April 17, 2011, <http://www.rndsystems.com/mini_review_detail_objectname_MR97_ROS.aspx>.

- Rai, KS, Murthy, KD, Karanth, KS, Nalini, K, Rao, MS, Srinivashan, KK 2002, 'Clitoria Ternatea Root Extract Enhances Acetylcholine Content in Rat Hippocampus', *Fitoterapia* 73, pp. 658-689.
- Rao, VS, Paiva, LA, Souza, MF, Campos, AR, Ribeiro, RA, Brito, GA, Teixeira, MJ, Silveira, ER 2003, 'Ternatin, an Anti-Inflammatory Flavonoid, Inhibits Thioglycolate-elicited Rat Peritoneal Neutrophil Accumulation and LPS-activated nitric oxide Production in Murine Macrophages', *Planta Med*, pp. 851-853.
- Rein, Maarit 2005, 'Copigmentation Reactions and Color Stability of Berry Anthocyanins', Helsinki: *University of Helsinki*, pp. 19.
- Rice – Evans, CA 1995, *The relative antioxidant activities of plant-derived polyphenolic flavonoids*. pp. 3785.
- Robinson, R, Leon, A 1930, *Comparison of the stability of certain anthocyanins and anthocyanidins in the presence of dilute solutions of ferric chloride*, *Rev Acad Cienc* 28: 202-208.
- Rodriguez-Saona, LE, Giusti, MM, Wrolstad, RE 1999, 'Color and pigment stability of red radish and red-fleshed potato anthocyanins in juice model systems', *J Food Sci* 64: 451-456.
- Rogerio, AP, Kanashiro, A, Fontanari, C, da Silva, EV, Valim, YM Lucisano, Soares, EG, Faccioli, LH 2007, 'Anti-inflammatory Activity of Quercetin and Isoquercitrin in Experimental Murine Allergic Asthma.'
- Rosmolen, Michel October 8, 2009, *Butterfly pea Herbal Shampoo*, accessed April 9, 2011, <http://www.quinl.com/viewProductDetail/Butterfly_Pea_Herbal_Shampoo_thailand_4337.html>
- Sahelian, Ray, *Phenolic Compounds and Phenolic Acids*, accessed May 6, 2011, <<http://www.raysahelian.com/phenolic.html>>.
- Sawamura, S, Sakane, I, Satoh, E, Ishii, T, Shimizu, Y, Nishimura, M, Umehara, K 2002, 'Isolation and Determination of an Antidote for Botulinum Neurotoxin from Black Tea Extract', *Nippon Yakurigaku Zasshi*, pp. 116-118.
- Schaefer, E, Peil, H, Ambrosetti, L, Petrini, O 2003, 'Oedema Protective Properties of The Red Vine Leaf Extract AS 195 (Folia Vitis Viniferae) in The

Treatment of Chronic Venous Insufficiency, a 6-week Observational Clinical Trial'.

- Sengul, Memnune, Yildiz, Hilal, Gungor, Neva, Cetin, Bulent, Peser, Zeynep, Ercisli, Sezai 2009, 'Total Phenolic Content, Antioxidant and Antimicrobial Activities of Some Medicinal Plants', *Pak. J. Pharm. Sci.*, p. 102-106.
- Shahidi, F, Naczk, M 1995, 'Food Phenolics Sources Chemistry Effects Applications', *Technomic Publishing Co. Inc.*, Lancaster-Based, 331 s.
- Singletary, KW, Jung, KJ, Giusti, M 2007, 'Anthocyanin-rich Grape Extract Blocks Breast Cell DNA Damage', *J Med Food*, pp. 244-251.
- Sini, KR, Sinha, BN, Karpagavalli, M 2010, 'Determining the Antioxidant Activity of Certain Medicinal Plants of Attapadi, (Palakkad), India Using DPPH Assay', *Current Bottany* 1(1): 13-17.
- Skrede, G, Wrolstad, RE, Durst, RW 2000, 'Changes in anthocyanins and polyphenolics during juice processing of highbush blueberries (*Vaccinium corymbosum* L.)', *J Food Sci* 65: 357-364.
- Smith, Mike Carl April 6, 2011, *Blanching – A Good Way to Cook*, Ezine @rticles, accessed June 2011, <<http://ezinearticles.com/?Blanching---A-Good-Way-to-Cook&id=5981157>>.
- StatSoft, *ANOVA/MANOVA*, accessed June 26, 2011, <<http://www.statsoft.com/textbook/anova-manova/?button=1>>.
- Stavric, B, 'Antimutagens and anticarcinogens in foods', *Food Chem. Toxicol.*, 32(1):79-90
- Stintzing, FC, Carle, R 2004, 'Functional properties of anthocyanins and betalains in plants, food, and in human nutrition', *Trends Food Sci Technol* 15: 19-38.
- Talcott, ST, Brenes, CH, Pires, DM, Del Pozo-Insfran, D 2003, 'Phytochemical stability and color retention of copigmented and processed muscadine grape juice', *J Agric Food Chem* 51: 957-963
- Terahara, N, Toki, K, Saito, N, Honda, T, Matsui, T, Osajima, Y 1998, 'Eight New Anthocyanins, Ternatins C1 – C5 and D3 and Preternatins A3 and C4 from Young Clitorea Ternatea Flowers', *J. Nat. Prod.* 61: 1361-1367
- The Chemical Company, May 6, 2011, *Malic acid C₄H₆O₅*.

- The Healthier Life, *Exploring the Benefits of Malic Acid*, accessed May 6, 2011, <<http://www.thehealthierlife.co.uk/natural-health-articles/chronic-fatigue-syndrome/malic-acid-chronic-fatigue-syndrome-00974.html>>.
- Thiel, Teresa 1999, 'Introduction to Bacteria', Department of Biology, *University of Missouri* – St. Louis.
- Timberlake, CF, Bridle, P 1965-1966, 'Effects of substituents on the ionization of flavylum salts and anthocyanins and their reactions with sulfur dioxide', *Chemistry & Industry*.
- Timberlake, CF, Bridle, P 1966, 'Spectral studies of anthocyanin and anthocyanidin equilibrium in aqueous solution', *Nature* 212: 158-159.
- Ting, Andrew Koh Kien, *Asian delicacy, Nyonya kueh - Pulut Tai Tai*, accessed April 9, 2011, <<http://m.123rf.com/portfolio-andrewkoh>>.
- Top Cultures, *Phytochemicals*, accessed June 24, 2011, <<http://www.phytochemicals.info/phytochemicals>>.
- Trochim, William MK, *The T-test*, accessed June 26, 2011, <http://www.socialresearchmethods.net/kb/stat_t.php>.
- University of Guelph 1999 – 2002, *Pasteurization*, National Science Teachers Association, accessed May 7, 2011, <<http://www.foodscience.uoguelph.ca/dairyedu/pasteurization.html>>.
- Uritani, I, Garcia, VV, Mendoza, EM Eds 1994, 'Postharvest Biochemistry of plant Food-Materials in the Tropics', *Japan Scientific Societies Press*: Tokyo, Japan, pp. 241-251.
- Vankar, Padma S, Bajpai, Dhara 2010, 'Rose Anthocyanins as Acid Base Indicators', *Indian Institute of Technology*, Kanpur 208 016, India, pp. 877.
- Vera de Rosso, Veridiana, Mercadante, Adriana Z 2007, *Evaluation of colour and stability of anthocyanins from tropical fruits in an isotonic soft drink system*, *Innovative Food Science and Emerging Technologies* 8, pp. 347-351.
- Vrhovsek, U, Rigo, A, Tonon, D, Mattivi, F 2004, 'Quantitation of polyphenols in different apple varieties', *J Agric Food Chem*, 52:6532-8.
- Wageningen University, *Anthocyanins and Anthocyanidins*, accessed April 30, 2011, <<http://www.food-info.net/uk/colour/anthocyanin.htm>>.

- Wang, CJ, Wang, JM, Wea, LL, Chia, YC, Chou, FP, Tseng, TH 2000, *Protective effect of Hibiscus anthocyanins against tert-butyl hidroperoxide-induced hepatic toxicity in Rats*, Food and Chemical Toxicology, Amsterdam, v. 38, n. 5, pp. 411-416.
- Waterhouse, Andrew, *Folin-Ciocalteu Micro Method for Total Phenol in Wine*, accessed June 19, 2011, <<http://waterhouse.ucdavis.edu/phenol/foolinmicro>>.
- Wesche-Ebeling, P, Montgomery, MW 1990, 'Strawberry polyphenol oxidase: its role in anthocyanin degradation', *J Food Sci* 55: 731-734, 745.
- Williamson, Gary, Holst, Birgit 2008, 'Dietary Reference Intake (DRI) Value for Dietary Polyphenols: Are We Heading in the Right Direction?', *British Journal of Nutrition* 99, Suppl. 3, S55 – S58.
- Wilska-Jeszka, J, Korzuchowska, A 1996, 'Anthocyanins and chlorogenic acid copigmentation influence on the color of strawberry and chokeberry juices', *Food Res Tech* 203: 38-42.
- Wrolstad, RE, Skrede, G, Lea, P, and Enersen, G 1990, 'Influence of sugar on anthocyanin pigment stability in frozen strawberries', *Journal of Food Science*, 55, 1064–1065, 1072.
- Xie, B, Shi, H, Chen, Q, Ho, CT 1993, 'Antioxidant properties of fractions and polyphenol constituents from green, oolong, and black teas', *Proceedings of the National Science Council, ROC, Part B, Life Sciences*, 17(2):77-84.
- Yang, JH, Lin, HC, Mau, JL 2002, 'Antioxidant properties of several commercial mushrooms', *Food Chem.*, 77:229-235.
- Yokotsuka, K, Singleton, VL 1997, 'Disappearance of anthocyanins as grape juice is prepared and oxidized with PPO and PPO substrates', *Am J Enol Vitic* 48: 13-25.
- Youdim, KA, Martin, A, Joseph, JA 2000, *Incorporation of elderberry anthocyanins by endothelial cells increases protection against oxidative stress*, Free Radical Biology and Medicine, Washington, v. 29, n. 1, pp. 51-60.
- Zduńczyk, Z, Juśkiewicz, J, Wróblewska, M, Flis, M 2005, 'Effect of faba bean seeds with different content of proanthocyanidins on growth of rats, caecal enzyme activity and metabolism indices', *Acta Alimentaria Journal*, pp. 616-618.

- Zhang, Y, Vareed, SK, Nair, MG 2005, 'Human Tumor Cell Growth Inhibition by Nontoxic Anthocyanin in The Pigments in Fruits and Vegetables', *Life Sci*, pp. 1456-1472.

