

REFERENCES

Adamson, S. S., & Ganiyu, O. (2012). Aqueous Extracts from Unripe Plantain (*Musa paradisiaca*) Products Inhibit Key Enzymes Linked with Type 2 Diabetes and Hypertension in vitro. *Jordan Journal of Biological Sciences* , 5, 239-246.

Adefegha, S. A., & Oboh, G. (2012). In vitro inhibition activity of polyphenol-rich extracts from *Syzygium aromaticum* (L.) Merr.& Perry (Clove) buds against carbohydrate hydrolyzing enzymes linked to type 2 diabetes and Fe- induced lipid peroxidation in rat pancreas. *Asian Pasific Journal of Tropical Biomedicine* , 2(10), 774-781.

Ahmad, A., Alkarkhi, A. F., Hena, S., & Khim, L. H. (2009). Extraction, Separation and Identification of Chemical Ingredients of *Elephantopus Scaber* L. using Factorial Design of Experiment. *International Journal of Chemistry* , 1, 36-49.

Anggraini, T., Tai, A., Yoshino, T., & Tomio, I. (2011). Antioxidative activity and catechin content of fo kinds of *Uncaria gambir* extracts from West Sumatera, Indonesia. *African Journal of Biochemistry* , 5(1), 33-38.

Apea-Bah, F., Hanafi, M., Dewi, R., Fajriah, S., Darmawan, A., Artanti, N., et al. (2009). Assessment of the DPPH and alpha-glucosidase inhibitory potential of gambier and qualitative identification of major bioactive compound. *Journal of Medicinal Plants Research* , 3(10), 737-757.

Asadujjaman, M., Hossain, M., Morshed, M., Rahman, M., Anisuzzaman, A., Ahmed, M., et al. (2011). Antihyperlipidemic and Hepatoprotective Effects of Different Fractions of *Brassica oleracea* in Alloxan Induced Diabetic Rats. *International Journal of Pharmaceutical Sciences and Research* , 748-754.

Babu, M. A., Suriyakala, M. A., & Gothandam, K. M. (2012). Varietal Impact on Phytochemical Contents and Antioxidant Properties of *Musa acuminata* (Banana). *Journal of Pharmaceutical Sciences and Research* , 4(10), 1950-1955.

Bailey, C. J., & Day, C. (1989). Traditional Plant Medicines as Treatments for Diabetes. *Diabetes care* , 12, 556-564.

Bird, I. M. (1989). High performance liquid chromatography : principles and clinical application. 299 . Edinburgh: Department of Biochemistry University of Edinburgh.

Braichu, C., Lodomery, M. R., & Chedea, V. S. (2013). The relationship between the structure and biological actions of green loana *Berindan- Neagoe*. *Elsevier* , 141, 3282-3289.

Budiman. (2015). The effect of Piper crocatum Leaves to Glucose Serum Level. *MAJORITY*, 4, 31-37.

de Sales, P. M., de Souza, P. M., Simeoni, L. A., & Magalhaes, P. d. (2012). Alpha-Amylase Inhibitors : A Review of Raw Material and Isolated Compounds form Plant Source. *Journal Phrmaceutical Science*, 15(1), 141-183.

Dewoto, H. R. (2007). Pengembangan Obat Tradisional Indonesia Menjadi Fitofarmaka. *Majalah Kedokteran Indonesia*, 57.

Edet, A., Eseyin, O., & Aniebiet, A. (2015). Anti-nutrients composition and mineral analysis of allium cepa (onion) bulbs. *African Journal of Pharmacy and Pharmacology*, 9(13), 456-459.

Eldin, T., Ahmed, E. M., & Elwahab, H. (2010). Premilinary Study of The Clinical Hypoglycemic effects of Allium cepa (Red Onion) in Type 1 and Type 2 Diabetic Patients. *Environmental Health Insights*, 4, 71-77.

Elya, B., Basah, K., Mun'im, A., Yulastuti, W., Bangun, A., & Septiana, E. K. (2011). Screening of alpha-Glucosidase Inhibitory Activity from Some Plants of Apocynaceae, Clusiaceae, Euphorbiaceae, and Rubiaceae. *Journal of Biomedicine and Biotechnology*.

Flinn, P., Juhı, Y., & Layloff, T. (1989). A simple, inexpensive thin-layer chromatography method for the analysis of theophylline tablets. *Buletin of the World Health Organization*, 67, 565-559.

Franca, E. L., Ribelro, E. B., Scherer, E. F., & Cantarini, G. D. (2014). Effects of Momordica charantia L. on the blood rheological properties in diabetic patients. *Biomed Research international*.

Galaverna, R., Sampaio, P., Barata, L., Eberlin, M., & Fidelis, C. (2015). Differentiation of two morphologically similar Amazonian Aniba species by mass spectrometry leaf fingerprinting. *Journal of Analytical Methods*, 1984-1990.

Grebe, S. K., & Singh, R. (2011). LC-MS/MS in the Clinical Laboratory- *Clinical Biochem*, 32, 5-31.

Gusakov, A. V., Kondratyeva, E. G., & Sinistsyn, A. P. (2011). Comparison of Two Methods for Assaying Reducing Sugars in the Determination of Carbohydrase Activites. *International Journal of Analytical Chemistry*.

Gutierrez, R. M., & Guzman, M. d. (2012). Meliacinolin : A Potent alpha-Glucosidase and alpha-Amylase Inhibitor ISolated from Azadirachta indica Leaves and in Vivo Antidiabetic Property in Streptozotocin-Nicotinamide-Induced Type 2 Diabetes in Mice. *Bio Pharmacy Buletin*, 1516-1524.

Hassan, Z., Yam, M. F., Ahmad, M., & Yusof, A. P. (2010). Antidiabetic Properties and Mechanism of Action of Gynura procumbens Water Extract in Streptozotocin-Induced Diabetic Rats. *Molecules*, 15, 9008-9023.

Ikechukwu, C. F., Edem, A. A., William, U. M., Okori, S. O., & Ihentuge, C. J. (2013). Phytochemical Composition of Cassia Alata Leaf Extract and its Effect on the Histology of the Pancreas of Diabetic wistar Rats. *Journal of Pharmacy and Biological Sciences* , 5, 2278-3008.

Imam, M. Z., & Akter, S. (2011). Musa paradisiaca L. and Musa sapientum L. : A Phytochemical and Pharmacological Review. *Journal of Applied Pharmaceutical Science* , 1, 14-20.

Introduction to Fourier Transform Infrared Spectrometry. (2001). Thermo Nicolet corporation.

Jadhav, A. P., Kareparamban, J. A., Nikam, P. H., & Kadam, V. J. (2012). Spectrophotometric Estimation of Ferulic Acid from Ferula asafoetida by Folin-Ciocalteu's Reagent. *Pelagia research Library* , 3, 680-684.

Jaggi, N., & Vij, D. (2006). Fourier Transform Infrared Spectroscopy. India.

Jamsari, Yaswendi, & Kasim, M. (2007). Phenology of flower and fruit development in Uncaria gambir Species. *Biodiversitas* , 8(2), 141-146.

Jaya, I., Leliqia, N., & Widjaja, I. (2009). Uji Aktivitas Penangkapan Radikal DPPH Ekstrak PRODUK Teh Hitam (Camellia sinesis (L.)O.K.) dan Gambir (Uncaria gambir (Hunter) Robxb) Serta Profil KLT- Densitometernya.

Joseph, B., & Jini, D. (2013). Antidiabetic effects of Momordica charantia (bitter melon) and its medicinal potency. *Asian Pasific Journal of Tropical Disease* , 3(2), 93-102.

Jumapaeng, T., Prachakool, S., Luthria, D., & Chantai, S. (2013). Determination of antioxidant capacity and alpha-amylase inhibitory activity of the essential oils from citronella grass and lemon grass. *International Food Research Journal* , 20(1), 481-485.

Kaneto, H., Kajimoto, Y., Miyagawa, J.-i., Matsuoka, T.-a., Fujitani, Y., Umayahara, Y., et al. (1999). Beneficial Effects of Antioxidant in Diabetes. *Diabetes* , 48.

Karadag, A., Ozcelik, B., & Saner, S. (2009). Review of Methods to Determine Antioxidant Capacities. *Food Analytical methods* , 41-60.

Kassim, M., Hussin, M., Achmad, A., Dahon, H., Suan, K., & Hamdan, H. (2011). Determination of total phenol, condensed tannin and flavonoid contents and antioxidant activity of Uncaria gambir extracts. *Majalah Farmasi Indonesia* , 22, 50-59.

Khadri, A., Neffati, M., Smiti, S., Fale, P., & Lino, A. (2010). Antioxidant, antiacetylcholinesterase and antimicrobial activities of Cymbopogon schoenanthus L.Spreng (lemongrass) from Tunisia. *Journal of Food Sciences and Technology* , 43, 331-336.

Kubinova, R., Jankovska, D., & Bauerova, V. (2012). Antioxidant and Alpha-Glucosidase Inhibition Activities and Polyphenol Content of Five Species of Agrimonia Genus. *Journal of Veterinary and Pharmaceutical Sciences* , 2, 38-41.

Kumar, E., Harsha, K., Neelakanta, R. N., Sudheer, V., & Babu, G. (2013). In vitro antioxidant activity and in vivo hepatoprotective activity of aqueous extract of Allium cepa bulb in paracetamol induced liver damaged in Wistar rats. *Research Journal of Pharmaceutical, Biological and Chemical Sciences* , 4, 335.

Kumar, K., Bhowmik, D., Chiranjib, Biswajit, & Tiwari, P. (2010). Allium cepa: A traditional medicinal herb and its health benefits. *Journal of Chemical and Pharmaceutical Research* , 2(1), 283-291.

Kumar, S., Narwal, S., & Prakash, O. (2011). Alpha-glucosidase inhibitors from plants : A natural approach to treat diabetes. *Pharmacology Reviews* , 5, 19-29.

Laar, F. A., Lucaseen, P. L., Akkermans, R. P., Lisdonk, E. H., & Rutten, G. E. (2005). Alpha-glucosidase Inhibitors for Patients with Type 2 Diabetes. *Diabetes Care* , 28.

Lehninger. Analysis of Reducing Sugars in Beverages. In *Biochemistry I Laboratory* (pp. 235-244).

Lu, J.-M., Lin, P. H., Yao, Q., & Chen, C. (2010). Chemical and Molecular Mechanisms of Antioxidants :Experimental Approaches and Model Systems. *Journal of Cellular and Molecular Medicine* , 14, 840-860.

Lu, X., Wang, J., Al-Qadiri, H. M., Ross, C. F., Powers, J. R., & Tang, J. (2011). Determination of total phenolic content and antioxidant capacity of onion (Allium cepa) and shallot (Allium oschaninii) using infrared spectroscopy. *Food Chemistry* , 637-644.

Lu, Y., Khoo, T., & Wiart, C. (2014). Antioxidant Activity Determination of Citronellal and Crude Extracts of Cymbopogon citratus by 3 Different Methods. *Pharmacology and Pharmacy* , 5, 395-400.

Lu, Y.-L., Liu, Y.-H., Chyuan, J.-H., Cheng, K.-T., Liang, W.-L., & Hou, W.-C. (2012). Antioxidant activities of different wild bitter melon (Momordica charantia L var. abbreviata Seringe) cultivars. *Botanical Studies* , 53, 207-214.

Manaharan, T., Palanisamy, U. D., & Ming, C. H. (2012). Tropical Plant extracts as Potential Antihyperlycemic Agents. *Molecules* , 17, 5915-5923.

Masamba, W., Kamanula, J., Elizabeth, M., Henry, & Nyirenda. (2003). Extraction and analysis of lemongrass (Cymbopogon citratus) oil: An essential oil with potential to control the Larger Grain Borer (Prostephanus truncatus) in stored products in Malawi. *Malawi Journal of Agricultural Sciences* , 2(1), 56-64.

Matsuura, H., Asakawa, C., Kurimoto, M., & Mizutani, J. (2002). alpha-Glucosidase Inhibitor from the Seeds of Balsam Pear (*Momordica charantia*) and the Fruit Bodies of *Grifola frondosa*. *Journal of Biotechnology*, 1576-1578.

Mediani, A., Lee, S., Ashikin, N., Azliana, A., & Abas, F. (2014). Antioxidant and alpha-glucosidase inhibitory activities of the leaf and stem of selected traditional medicinal plants. *International Food Research Journal*, 21, 165-172.

Mir, S., Ahangar, A., & Bhat, A. (2013). A New, Simple Colorimetric Method For Assaying Diosmin and Flavonoids In Daflon Tablets And Orange Peel Extracts. *International Journal of PharmTech Research*, 341-348.

Mir, S., Bhat, A., & Ahangar, A. (2014). A simplified 2,4-dinitrophenylhydrazine assay for Flavonoids and its comparison with a Standard flavonoid assay. *International Journal of PharmTech Research*, 751-758.

Mishra, M., Rana, C., & Martin, M. (2013). Influence of a strong sample solvent on analyte dispersion in chromatographic columns. *Journal of Chromatography*, 46-55.

Molyneux, P. (2004). The use of the stable free radical diphenylpicryl-hydrazyl (DPPH) for estimating antioxidant activity. *Journal Science and Technology*, 26, 211-219.

Mondak, M., Dixit, P., Londhe, J., & Ghaskadbi, S. (2007). Indian Herbs and Herbal Drugs Used for the Treatment of Diabetes. *Journal of Clinical biochemistry and Nutrition*, 40, 163-173.

Nickavar, B., Abolhasani, L., & Izadpahan, H. (2008). alpha-Amylase Inhibitory Activities of Six *Salvia* Species. *International Journal of Pharmaceutical Research*, 7(4), 297-303.

Nusantara, A. H. (2010). *Obat Herbal Indonesia*. Retrieved from <http://www.herbalisnusantara.com/obatherbal/>

Olorunnisola, S., Asinyabi, H., Hammed, A., & Simsek, S. (2014). Biological properties of lemon grass : An overview. *International Food Research Journal*, 21(2), 455-462.

Park, J.-H., Ko, S., & Park, H. (2008). Toward the Virtual Screening of alpha-Glucosidase Inhibitors with the Homology- Modeld Protein Structure. *Bull. Korean Chem*, 29.

Pekal, A., & Pyrzynska, K. (2014). Evaluation of Aluminium Complexation Reaction for Flavonoid Content Assay. *Journal of Food Analytical method*, 1776-1782.

Pitt, J. J. (2009). Principles and Applications of Liquid Chromatography- Mass Spectrometry in Clinical Biochemistry. *Clinical Biochem*, 30, 19-34.

Prakash, A., Rigelhof, F., & Miller, E. (2013). Antioxidant Activity. *Medallion Laboratories*.

Rajan, T., Ellaiah, P., & Madhusudhana, C. C. (2011). In vitro Antioxidant and Alpha-amylase Inhibitory Activity of Isolated Compound from Ethyl acetate Extract of Cynodon Dactylon and Piper Betle. *IJPIR* .

Rammal, H., Bouayed, J., Hijazi, A., Ezzedine, M., & Soulimani, R. (2012). Scavenger capacity of Momordica charantia for reactive oxygen species. *Journal of Natural Products* ,(2)54-59.

Rauf, R., Santoso, U., & Suparmo. (2010). Aktivitas Penangkapan Radikal DPPH Ekstrak Gambir(Uncaria gambir Roxb.). *AGRITECH* , 30.

Reddy, J., & Hemachandran, J. (2014). Comparative evaluation of the antidiabetic and hypoglycaemic potentials of the parts Musa paradisiaca plant extracts. *International Journal of Scientific and Research Publications* .

Sales, P. M., Souza, P. M., Simeoni, L. A., & Magalhaes, P. d. (2012). Alpha-amylase inhibitors : A Review of Raw Material and Isolated Compounds from Plant Source. *Journal of Pharmacy Pharmaceutical Science* , 141-183.

Santoso, S. S., & Media, Y. (2003). Obat Tradisional Untuk Penyembuhan Penyakit Diabetes Mellitus Dari Pengobat Tradisional (BATTRA) di DKI Jakarta, Yogyakarta dan Surabaya. *Jurnal Ekologi Kesehatan* , 2, 239-248.

Saraswaty, V. (2010). Alpha Glucosidase Inhibitory Activity from Syzigium sp. *Teknologi Indonesia* , 33-37.

Scientific, T. (n.d.). Remove Air Bubbles From Columns to Restore Flow Rate. Rockford, Illinois, USA: Pierce Biotechnology.

Sheng, Z., Dai, H., Pan, S., Wang, H., Hu, Y., & Ma, W. (2014). Isolation and Characterization of an alpha-Glucosidase Inhibitor from Musa spp. (Baxijiao) Flowers. *Molecules* , 19, 10563-10573.

Shodehinde, S. A., & Oboh, G. (2012). In vitro antioxidant activities and inhibitory effects of aqueous extracts of unripe plantain pulp (Musa paradisiaca) on enzyme linked with type 2 diabetes and hypertension. *Journal of Toxicology and Environmental Health Sciences* , 66-75.

Shodehinde, S., & Oboh, G. (2013). Phenolic Extracts of 'Amala' from unripe plantain (Musa paradisiaca) pulps inhibit key enzymes linked to type 2 diabetes and hypertension. *FUTA Journal of research in sciences* , 1, 128-134.

Shukla, R., Sharma, S., Puri, D., Prabhu, K., & Murthy, P. (2000). Medicinal Plants for Treatment of Diabetes Mellitus. *Indian Journal of Clinical Biochemistry* , 15, 169-177.

Sousa, B., & Correia, R. (2012). Phenolic content, antioxidant activity and anti-amylolytic activity of extracts obtained from bioprocessed pineapple and guava waste. *Brazilian Journal of Chemical Engineering* , 25-30.

Sugiarti, S., Setiasih, S., & Afifah, E. (2009). Antihyperglycemic Activity of The Mahkota Dewa (*Phaleria macrocarpa*) Leaf Extracts as an Alpha-glucosidase Inhibitor. *Makara, Kesehatan* , 74-78.

Sugiarti, S., Setiasih, S., & Afifah, E. (2009). Antihyperglycemic Activity of the Mahkota Dewa Leaf Extracts as an Alpha-Glucosidase Inhibitor. *Makara Kesehatan* , 13, 74-78.

Sugiwati, S., Setiasih, S., & Afifah, E. (2009). Antihyperglycemic Activity of The Mahkota Dewa (*Phaleria macrocarpa*) Leaf Extracts as an Alpha-glucosidase Inhibitor. *Makara Kesehatan* , 13(2), 74-78.

Sulaiman, M., Tijani, H. I., Abubakar, B. M., Haruna, S., & Hindatu, Y. (2013). An overview of natural plant antioxidants : analysis and evaluation. *Advances in Biochemistry* , 1(4), 64-72.

Thiruvengada, R. V., Ellaiah, P., & Madhusudhana, C. C. (2011). In Vitro Antioxidant and Alpha-amylase Inhibitory Activity of Isolated Compound from Ethyl Acetate Extract of *Cynodon Dactylon* and *Piper Betle*. *Journal Indian Pharmacy* , 1.

Tran, J. C., & Doucette, A. A. (2006). Cyclic Polyamide Oligomers Extracted from Nylon 66 Membrane Filter Disks as a Source of Contamination in Liquid Chromatography/ Mass Spectrometry. *American Society of Mass Spectrometry* .

Triegel, M. F., & Hill, J. (1996). *Thin Layer Chromatography for Media Analysis*. Los Angeles: The Getty Conversation Institute.

Varghese, G., Bose, L., & Habtemariam, S. (2013). Antidiabetic components of *Cassia alata* leaves: identification through alpha-glucosidase inhibition studies. *Pharm Bio* , 50, 345-349.

Vihakas, M. (2014). *Flavonoids and Other Phenolic Compounds : Characterization and Interactions with Lepidopteran and Sawfly Larvae*. Turku, Finland: University of Turku.

Wild, S., Roglic, G., Green, A., & Sicree, R. (2004). Global Prevalence of Diabetes. *Diabetes Care* , 5.

Yang, Y., Xiao, Y., Liu, G., & Hu, H. (2014). Rapid Identification of alpha-Glucosidase Inhibitors from *Phlomis tuberosa* by Sepbox Chromatography and Thin-Layer Chromatography Bioautography. *PLOS ONE* .

Yin, Z., Zhang, W., & Feng, F. (2014). Alpha-glucosidase inhibitors isolated from medicinal plants. *Food Science and Human Wellness* , 136-174.