

LIST OF REFERENCES

Adams, J.B. 1973. *Thermal degradation of anthocyanin with particular reference on 3 glucosides of cyanidin. In acidified aqueous solution at 100 °C. J. Sci. Food Agric.* 24(7) : 747-762.

Andersen, Ø. M., and M. Jordheim. 2006. *The Anthocyanins*. In: Andersen, Ø.M., and K.R. Markham, ed. *Flavonoids: Chemistry, Biochemistry and Applications*. Boca Raton, Florida, USA : CRC Press, Inc.

Attoe, E.L., and J.H. von Elbe. 1981. *Photochemical degradation of betanine and selected anthocyanins. J. Food Sci.* 46 : 1934-1937.

Bakowska-Barczak, A. 2005. *Acylated anthocyanins as stable, natural food colorants-a review. Pol. J. Food Nutr. Sci.* 14(2): 107-116.

Briddle, P., and C.F. Timberlake. 1997. *Anthocyanins as natural food colours – selected aspects. Food Chem.* 58(1-2) : 103-109.

Brouillard, R., M.C. Wig, O. Dangles, and A. Cheminat. 1991. *The pH and solvent effects on the copigmentation reaction of malvin with polyphenol, purine and pyrimidine derivatives. J. Chem. Soc. Perkin Trans 2* : 1235-1241.

Brouillard, R. 1982. *Chemical Structure of Anthocyanins*. In: Markakis, P, ed. *Anthocyanins as Food Color*. New York, New York, USA : Academic Press.

Brownmiller, C., L.R. Howard, and R.L. Prior. 2008. *Processing and storage effects on monomeric anthocyanins, percent polymeric color, and antioxidant capacity of processed blueberry products. J. Food Sci.* 73(5) : 72-79.

Cacae, J., and G. Mazza. 2003. *Optimization of extraction of anthocyanins from black currants with aqueous ethanol. J. Food Sci.* 68(1) : 240-248.

Cevallos-Casals, B.A. and L. Cisneros-Zevallos. 2004. *Stability of anthocyanin-based aqueous extracts of Andean purple corn and red-fleshed sweet potato compared to synthetic and natural colorants. Food Chem.* 86(1) : 69-77.

Cisse, M., F. Vaillant, O. Acosta, C. Dhuique-Mayer, and M. Dornier. 2009. *Thermal degradation kinetics of anthocyanins from blood orange, blackberry, and roselle using the arrhenius, eyring, and ball models. J. Agric. Food Chem.* 57(14) : 6285-6291.

Cisse, M., F. Vaillant, A. Kane, O. Ndiaye, and M. Dornier. 2011. *Impact of the extraction procedure on the kinetics of anthocyanin and colour degradation of roselle extracts during storage. J. Sci. Food Agric.* 92(6) : 1214-1221.

Dao, L.T., G.R. Takeoka, R.H. Edwards, J. Berrios, and J. De. 1998. *Improved method for stabilization of anthocyanidins. J. Agric. Food Chem.* 46(9) : 3564-3569.

Delgado-Vargas, F., A. R. Jiménez, and O. Paredes-López. 2000. *Natural pigments: carotenoids, anthocyanins, and betalains—characteristics, biosynthesis, processing, and stability. Crit. Rev. Food Science and Nutrition* 40(3) : 173-289.

Del Pozo-Insfran, D., C.H. Brenes, and S.T. Talcote. 2004. *Phytochemical composition and pigment stability of acai (Euterpe oleracea Mart.) J. Agric. Food Chem.* 52(6) : 1539-1545.

Deroles, S. 2009. *Anthocyanin Biosynthesis in Plant Cell Cultures: A Potential Source of Natural Colourants*. In: Gould, K., D. Kevin, and C. Winefield, ed. *Anthocyanins: Biosynthesis, Functions, and Applications*. New York, New York, USA : Springer Science+Business Media, LLC.

Devi, P.S., M. Saravanakumar, and S. Mohandas. 2012. *The effects of temperature and pH on stability of anthocyanins from red sorghum (Sorghum bicolor) bran. Afr. J. Food Sci.* 6(24) : 567-573.

DeWalt, S., J.S. Denslow, and K. Ickes. 2004. *Natural-enemy release facilitates habitat expansions of the invasive tropical shrub clidemia hirta. Ecology* 85(2) : 471-483.

DeWalt, S., J.S. Denslow, and J.L. Hamrick. 2003. *Biomass allocation, growth, and photosynthesis of genotypes from native and introduced ranges of the tropical shrub clidemia hirta. Oecologia* 138(4) : 521-531.

Dyrby, M., N. Westergaard, and H. Stepelfeldt. 2001. *Light and heat sensitivity of red cabbage extract in soft drink model systems. Food Chem.* 72(4) : 431-437.

EOL – “*Clidemia hirta* – Soapbush.” <http://eol.org/pages/581143/names>, accessed on November 9, 2014.

Fossen, T., L. Carbrita, and Ø.M. Andersen. 1998. *Colour and stability of pure anthocyanins influenced by pH including the alkaline region. Food Chem.* 63(4) : 435-440.

Francis, F.J. 1992. *A new group of food colourants. Trends Food Sci. Technol. Cambridge* 3 : 27-30.

Francis, F. 1989. *Foodcolourants: anthocyanins. Crit. Rev. Food Science and Nutrition* 28(4) : 273-314.

Giusti, M. M., and R. E. Wrolstad. 2001. *Characterization and Measurement of Anthocyanins by UV-Visible Spectroscopy. Current Protocols in Food and Analytical Chemistry.* New York, New York, USA : John Wiley & Sons, Inc.

Giusti, M. M., and R. E. Wrolstad. 2003. *Acylated anthocyanins from edible sources and their applications in food systems. Biochemical Engineering Journal* 14(3) : 217-225.

Gunadharma, N. 2014. *Jurnal - Harendong Bulu*.
<http://www.biodiversitywarriors.org/harendong-bulu.html>, accessed on November 9, 2014.

Honda, T., and N. Saito. 2002. *Recent progress in the chemistry of polyacylated anthocyanins as flower color pigments. Heterocycles* 56(1) : 633-692.

Hrazdina, G. 1971. *Reactions of the anthocyanidin-3,5-diglucosides: formation of 3,5-di-(O- β -D-glucosyl)-hydroxyl-7-hydroxy coumarin. Phytochemistry* 10 : 1125-1130.

Inami, O., I. Tamura, H. Kikuzaki, and N. Nakatani. 1996. *Stability of anthocyanins of Sambucus canadensis and Sambucus nigra. J. Agric. Food Chem.* 44(10) : 3090-3096.

Jackman, R.L., R.Y. Yada, and M.A. Tung. 1987. *A review: separation and chemical properties of anthocyanins used for their qualitative and quantitative analysis. J. Food Biochem.* 11(4) : 279-308.

Keith, E.S., and J.J. Powers. 1965. *Polarographic measurement and thermal decomposition of anthocyanin compounds. J. Agric. Food Chem.* 13(6) : 577-579.

Khoddami, A., M.A. Wilkes, and T.H. Roberts. 2013. *Techniques for analysis of plant phenolic compounds. Molecules* 18(2) : 2328-2375.

Laleh, G.H., H. Frydoonfar, R. Heidary, R. Jameei, and S. Zare. 2006. *The effect of light, temperature, pH, and species on stability of anthocyanin pigments in four Berberis species. Pakistan Journal of Nutrition.* 5(1) : 90-92.

Lee, J. 2005. *Determination of total monomeric anthocyanin pigment content of fruit juices, beverages, natural colorants, and wines by pH differential method: collaborative study. J. AOAC Inter.* 88(5) : 1269-1278.

Macheix, J., A. Fleuriet, and J. Billot. 1990. *Fruit Phenolics.* Boca Raton, Florida, USA : CRC Press, Inc.

Malien-Aubert, C., O. Dangles, and M. J. Amiot. 2001. *Color stability of commercial anthocyanin-based extracts in relation to the phenolic composition. Protective effects by intra- and intermolecular copigmentation. J. Agric. Food Chem.* 49(1) : 170-176.

Markakis, P., G.E. Livingstone, and G.R. Fillers. 1957. *Quantitative aspects of strawberry pigment degradation. J. Food Sci.* 22(2) : 117-130.

Mazza, G., and E. Miniati. 1993. *Anthocyanins in Fruits, Vegetables, and Grains.* Boca Raton, Florida, USA : CRC Press, Inc.

Moldovan, B., L. David, C. Chisbora, and C. Cimpoiu. 2012. *Degradation kinetics of anthocyanins from european cranberrybush (Viburnum opulus L.) fruit extracts. Effects of temperature, pH and storage solvent. Molecules* 17(10): 11655-11666.

Monagas, M., B. Bartolome, and C. Gomez-Cordoves. 2005. *Updated knowledge about the presence of phenolic compounds in wine. Crit. Rev. Food Science and Nutrition* 45(2) : 85-118.

Ochoa, M.R., A.G. Kessler, M.B. Vullioud, and J.E. Lozano. 1999. *Physical and chemical characteristics of raspberry pulp: storage effect on composition and color. LWT-Food Science and Technology.* 149:149-153.

Palamidis, N., and P. Markakis. 1978. *Stability of grape anthocyanin in a carbonated beverage. J. Food Sci.* 40(5) : 1047-1049.

Patras, A., N.P. Brunton, C. O'Donnell, and B.K. Tiwari. 2010. *Effect of thermal processing on anthocyanin stability in foods; mechanisms and kinetics of degradation. Trends in Food Science & Technology* 21(1) : 3-11

Pham-Huy, L.A., H. He, and C. Pham-Huy. 2008. *Free radicals, antioxidants in disease and health. Int. J. Biomed Sci.* 4(2) : 89-96.

Prakash, A., F. Rigelhof, and E. Miller. 2001. *Medallion laboratories analytical progress – antioxidant activity. Medallion Labs* 19(2): 1-6.

Rababah, T.M., F. Banat, A. Rababah, K. Ereifej, and W. Yang. 2010. *Optimization of extraction conditions of total phenolics, antioxidant activities, and anthocyanin of oregano, thyme, terebinth, and pomegranate. J. Food Sci.* 75(7) : 626-632.

Reyes, L.F., and L. Cisneros-Zevallos. 2007. *Degradation kinetics and colour of anthocyanins in aqueous extracts of purple- and red-flesh potatoes (Solanum tuberosum L.). Food Chem.* 100 : 885-894.

Rodriguez-Saona, L.E., and R.E. Wrolstad. 2001. *Extraction, Isolation, and Purification of Anthocyanins.* In: Wrolstad, R.E., ed. *Current Protocols in Food Analytical Chemistry.* New York, New York, USA : John Wiley & Sons, Inc.

Rodriguez-Saona, L. E., M.M. Giusti, and R.E. Wrolstad. 1998. *Anthocyanin pigment composition of red-fleshed potatoes. J. Food Sci.* 63(3) : 458-465.

Rodriguez-Saona, L.E., M.M. Giusti, and R.E. Wrolstad. 1999. *Color and pigment stability of red radish and red-fleshed potato anthocyanins in juice model systems. J. Food Sci.* 64(3) : 451-456.

Sankaran, K.V., and T.A. Suresh. 2013. *Invasive Alien Plants in the Forests of Asia and the Pacific*. Bangkok, Thailand: FAO Regional Office for Asia and the Pacific.

Sapers, G.M., I. Taffer, and L.R. Ross. 1981. *Functional properties of food colorant prepared from red cabbage. J. Food Sci.* 46(1) : 105-109.

Stanciu, G., S. Lupsor, C. Sava, and S. Zagan. 2010. *Spectrophotometric study on stability of anthocyanins extracts from black grapes skins. Ovidius University Annals of Chemistry* 21(1) : 101-104.

Starr, M.S., and F.J. Francis. 1968. *Oxygen and ascorbic acid effect on the relative stability of four anthocyanin pigment in cranberry juice. Food Technology* 22 : 1293-1295.

The Linus Pauling Institute – “The new recommendations for dietary antioxidants.” <http://lpi.oregonstate.edu/s-s00/recommend.html>, accessed on November 9, 2014.

Toor, R.K., and G.P. Savage. 2005. *Antioxidant activity in different fractions of tomatoes. Food Res. Int.* 38(5) : 487-494.

Von Elbe, J.H., and S.J. Schwartz. 1996. *Colorants*. In: Fennema, O.R., ed. *Food Chemistry*. New York, New York, USA : Marcel Dekker, Inc.

Wrolstad, R.E, J.D. Culbertson, C.J. Cornwell, and L.R. Mattick. 1982. *Detection of adulteration in blackberry juice concentrates and wines. J. Assoc. Off. Anal. Chem.* 65 : 1417-1423.

Wrolstad, R. 2001. *Possible health benefits of anthocyanin pigments and polyphenolics.* <http://lpi.oregonstate.edu/ss01/anthocyanin.html>, accessed on November 9, 2014

Waterhouse, A. L. 2002. *Determination of Total Phenolics.* In: Wrolstad, R.E., ed. *Current Protocols in Food Analytical Chemistry.* New York, New York, USA : John Wiley & Sons, Inc.

