

---

**References:**

ADA- “ American Diabetes Association”

<http://www.diabetes.org/living-with-diabetes/treatment-and-care/blood-glucose-control/checking-your-blood-glucose.html>, accessed May 2015.

Adisakwattana, S., Ruengsamran, T., Kampa, P., & Sompong, W. (2012). *In vitro* inhibitory effects of plant-based foods and their combinations on intestinal  $\alpha$ -glucosidase and pancreatic  $\alpha$ -amylase. *BMC Complementary and Alternative Medicine*, 12(1), 110. <http://doi.org/10.1186/1472-6882-12-110>

Ahmad, A., Alkarkhi, A. F. M., Hena, S., & Khim, L. H. (2009). *Extraction, Separation and Identification of Chemical Ingredients of Elephantopus Scaber L. Using Factorial Design of Experiment. International Journal of Chemistry*, 1(1), 36–49. <http://doi.org/10.5539/ijc.v1n1p36>

Apostolidis, E., Y.-I. Kwon and K. Shetty. 2006. *Potential of select yogurts for diabetes and hypertension management. J. Food Biochemistry* 30(1):699-717.

Axelsson, L. and S. Ahrné. "Lactic Acid Bacteria." *Applied Microbial System. Vol. XII.* Netherland: Springer, 2000. 367-388.

Babu, P.V.A , D. Liu and E.R. Gilbert. 2013. *Recent advances in understanding the anti-diabetic actions of dietary flavonoids. Journal of Nutritional Biochemistry.*

Balasarirekha, R. and U. Chandrasekar. 2012. *Soy protein isolate- an antidiabetic. International Journal of Current Research* 4(12):494-499.

Batok, M. and S. Azam-Ali. 1998. *Fermented Fruits and Vegetable. A Global Perspective.* Rome. Italy : Food and Agriculture Organization.

BCBC-“ Beta Cell Biology Consortium”

<http://www.betacell.org>, accessed May 2015.

BCDA – “ BC Dairy Ascociation”

<http://bcdairy.ca/milk/articles/the-probiotic-effects-of-lactic-acid-bacteria/>, accessed January 2015.

Bhathena, S. J., & M. T. Velasquez (2002). *Beneficial role of dietary phytoestrogens in obesity and diabetes* 1, 2, 1191–1201.

Bischoff, H. 1995. *The mechanism of alpha-glucosidase inhibition in the management of diabetes. Clin Invest Med* 18(4) :303-11.

Budihardjo, A. 2012. *The Optimization Blanching Process of Ready to Drink Butterfly Pea Extract Production*. BS Thesis. Department of Food Technology. Swiss German University, Tangerang, Indonesia.

Brahmachari, G. (2011). Bio-flavonoids with promising anti- diabetic potentials : A critical survey. *Opportunity, Challenge and Scope of Natural Products in Medicinal Chemistry - Research Signpost*, 661(2), 187–212.

CDC – “Center for Disease Control and Prevention”.

[http://www.cdc.gov/diabetes/pubs/pdf/ndfs\\_2011.pdf](http://www.cdc.gov/diabetes/pubs/pdf/ndfs_2011.pdf), accessed November 2014.

Devahastin, A. M. 2000. *Fundamental Principle of Drying*. In A. Mujumdar, *Mujumdar's practical guide to industrial drying (pp. 1-20)*. Montreal: Exergetic. corp. .

Daisy, P., & M. Rajathi .2009. Hypoglycemic effects of *Clitoria ternatea* Linn. (Fabaceae) in alloxan-induced diabetes in rats. *Tropical Journal of Pharmaceutical Research*, 8(5), 393–398.

Dave, R. I. & N. P. Shah. 1996. *Effect of Level of Starter Culture on Viability of Yoghurt and Probiotic Bacteria in Yoghurts*. *Food Australia*, 49(4), 164–168.

Djaja, A.K.M. 2011. *Optimization of the Drying Process of Tea Produced From Butterfly Pea Petal*. BS Thesis. Department of Food Technology , Swiss German University, Tangerang, Indonesia.

DTD- “Diabetes Statistics”

[http://www.deathtodietabetes.com/Diabetes\\_Statistics.html#.VFzIv0vlfwJ](http://www.deathtodietabetes.com/Diabetes_Statistics.html#.VFzIv0vlfwJ), accessed November 2014.

El-Sayed, E. M., Abd El-Gawad, I. a., Murad, H. a., & Salah, S. H. (2002). *Utilization of laboratory-produced xanthan gum in the manufacture of yogurt and soy yogurt. European Food Research and Technology*, 215(4), 298–304. <http://doi.org/10.1007/s00217-002-0551-9>

Fantz, P.R. 1991. *Enthnobotany of Clitoria* . Missouri, MO, USA: New York Botanical Garden Press.

FAO-“ Food and Agriculture Organization”

<http://www.fao.org/docrep/t1838e/T1838E00.htm#Contents>, accessed May 2015.

Fowler,M.J. 2008. *Microvascular and macrovascular complications of diabetes. J.Clinical Diabetes* 26(2):77-82.

Ghasemi, K., Y, Ghasemi. & M. A. Ebrahimzadeh .(2009). *Antioxidant activity, phenol and flavonoid contents of 13 citrus species peels and tissues. Pakistan Journal of Pharmaceutical Sciences*, 22(3), 277–281.

Giada, M.L.R. 2013. *Food Phenolic Compounds: Main Classes, Sources and Their Antioxidant Power, Oxidative Stress and Chronic Degenerative Diseases - A Role for Antioxidants*, Dr. Jose Antonio Morales-Gonzalez (Ed.), ISBN: 978-953-51-1123-8.

Gomez, S.M. and A. Kalamani. 2003. *Butterfly Pea (Clitoria ternatea) : a nutritive multipurpose forage legume for the tropics- an overview. J.Pakistan Journal of Nutrition* 2(6):374-379.

Gooding, M.J., R.H. Ellis, P.R. Shewry, J.D. Schofield. 2003. *Effects of Restricted Water Availability and Increased Temperature on the Grain Filling, Drying and Quality of Winter Wheat. Journal of cereal science* 37(3): 295-309.

Gunawan-Puteri, M. D. P. T. & J . Kawabata. (2010). Novel alpha-glucosidase inhibitors from *Macaranga tanarius* leaves. *Food Chemistry*, 123(2), 384–389. <http://doi.org/10.1016/j.foodchem.2010.04.050>

Gutzeit, H. O., Henker, Y., Kind, B., & Franz, A. (2004). *Specific interactions of quercetin and other flavonoids with target proteins are revealed by elicited fluorescence. Biochemical and Biophysical Research Communications*, 318(2), 490–495. <http://doi.org/10.1016/j.bbrc.2004.04.078>

Handayo, M. 2011. *Spray Drying of Butterfly Pea (Clitoria Ternatea) Petals Extract and Study of its Stability*. BS Thesis. Department of Food Technology , Swiss German University, Tangerang, Indonesia.

Halvorsen, P. K. (2012). *Pranee's Thai Kitchen*. Retrieved May 19, 2015, from <http://praneesthaikitchen.com/tag/butterfly-pea-tea/>

IDF-“ International Diabetes Federation”

<http://www.idf.org/diabetesatlas/update-2014>, accessed May 2015.

ITIS - “ Integration Taxonomy Information System”

[http://www.itis.gov/servlet/SingleRpt/SingleRpt?search\\_topic=TSN&search\\_value=26543](http://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=26543), accessed January 2015.

ITIS - “ Integration Taxonomy Information System”

[http://www.itis.gov/servlet/SingleRpt/SingleRpt?search\\_topic=TSN&search\\_value=26716](http://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=26716), accessed May 2015.

Jacob, R.A., 2007. *Antioxidant*. Diabetes self-management.

<http://www.diabetesselfmanagement.com/nutrition-exercise/nutrition/antioxidants/> , accessed June 2015.

JDRF – “Juvenile Diabetes Research Foundation”

<http://jdrf.org/research/cure/>, accessed May 2015.

Jong-Anurakkun, N., Bhandari, M. R., & Kawabata, J. (2007) *alpha-Glucosidase inhibitors from Devil tree (Alstonia scholaris)*. *Food Chemistry*, 103(4), 1319–1323. <http://doi.org/10.1016/j.foodchem.2006.10.043>

Kaiser, A., Carle, R., & Kammerer, D. R. (2013). *Effects of blanching on polyphenol stability of innovative paste-like parsley (Petroselinum crispum (Mill.) Nym ex A. W. Hill) and marjoram (Origanum majorana L.) products*. *Food Chemistry*, 138(2-3), 1648–1656. <http://doi.org/10.1016/j.foodchem.2012.11.063>

Kamkaen, N. and J. Wilkinson. 2009. *The antioxidant activity of Clitoria ternateae flower petal extract and eye gel*. *Phytoteraphy Research* 23: 1624-1625.

Karam, M. C., Gaiani, C., Hosri, C., Burgain, J., & Scher, J. (2013). *Effect of dairy powders fortification on yogurt textural and sensorial properties: a review*. *The Journal Of Dairy Research*, 80(4), 400–409. <http://doi.org/10.1017/S0022029913000514>

Kogawa, K., K. Kazuma, N. Kato, N. Noda and M. Suzuki, 2006. *Biosynthesis of malonylated flavonoid glycosides on the basis of malonyltransferase activity in petals of Clitoria ternatea*. *J. Plant Physiol* 164: 886-894.

Madhu, K. 2013. *Phytochemical screening and antioxidant activity of in vitro grow plants clitoria ternatea l. , using DPPH assay*. *Asian Journal of Pharmaceutical and Clinical Research* 6(2): 38-42.

Marinova, G., &V. Batchvarov. (2011). *Evaluation of the methods for determination of the free radical scavenging activity by DPPH*. *Bulgarian Journal of Agricultural Science*, 17(1), 11–24.

Marpaung, A.M. *The Optimization of Anthocyanin Extraction From Butterfly Pea (Clitoria ternatea L.) Petal Using Response Surface Methodology*. MS Thesis.

Department of Agriculture Technology. Bogor Agricultural University, Bogor, Indonesia.

Modak, M., Dixit, P., Londhe, J., Ghaskadbi, S., & Paul A. Devasagayam, T. (2007). *Indian Herbs and Herbal Drugs Used for the Treatment of Diabetes. Journal of Clinical Biochemistry and Nutrition*, 40(3), 163–173.

Moure, A., H. DOrnnguez, J.C. Paraj. 2005. *Antioxidant properties of ultrafiltration-recovered soy protein fractions from industrial effluents and their hydrolysates. Process Biochemistry* 41(2): 447-456.

Mukherjee, P. K., Kumar, V., Kumar, N. S., & Heinrich, M. (2008). *The Ayurvedic medicine Clitoria ternatea-From traditional use to scientific assessment. Journal of Ethnopharmacology*, 120(3), 291–301. <http://doi.org/10.1016/j.jep.2008.09.009>

Mujumdar , A.S. and S. Devashastin. 2000. *Mujumar’s Practical Guide to Industry Drying*. Exergex cooperation. Montreal, Canada. ISBN: 974-85913-9-5

NDEP –“ National Diabetes Education Program”  
<http://ndep.nih.gov>, accessed May 2015.

Nijveld , R. J, E.V. Nood, D.E.C.V Hoorn, P.G. Boelens, K.V. Norren and P.A.M.V. Leeuwen. *Flavonoids: a review of probable mechanisms of action and potential applications. The American Journal of Clinical Nutrition* 74(4): 418-425.

Nishikawa, T., & E. Araki. 2013. *Mechanism-based antioxidant therapies promise to prevent diabetic complications. Journal of Diabetes Investigation*, 4(2), 105–107. <http://doi.org/10.1111/jdi.12041>

Nummer, B.A.2002. *“Fermenting Yogurt at Home” . National Center for Home Food Preservation*. The University of Georgia. Athens, GA, USA.

Osundahunsi, O.F, D. Amousu and B.O.T Ifesan.2007. *Quality evaluation and acceptability of soy-yoghurt with different colours and fruit flavours. American Journal of Food Technology* 2(4):273-280.

Pandeya, K. 2010. *In vitro propagation of Clitoria ternatea L. : A rare medicinal plant. Journal of Medicinal Plants Research* 4(8): 664-668.

Patil, A. P., & Patil, V. R. (2011). *FLOWERED VARIETIES OF CLITORIA TERNATEA LINN .*, 3(4).

Peterson, B. W., Sharma, P. K., van der Mei, H. C., & Busscher, H. J. (2012). *Bacterial cell surface damage due to centrifugal compaction. Applied and Environmental Microbiology*, 78(1), 120–125. <http://doi.org/10.1128/AEM.06780-11>

Petrotos, K. B., F. K. Karkanta, P. E G. koutsidis , I . Giavasis, N. Papatheodorou & A. C. Ntontos, 2012. *Production of Novel Bioactive Yogurt Enriched with Olive Fruit Polyphenols. World Academy of Science, Engineering and Technology*, 64(4), 867–872.

Pinheiro, P., & G. Justino. 2012. *Structural analysis of flavonoids and related compounds—a review of spectroscopic applications. Phytochemicals – A Global Perspective of Their Role in Nutrition and Health*, 33–56. <http://doi.org/10.5772/29152>

Reagan-Shaw, S., M. Nihal and N. Ahmad. 2007. *Dose translation from animal to human studies revisited. J.The FASEB* 22 (3): 659-661.

Rodriguez-Roque, M.J., M.A. Rojas-Graü, P. Elez-Martinez and O. Martín- Belloso. 2012. *Soy milk phenolic compounds, isoflavones and antioxidant activity as affected by in vitro gastrointestinal digestion. J. Food Chemistry* 136(1):206-212.

Rohila, A and S. Ali. 2012. *Alloxan Induced diabetes: mechanism and effect. International Journal of Research in Pharmaceutical and Biomedical Sciences* 3(2): 819-823.

Salim, D. 2012. *Effect of addition of butterfly pea and roselle flower in soy yogurt*. BS Thesis. Department of Food Technology. Swiss German University, Tangerang, Indonesia.

Scalbert, W. and Williamson, G. 2000. *Dietary Intake and Bioavailability of Polyphenols. The Journal of Nutrition* 130 (8) :20735-20855

Shahidi, F. & Naczki, M. (1995) *Alcohol-free red wine enhances plasma antioxidant capacity in humans. Food Phenolics: Sources, Chemistry, Effects, Applications Technomic Publishing Co. Inc Lancaster*

Singleton, V.L., Orthofer, R., Lamuela-Raventos, R.M. .1999. *Analysis of total phenols and other oxidation substrates and antioxidants by means of Folin-Ciocalteu reagent. Methods Enzymol.* 299:152-178.

Shu, G., Li, C., Chen, H., & Wang, C. (2014). *Effect of Inoculum and Temperature on the Fermentation of Goat Yogurt*, 6(1), 68–71.

Stanković. M.S. 2010. *Total phenolic content, flavonoid concentration and antioxidant activity of Marrubium Peregrinum L. extracts. Kragujevac J.sci* 33(2011): 63-72.

Steven, C. 2014. *Ready to drink butterfly pea leaves for anti-diabetic effects*. BS Thesis. Department of Food Technology , Swiss German University, Tangerang, Indonesia.

Subramanian, M.S. and P.Prathyusha. 2011. *Pharmaco-phytochemical characterization of Clitoria ternaea Linn. International Journal of PharmTech research* 3(1): 606-612.



Surya, H. 2013. *The Effect of Spray Dried Butterfly Pea (Clitoria ternatea) Leaf Extract on Alloxan-Induced Diabetes*. BS Thesis. Department of Food Technology. Swiss German University, Tangerang, Indonesia.

Tadera, K., Minami, Y., Takamatsu, K., & Matsuoka, T. (2006). Inhibition of alpha-glucosidase and alpha-amylase by flavonoids. *Journal of Nutritional Science and Vitaminology*, 52(2), 149–153. <http://doi.org/10.3177/jnsv.52.149>

Tan, B. K. H., & Ong, K. W. (2013). *Influence of Dietary Polyphenols on Carbohydrate Metabolism*. *Polyphenols in Human Health and Disease*, 1, 95–111. <http://doi.org/10.1016/B978-0-12-398456-2.00009-8>

Taylor, P., Asgar, A., & Asgar, A. (2013). *International Journal of Food Properties Anti-Diabetic Potential of Phenolic Compounds: A Review*, (March), 37–41. <http://doi.org/10.1080/10942912.2011.595864>

Terahara, N. and T. Matsui. *Stability and functionality of acylated anthocyanin*. Anthocyanins as food factor: recent progress in studies on bioavailability and health promotion effects.

Terahara, N., K. Toki, N. Saito, T. Honda, T. Matsui and Y. Osajima, 1998. *Eight new anthocyanins, ternatins C1-C5 and D3 and preternatins A3 and C4 from young Clitoria ternatea flowers*. *J. Nat. Prod.* 61: 1361-1367.

Theodoore, A. E., S. Raghavan and H.G. Kristinsson. 2008. *Antioxidative activity of protein hydrolysates prepared from alkaline-aided channel catfish protein isolates*. *J. Agric. Food Chem* 56(16):7459-7466.

Tunggal, M.G. 2012. *The Effect of Ready to Drink Butterfly pea Leaves Extract in Blood Glucose Level in Mice*. BS Thesis. Department of Food Technology, Swiss German University, Tangerang, Indonesia.

Van de Laar, F. A. (2008). *Alpha-glucosidase inhibitors in the early treatment of type 2 diabetes*. *Vascular Health and Risk Management*, 4(6), 1189–1195.

Velayutham, P., Babu, A., Liu, D., & Gilbert, E. R. (2013). *ScienceDirect Recent advances in understanding the anti-diabetic actions of dietary flavonoids*. *The Journal of Nutritional Biochemistry*, 1–13.  
<http://doi.org/10.1016/j.jnutbio.2013.06.003>

Vij, S. (2011). *Biofunctionality of Probiotic Soy Yoghurt*. *Food and Nutrition Sciences*, 02(05), 502–509. <http://doi.org/10.4236/fns.2011.25073>

WHO- “World Health Organization”

[http://www.who.int/diabetes/facts/world\\_figures/en](http://www.who.int/diabetes/facts/world_figures/en), accessed November 2014.

Wright, E., Scism-Bacon, J. L., & Glass, L. C. (2006). *Oxidative stress in type 2 diabetes: the role of fasting and postprandial glycaemia*. *International Journal of Clinical Practice*, 60(3), 308–314. <http://doi.org/10.1111/j.1368-5031.2006.00825.x>

Yang, M., & Li, L. (2010). *Physicochemical , Textural and Sensory Characteristics of Probiotic Soy Yogurt Prepared from Germinated Soybean*, 9862(4), 490–496.

Yaklich, R.W. 2001. *Beta-Conglycinin and glycinin in high-protein soya bean seed*. *J.Agric Food Chem* 49(2):729-35.

Yallowski, S. H. 1999. *Solubility and Solubilization in Aqueous Extract*. American Chemical Society. Washington DC, America.

Yonathan, Y. 2009. *Study of Antioxidant Activity of Fish-By-Product Hydrolysate obtained by Enzymatic and Microwave Hydrolysis*. BS Thesis. Department of Food Technology. Swiss German University, Tangerang, Indonesia.

You, Q., Chen, F., Wang, X., Jiang, Y., & Lin, S. (2012). *LWT - Food Science and Technology Anti-diabetic activities of phenolic compounds in muscadine against*

*alpha-glucosidase and pancreatic lipase. LWT - Food Science and Technology, 46(1),*  
164–168. <http://doi.org/10.1016/j.lwt.2011.10.011>

Zheng, W., & S. Y. Wang. 2001. *Antioxidant Activity and Phenolic Compounds in Selected Herbs. J. Agric. Food Chem* 49 : 5165-5170.

Zingare , M.J, P.L. Zingare, A.K. Dubey and M.A. Ansari.2013. *Clitoria ternatea(APARAJITA): a review of the antioxidant, antidiabetic and hepatoprotective potentials. J.IJPBS* 3(1):203-213.

