

REFERENCES

- Adabag, A. S., Luepker, R. V., Roger, V. L., & Gersh, B. J. (2010). Sudden cardiac death: epidemiology and risk factors. *Nature Reviews Cardiology*, 7(4), 216.
- Adebayo, R. A., Ikwu, A. N., Balogun, M. O., Akintomide, A. O., Ajayi, O. E., Adeyeye, V. O., Mene-Afejuku, T. O., Bamikole, O. J., Ogunyemi, S. A., & Ajibare, A. O. (2015). Heart rate variability and arrhythmic patterns of 24-hour Holter electrocardiography among Nigerians with cardiovascular diseases. *Vascular Health and Risk Management*, 11, 353.
- Aspuru, J., Ochoa-Brust, A., Félix, R. A., Mata-López, W., Mena, L. J., Ostos, R., & Martínez-Peláez, R. (2019). Segmentation of the ECG Signal by Means of a Linear Regression Algorithm. *Sensors*, 19(4), 775.
- Auer, R., Bauer, D. C., Marques-Vidal, P., Butler, J., Min, L. J., Cornuz, J., Satterfield, S., Newman, A. B., Vittinghoff, E., & Rodondi, N. (2012). Association of major and minor ECG abnormalities with coronary heart disease events. *Jama*, 307(14), 1497–1505.
- Bamarouf, F., Crandell, C., Tsuyuki, S., Sanchez, J., & Lu, Y. (2016). Cloud-based real-time heart monitoring and ECG signal processing. *2016 IEEE SENSORS*, 1–3.
- Barauskienė, V., Rumbinaitė, E., Karužas, A., Martinkutė, J., & Puodžiukynas, A. (2016). Importance of heart rate variability in patients with atrial fibrillation. *Journal of Cardiology & Clinical Research. San Diego: JSciMed Central*, 2016, Vol. 4, No. 6.
- Barrett, P. M., Komatireddy, R., Haaser, S., Topol, S., Sheard, J., Encinas, J., Fought, A. J., & Topol, E. J. (2014). Comparison of 24-hour Holter monitoring with 14-day novel adhesive patch electrocardiographic monitoring. *The American Journal of Medicine*, 127(1), 95-e11.
- Bigger Jr, J. T., Fleiss, J. L., Steinman, R. C., Rolnitzky, L. M., Schneider, W. J., & Stein, P. K. (1995). RR variability in healthy, middle-aged persons compared with

- patients with chronic coronary heart disease or recent acute myocardial infarction. *Circulation*, *91*(7), 1936–1943.
- Chhabra, S., & Dixit, V. S. (2015). Cloud computing: State of the art and security issues. *ACM SIGSOFT Software Engineering Notes*, *40*(2), 1–11.
- Ciccione, A. B., Siedlik, J. A., Wecht, J. M., Deckert, J. A., Nguyen, N. D., & Weir, J. P. (2017). Reminder: RMSSD and SD1 are identical heart rate variability metrics. *Muscle & Nerve*, *56*(4), 674–678.
- Doniger, S. J., & Sharieff, G. Q. (2008). Dysrhythmias. In *Pediatric Emergency Medicine* (pp. 487–499). Elsevier.
- Dubey, H., Monteiro, A., Constant, N., Abtahi, M., Borthakur, D., Mahler, L., Sun, Y., Yang, Q., Akbar, U., & Mankodiya, K. (2017). Fog computing in medical internet-of-things: Architecture, implementation, and applications. In *Handbook of Large-Scale Distributed Computing in Smart Healthcare* (pp. 281–321). Springer.
- Frey, B., Heinz, G., Binder, T., Wutte, M., Schneider, B., Schmidinger, H., Weber, H., & Pacher, R. (1995). Diurnal variation of ventricular response to atrial fibrillation in patients with advanced heart failure. *American Heart Journal*, *129*(1), 58–65.
- Gaigawali, M. N., & Chaskar, U. M. (2018). Cloud Based ECG Monitoring and Fibrillation Detection for Healthcare System. *2018 Second International Conference on Intelligent Computing and Control Systems (ICICCS)*, 287–291.
- Ge, B., Ji, K.-T., Ye, H.-G., Li, J., Li, Y.-C., Yin, R.-P., & Lin, J.-F. (2012). Electrocardiogram features of premature ventricular contractions/ventricular tachycardia originating from the left ventricular outflow tract and the treatment outcome of radiofrequency catheter ablation. *BMC Cardiovascular Disorders*, *12*(1), 112.
- Georgieva-Tsaneva, G., & Cheshmedzhiev, K. (n.d.). *SOFTWARE SYSTEM FOR THE PROCESSING OF PHYSIOLOGICAL DATA TO IMPROVE THE QUALITY OF TRAINING OF STUDENTS*.
- Goldberger, A. L., Amaral, L. A. N., Glass, L., Hausdorff, J. M., Ivanov, P. C., Mark, R. G., Mietus, J. E., Moody, G. B., Peng, C.-K., & Stanley, H. E. (2000). PhysioBank, PhysioToolkit, and PhysioNet: components of a new research

-
- resource for complex physiologic signals. *Circulation*, *101*(23), e215–e220.
- Groot, A., Bots, M. L., Rutten, F. H., den Ruijter, H. M., Numans, M. E., & Vaartjes, I. (2015). Measurement of ECG abnormalities and cardiovascular risk classification: a cohort study of primary care patients in the Netherlands. *Br J Gen Pract*, *65*(630), e1–e8.
- Harkness, W. T., & Hicks, M. (2019). *Right Bundle Branch Block (RBBB)*.
- Hoffman, T. (2020). *What is Heart Rate Variability (HRV) & why does it matter? | Firstbeat Blog*. FIRSTBEAT. <https://www.firstbeat.com/en/blog/what-is-heart-rate-variability-hrv/>
- Iskandar, A. A. (2017). *A Chest-strap Wearable Device for Real-time Atrial Fibrillation Detection*. Julius Maximilians Universität Würzburg.
- Jorge Ramon. (2019). *Everything you need to know about Node.js*. DEV. https://dev.to/jorge_rockr/everything-you-need-to-know-about-node-js-inc#nodejsandtheeventloop
- Karyatin, K. (2019). FAKTOR-FAKTOR YANG BERHUBUNGAN DENGAN KEJADIAN PENYAKIT JANTUNG KORONER. *Jurnal Ilmiah Kesehatan*, *11*(1), 37–43.
- Kementerian Kesehatan Republik Indonesia. (2011). *PERKI DUKUNG KEMKES ATASI PTM*. Kementerian Kesehatan Republik Indonesia. <https://www.depkes.go.id/article/print/1451/perki-dukung-kemkes-atasi-ptm.html>.
- Kim, J., Lee, S., Lee, Y., & Kim, J. (2015). A Simple Algorithm for Detection of QRS Onset and Offset. *5th International Conference on Intelligent Systems (ICIS'2015)*, 60–63.
- Kuusela, T. (2012). Heart rate variability (HRV) signal analysis. *Methodological Aspects of Heart Rate Variability Analysis*, 9–40.
- Lasisi, G. T., Adebola, A. P., Ogah, O. S., Daniel, F. A., & Lasisi, G. T. (2012). Prevalence of ventricular arrhythmias and heart rate variability pattern in chronic heart failure. *Niger Postgrad Med J*, *19*(3), 157–162.

- Jerma, C., Wessel, N., Schirdewan, A., Kurths, J., & Glass, L. (2008). Ventricular arrhythmias and changes in heart rate preceding ventricular tachycardia in patients with an implantable cardioverter defibrillator. *Medical & Biological Engineering & Computing*, 46(7), 715–727.
- Levis, J. T. (2011). ECG Diagnosis: Monomorphic Ventricular Tachycardia. *The Permanente Journal*, 15(1), 65.
- Lumpkins, W. (2013). The internet of things meets cloud computing [Standards Corner]. *IEEE Consumer Electronics Magazine*, 2(2), 47–51.
- McManus, D. D., Lee, J., Maitas, O., Esa, N., Pidikiti, R., Carlucci, A., Harrington, J., Mick, E., & Chon, K. H. (2013). A novel application for the detection of an irregular pulse using an iPhone 4S in patients with atrial fibrillation. *Heart Rhythm*, 10(3), 315–319.
- Mozaffarian, D., Benjamin, E. J., Go, A. S., Arnett, D. K., Blaha, M. J., Cushman, M., Das, S. R., De Ferranti, S., Després, J. P., & Fullerton, H. J. (2016). Heart disease and stroke statistics-2016 update a report from the American Heart Association. *Circulation*, 133(4), e38–e48.
- Navidi, W. C. (2008). *Statistics for engineers and scientists*. McGraw-Hill Higher Education New York, NY, USA.
- Pan, J., & Tompkins, W. J. (1985). A real-time QRS detection algorithm. *IEEE Trans. Biomed. Eng.*, 32(3), 230–236.
- Park, C., Chou, P. H., Bai, Y., Matthews, R., & Hibbs, A. (2006). An ultra-wearable, wireless, low power ECG monitoring system. *2006 IEEE Biomedical Circuits and Systems Conference*, 241–244.
- Patti, L., & Ashurst, J. V. (n.d.). *Supraventricular Tachycardia (SVT)*.
- Scherbak, D., & Hicks, G. J. (n.d.). *Left Bundle Branch Block (LBBB)*.
- Shaffer, F., & Ginsberg, J. P. (2017). An overview of heart rate variability metrics and norms. *Frontiers in Public Health*, 5, 258.
- Shaffer, F., McCraty, R., & Zerr, C. L. (2014). A healthy heart is not a metronome: an integrative review of the heart's anatomy and heart rate variability. *Frontiers in*

Psychology, 5, 1040.

Sugiarto, I. (2019). *REAL-TIME WEARABLE ECG SIGNAL ANALYSIS FOR CARDIAC ARRHYTHMIA DETECTION*. Swiss German University.

Taji, B., Chan, A. D. C., & Shirmohammadi, S. (2017). False alarm reduction in atrial fibrillation detection using deep belief networks. *IEEE Transactions on Instrumentation and Measurement*, 67(5), 1124–1131.

Umetani, K., Singer, D. H., McCraty, R., & Atkinson, M. (1998). Twenty-four hour time domain heart rate variability and heart rate: relations to age and gender over nine decades. *Journal of the American College of Cardiology*, 31(3), 593–601.

Wang, C. M., & Xiao, W. C. (2013). Second-order IIR Notch Filter Design and implementation of digital signal processing system. *Applied Mechanics and Materials*, 347, 729–732.

Xia, H., Asif, I., & Zhao, X. (2013). Cloud-ECG for real time ECG monitoring and analysis. *Computer Methods and Programs in Biomedicine*, 110(3), 253–259.

Zhang, Z.-X., Tian, X.-W., & Lim, J. S. (2011). New algorithm for the depression diagnosis using HRV: A neuro-fuzzy approach. *International Symposium on Bioelectronics and Bioinformatics 2011*, 283–286.