

**LIST OF REFERENCE**

Alethea, K.M.D. 2011. Optimization of The Drying Process of Tea Produced From Butterfly Pea Petal. BS Thesis. Department of Food Technology. Swiss German University, Tangerang, Indonesia.

Andersen, O. M and M. Jordheim. 2006. *The Anthocyanins. In Flavonoids: Chemistry, Biochemistry and Applications*. CRC Press: Boca Raton pp 471–553.

Arnnok, P., C. Ruangviriyachai, R. Mahachai, S. Techawongstien, and S. Chanthai. 2012. *Determination of total phenolics and anthocyanin contents in the pericarp of hot chilli pepper (Capsicum annum L.)*. *International Food Research Journal* 19(1): 235-243.

Bishoyi, A.K. and Geetha, K.A. 2012. *Polymorphism in flower color and petal type in Aparajita (Clitoria ternatea)*. *Open Access Journal of Medicinal and Aromatic Plants* Vol. 3 (2): 12-14.

Blois, M.S. 1958. *Antioxidant determination by the use of a stable free radical*. *Nature* 181(4617): 1199-1200.

Bronum-Hansen, K. And J. M. Flink. 2007. *Anthocyanin colorants from elderberry (Sambucus nigra L.)*. 3. *Storage stability of the freeze dried product*. *International Journal of Food Science & Technology* 20 (6): 725–733.

Brownmiller, A, L.R. Howard, and R.L. Prior. 2008. *Processing and storage effect on monomeric anthocyanins, percent polymeric color, and antioxidant capacity of processed blueberry product*. *Journal of Food Science* 5(73): H72-H79.

Chisari, M., R.N. Barbagallo, and G. Spagna. 2007. *Characterization of polyphenol oxidase and peroxidase and influence on browning of cold stored strawberry*. *Journal of Agriculture and Food Chemistry* 55: 3469-3479.

Dinis, T.C.P.; V.M.C. Madeira, L.M. Almeida. 1994. *Action of phenolic derivatives (acetaminophen, salicylate and 5-aminosalicylate) as inhibitors membrane lipid*

*peroxidation and peroxy radical scavengers. Arch. Biochem. Biophys., New York, 315(1): 161-169.*

Effa – European Flavor Association - “Discover the world of flavors.”  
<http://www.ffa.eu/en/flavors/discover-the-world-of-flavors>, accessed May 25, 2014.

Fanny, I. 2012. The Study of Stability of Antioxidant Activity in Butterfly Pea Extract Syrup. BS Thesis. Department of Food Technology. Swiss German University, Tangerang, Indonesia.

Giusti, M.M. and R.E. Wrolstad. 2001. *Characterization and measurement of anthocyanins by uv-visible spectroscopy. Current Protocols in Food Analytical Chemistry*, John Willey and Sons, Inc., New York, Unit F1.2.1-F1.2.13.

Giusti, M.M., R.E. Wrolstad, in: Wrolstad, R.E., T.E. Acree, E.A. Decker, M.H. Penner. et al. (Eds.). 2005. *Handbook of Food Analytical Chemistry. Pigments, colorants, flavors, texture, and bioactive food components. Wiley & Sons: Hoboken, NJ/USA: 19-31.*

Hubbermann, E.M., A. Heins, H. Stöckmann, and K. Schwarz. *Influence of acids, salt, sugars and hydrocolloids on the color stability of anthocyanin rich black currant and elderberry concentrates. Eur Food Res Technol (2006) 223: 83–90.*

Jeanroy, A and K. Ward. 2013. *Food Preservation Methods: Canning, Freezing, and Drying, 2nd Edition. For Dummies.* <http://www.dummies.com/how-to/content/food-preservation-methods-canning-freezing-and-dry.html>, accessed on 23 May 2014.

Kamkaen, N. and J. M. Wilkinson. 2009. *The antioxidant activity of Clitoria ternatea flower petal extracts and eye gel. Phytotherapy Research. 23(4): 1624–1625.*

Kazuma, K., Noda, N. and Suzuki, M. 2003. *Malonylated flavonol glycosides from the petals of Clitoria ternatea. Phytochemistry 62: 229–237.*

Kirca, A., M. Özkan, and B. Cemeroglu. 2007. *Effects of temperature, solid content, and pH on the stability of black carrot anthocyanins. Food Chemistry 101(1): 212-218.*

Lau, C.S., D.J. Carrier, R.R. Beitle, L.R. Howard, J.O. Lay, R. Liyanage, and E.C. Clausen. 2005. *A glycoside flavonoid in Kudzu (Pueraria lobata): identification, quantification, and determination of antioxidant activity. Appl Biochem Biotechnol* 121–124:783–794.

Lee, J., H. Chung, P-S. Chang, J. Lee. 2004. *Development of a method predicting the oxidative stability of edible oils using 2,2-diphenyl-1-picrylhydrazyl (DPPH). Department of Food Science and Technology, Seoul National University of Technology.*

Marpaung, A.M. 2012. *Optimisasi proses ekstraksi pigmen antosianin bunga teleng (Clitoria ternatea L) dengan metode response surface.* Institut Pertanian Bogor, Indonesia.

Mohammad, A., H. Reza, and J. Rashid. 2006. *The effect of heating, UV irradiation and pH on stability of siahe sardasht grape anthocyanin-copigment complex. Journal of Biological Sciences* 6(4): 638-645.

Mukherjee, P.K., V. Kumar, N.S. Kumar, and M. Heinrich. 2008. *The ayurvedic medicine Clitoria ternatea – from traditional use to scientific assessment. Journal of Ethnopharmacology* 120: 291-301.

Naeem, A., E. Ahmed, R.H. Khan. 2007. *An alternate high yielding purification method for Clitoria ternatea lectin. International Journal of Biological Macromolecules* 41: 481-486.

Nieman, D.C., D.A. Henson, S.J. Gross, D.P. Jenkins, J.M. Davis, E.A. Murphy, M.D. Carmichael, C.L. Dumke, A.C. Utter, S.R. McAnulty, L.S. McAnulty, and E.P. Mayer. 2007. *Quercetin reduces illness but not immune perturbations after intensive exercise. Med Sci Sports Exerc* 39:1561–1569.

Nothlings, U., S.P. Murphy, L.R. Wilkens, B.E. Henderson, and L.N. Kolonel. 2007. *Flavonols and pancreatic cancer risk: the multiethnic cohort study. Am J Epidemiol* 166: 924–931.

Ogiso, Y., R. Hosoda-Yabe, Y. Kawamoto, T. Kawamoto, K. Kato, and T. Yabe. 2008. *An antioxidant of dried chili pepper maintain its activity through postharvest ripening for 18 months. Biosci. Biotechnol. Biochem.* 72(12): 3297-3300.

Patras, A., N.P. Brunton, C. O'Donnell, and B.K. Tiwari. 2010. *Effect of thermal processing on anthocyanin stability in foods; mechanism and kinetics of degradation. Trends in Food Science and Technology* 21: 3-11.

Percival, Mark. 1998. *Antioxidants*. Advanced Nutrition Publications, Inc., Revised.

Prakash, Aruna, F.Rigelhof, and E.Mller. 2001. "Antioxidant Activity." *Medallion Laboratories Analytical Progress volume 19 no 2*.

Rabeta, M. S. and An Nabil, Z. 2013. *Total phenolic compounds and scavenging activity in Clitoria ternatea and Vitex negundo linn. International Food Research Journal* 20(1): 495-500.

Rabinkov, A., T. Miron, L. Konstantinovski, M. Wilchek, D. Mirelman, and L. Weiner. 1998. *The mode of action of allicin: trapping of radicals and interaction with thiol containing proteins. Biochim Biophys Acta* 1379: 233–244.

Rao, V.S., L.A. Paiva, M.F. Souza, A.R. Campos, R.A. Ribeiro, G.A. Brito, M.J. Teixeira, and E.R. Silveira. 2003. *Ternatin, an anti-inflammatory flavonoid, inhibits thioglycolate-elicited rat peritoneal neutrophil accumulation and LPS-activated nitric oxide production in murine macrophages. Planta Med* 69:851–853.

Rout, G. R. 2005. *Micropropagation of Clitoria Ternatea Linn (Fabaceae)-An Important Medicinal Plant. Plant* 41 (7):516–519.

Roy, A. and B. Bandyopadhyay. 2013. *Partial optimization and study of antimicrobial activity of polyphenol oxidase (ppo) and peroxidase (pod) extracted from chili pepper pericarp. International Journal of Applied Biology and Pharmaceutical Technology* 4(2): 128-135.

Sadilova, E., R. Carle, and F.C. Stintzing. 2007. *Thermal degradation of anthocyanins and its impact on color and in vitro antioxidant capacity. Mol. Nutr. Food Res.* 51: 1461-1471.

Shimokawa, K., K. Yamada, M. Kita, and D. Uemura. 2007. *Convergent synthesis and in vivo inhibitory effect on fat accumulation of (-)-ternatin, a highly N-methylated cyclic peptide. Bioorg Med Chem Lett* 16:4447–4449.

Singletary, K.W., K.J. Jung, and M. Giusti. 2007. *Anthocyanin-rich grape extract blocks breast cell DNA damage. J Med Food* 10:244–251.

Terahara, N., N. Saito, T. Honda, K. Toki and Y. Osajima. 1990. *Acylated anthocyanins of clitoria ternatea flowers and their acyl moieties. Phytochemistry* 29 (3): 949-953.

Terahara, N., K. Toki, N. Saito, T. Honda, T. Matsui and Y. Osajima. 1998. *Eight new anthocyanins, ternatins C1-C5 and D3 and preternatins A3 and C4 from young clitoria ternatea flowers. Journal of Natural Product* 61: 1361-1367.

Tonon, R. V. Tonon., C. Brabet, and Míriam D. Hubinger. 2010. *Anthocyanin stability and antioxidant activity of spray-dried açai (Euterpe oleracea Mart.) juice produced with different carrier agents. Food Research International* 43 (3): 907–914.

University of Illinois at Urbana-Champaign, College of Agriculture - “Food Drying Basics.” [http://www.aces.uiuc.edu/vista/html\\_pubs/DRYING/dryfood.html](http://www.aces.uiuc.edu/vista/html_pubs/DRYING/dryfood.html), accessed May 24, 2014.

Ute, S., S. Andreas and C. Reinhold. 2006. *Effects of blanching and storage on capsaicinoid stability and peroxidase activity of hot chili peppers (Capsicum frutescens L.). Innov Food Sci Emerg Technol.* 7(3): 217-224.

Vankar, P. S. and J. Srivastava. 2010. *Evaluation of Anthocyanin Content in Red and Blue Flowers. International Journal of Food Engineering* 6 (4): Article 7.

Vargaz, F.D. and O.P.Lopez. 2003. *Natural colorants for food and nutraceutical uses.* USA: CRC Press.

Wills, E. D. 1956. *Enzyme inhibition by allicin, the active principle of garlic. Biochem J* 63: 514–520.

Wongs-Aree, C., Giusti M.M., and Schwartz, S.J. 2006. *Anthocyanin derived only from delphinidin in the blue petals of Clitoria ternatea. Acta Horticulturae* 712 (1):437-442.

Wood, Brian J.B. 1998. *Microbiology of Fermented Foods, Springer*, Second edition. Volume 1. Blackie Academic and Professional, London , UK.

Wrolstad, R.E., G. Skrede, P. Lea, and G. Enersen. 1990. *Influence of sugar on anthocyanin pigment stability in frozen strawberries. J. Food. Sci.* 55: 1064-1066.

