

REFERENCES

- Abdullah, S. S. S. *et al.* (2015) 'Fresh oil palm frond juice as a renewable, non-food, non-cellulosic and complete medium for direct bioethanol production', *Industrial Crops and Products*, 63, pp. 357–361. doi: 10.1016/j.indcrop.2014.10.006.
- Adela, B. N. and Loh, S. K. (2015) 'Optimisation of fermentation conditions for bioethanol production from oil palm trunk sap by *Saccharomyces cerevisiae*', *Malaysian Journal of Microbiology*, 11(Specialissue2), pp. 163–169.
- Aslanzadeh, S. *et al.* (2014) 'An Overview of Existing Individual Unit Operations', in *Biorefineries: Integrated Biochemical Processes for Liquid Biofuels*. Elsevier Inc., pp. 3–36. doi: 10.1016/B978-0-444-59498-3.00001-4.
- Bimbi Ayu, R. N. (2017) 'Optimasi Proses Sakarifikasi dan Fermentasi Serentak dalam Pembuatan Bioetanol dari Batang Kelapa Sawit dengan Metode Respon Permukaan'.
- Brett, W. (2020) *Challenges of Adopting Alternative Energy in Transportation*. Available at: <https://www.breakthroughfuel.com/blog/challenges-of-alternative-energy-in-transportation/> (Accessed: 13 August 2020).
- Cabinet Secretariat of the Republic of Indonesia (2019) *Sekretariat Kabinet Republik Indonesia | Indonesia to Implement B40 Program Next Year- Sekretariat Kabinet Republik Indonesia*. Available at: <https://setkab.go.id/en/indonesia-to-implement-b40-program-next-year/> (Accessed: 14 August 2020).
- Chen, H. (2015) *Lignocellulose Biorefinery Engineering: Principles and Applications*, *Lignocellulose Biorefinery Engineering: Principles and Applications*. Elsevier Ltd. doi: 10.1016/C2014-0-02702-5.
- Daud, M., Syafii, W. and Syamsu, K. (2013) 'Pemanfaatan Batang Kelapa Sawit (*Elaeis guineensis* Jacq .) Menjadi Bioetanol dengan Perlakuan Pendahuluan Menggunakan Proses Kraft', (January), pp. 1–10.
- Derman, E. *et al.* (2018) 'Oil palm empty fruit bunches as a promising feedstock for bioethanol production in Malaysia', *Renewable Energy*, 129, pp. 285–298. doi: 10.1016/j.renene.2018.06.003.
- Encyclopedia.com (2020) *Inoculum, A Dictionary of Biology*. Available at: <https://www.encyclopedia.com/> (Accessed: 2 January 2021).
- energypedia (2020a) *Indonesia Energy Situation*. Available at: https://energypedia.info/wiki/Indonesia_Energy_Situation (Accessed: 16 September 2020).
- energypedia (2020b) *Kenya Energy Situation - energypedia.info*. Available at: https://energypedia.info/wiki/Kenya_Energy_Situation (Accessed: 13 August 2020).
- Eom, I. Y. *et al.* (2015) 'Efficient ethanol production from dried oil palm trunk treated by hydrothermolysis and subsequent enzymatic hydrolysis', *Biotechnology for Biofuels*,

8(1), pp. 1–11. doi: 10.1186/s13068-015-0263-6.

EUBioenergy (2013) *What is bioenergy – EUBioenergy*. Available at: <https://www.eubioenergy.com/whatisbioenergy/> (Accessed: 13 August 2020).

Fraunhofer ISE, Burger, B. and Schneider, K. (2020) ‘Public Net Electricity Generation in Germany 2019’, *Public Net Electricity Generation in Germany 2019: Share from Renewables Exceeds Fossil Fuels*, pp. 1–4. Available at: www.ise.fraunhofer.de.

Hambali, E. and Rivai, M. (2017) ‘The Potential of Palm Oil Waste Biomass in Indonesia in 2020 and 2030’, *IOP Conference Series: Earth and Environmental Science*, 65(1). doi: 10.1088/1755-1315/65/1/012050.

Hannah, R. and Max, R. (2018) *Energy - Our World in Data*. Available at: <https://ourworldindata.org/energy> (Accessed: 12 August 2020).

Lim Fathimah, T. (2019) *Produksi Minyak Sawit Indonesia Tumbuh 14 Persen - Ekonomi Bisnis.com*. Available at: <https://ekonomi.bisnis.com/read/20191017/99/1160433/produksi-minyak-sawit-indonesia-tumbuh-14-persen> (Accessed: 13 August 2020).

Jacob, G.-P. (2020) *Denmark sources record 47% of power from wind in 2019 - Reuters*. Available at: <https://www.reuters.com/article/us-climate-change-denmark-windpower/denmark-sources-record-47-of-power-from-wind-in-2019-idUSKBN1Z10KE> (Accessed: 13 August 2020).

Jung, Y. H. *et al.* (2011) ‘Ethanol production from oil palm trunks treated with aqueous ammonia and cellulase’, *Bioresource Technology*, 102(15), pp. 7307–7312. doi: 10.1016/j.biortech.2011.04.082.

Koehler, N. *et al.* (2020) ‘2020 Ethanol industry outlook’, *Renewable fuels association*, p. 40. Available at: <https://ethanolrfa.org/wp-content/uploads/2020/02/2020-Outlook-Final-for-Website.pdf>.

Kominfo (2019) *Pertama di Dunia, Indonesia Terapkan Biodiesel 30 Persen (B30)*. Available at: https://kominfo.go.id/index.php/content/detail/23437/pertama-di-dunia-indonesia-terapkan-biodiesel-30-persen-b30/0/artikel_gpr (Accessed: 15 December 2020).

Kumneadklang, S. *et al.* (2015) *Bioethanol Production from Oil Palm Frond by Simultaneous Saccharification and Fermentation, Energy Procedia*. Elsevier B.V. doi: 10.1016/j.egypro.2015.11.567.

Kusfanto, H. F., Maggadani, B. P. and Suryadi, H. (2017) ‘Fermentation of bioethanol from the biomass hydrolyzate of oil palm empty fruit bunch using selected yeast isolates’, *International Journal of Applied Pharmaceutics*, 9, pp. 49–53. doi: 10.22159/ijap.2017.v9s1.21_26.

Lim, S. H. and Ibrahim, D. (2013) ‘Bioconversion of oil palm frond by *Aspergillus niger* to enhances It’s fermentable sugar production’, *Pakistan Journal of Biological Sciences*, 16(18), pp. 920–926. doi: 10.3923/pjbs.2013.920.926.

Lim, S. H., Ibrahim, D. and Che Omar, I. (2012) 'Oil Palm Frond for the Production of Bioethanol', *International journal of biochemistry and biotechnology*, 1(1), pp. 7–11.

Mahsa, S. (2020) *Global production volume palm oil by country 2019/2020* / Statista, Statista. Available at: <https://www.statista.com/statistics/856231/palm-oil-top-global-producers/> (Accessed: 12 August 2020).

Mohd Zakria, R. *et al.* (2017) 'Magnesium sulphate and B-alanine enhanced the ability of *Kluyveromyces marxianus* producing bioethanol using oil palm trunk sap', *Biofuels*, 8(5), pp. 595–603. doi: 10.1080/17597269.2016.1242690.

Morad, N. A. *et al.* (2015) 'Utilization of felled oil palm trunk: Trunk sections storage on oil palm sap production', *2015 10th Asian Control Conference: Emerging Control Techniques for a Sustainable World, ASCC 2015*. doi: 10.1109/ASCC.2015.7244841.

Murata, Y. *et al.* (2015) 'Ethanol fermentation by the thermotolerant yeast, *Kluyveromyces marxianus* TISTR5925, of extracted sap from old oil palm trunk', *AIMS Energy*, 3(2), pp. 201–213. doi: 10.3934/energy.2015.2.201.

Nathalie's (2010) 'Oil Palm Frond Juice as a', (15).

Nazia, H. and Rafidah, J. (2017) 'Sugar and bioethanol production from oil palm trunk (OPT)', 4, pp. 13–16.

Newell, R. G., Raimi, D. and Aldana, G. (2019) 'Global Energy Outlook 2019 : The Next Generation of Energy', (July).

Ni'mah, L., Ardiyanto, A. and Zainuddin, M. (2015) 'Pembuatan Bioetanol Dari Limbah Serat Kelapa Sawit Melalui Proses Pretreatment, Hidrolisis Asam Dan Fermentasi Menggunakan Ragi Tape', *Info Teknik*, 16(2), pp. 227–242.

Norhazimah, A. H. *et al.* (2020) 'Direct Fermentation of Oil Palm (*Elaeis guineensis*) Trunk Sap to Bioethanol by *Saccharomyces cerevisiae*'. doi: 10.1088/1757-899X/943/1/012012.

Norhazimah, A. H. and Faizal, C. K. M. (2014) 'Bioconversion of Oil Palm Trunks Sap to Bioethanol by Different Strains and Co-Cultures at Different Temperatures', *Journal of Medical and Bioengineering*, pp. 297–300. doi: 10.12720/jomb.3.4.297-300.

Norhazimah, A H and Faizal, C. K. M. (2014) 'Kinetic Parameters for Bioethanol Production from Oil Palm Trunk Juice', *International Science Index*, 8(4), pp. 357–359.

Norhidayah, S. and Abd, B. T. (2014) 'Bioethanol Production using Oil palm trunk Sap (OPTS) by *Kluyveromyces Marxianus* – Effect of pH and Temperature', (January).

Nutongkaew, T. *et al.* (2020) 'Bioconversion of Oil Palm Trunk Residues Hydrolyzed by Enzymes from Newly Isolated Fungi and Use for Ethanol and Acetic Acid Production Under Two-Stage and Simultaneous Fermentation', *Waste and Biomass Valorization*, 11(4), pp. 1333–1347. doi: 10.1007/s12649-019-00678-x.

Oswaldo, Z. S., S, P. P. and Faizal, M. (2012) 'Pengaruh Konsentrasi Asam dan Waktu pada Proses Hidrolisis dan Fermentasi Pembuatan Ethanol dari Alang-Alang', *Jurnal*

Teknik Kimia, 18(2), pp. 52–62.

Pertamina (2020) *Laporan Pengadaan Impor Periode 2019 PT.Pertamina (Persero)*. Available at: <https://pertamina.com/id/laporan-pengadaan-impor-periode-2019>.

Rattanaporn, K. *et al.* (2018) ‘Organic acid pretreatment of oil palm trunk: Effect on enzymatic saccharification and ethanol production’, *Bioprocess and Biosystems Engineering*, 41(4), pp. 467–477. doi: 10.1007/s00449-017-1881-0.

Shahirah, M. N. N. *et al.* (2015) ‘Influence of nutrient addition on the bioethanol yield from oil palm trunk sap fermented by *Saccharomyces cerevisiae*’, *Journal of Industrial and Engineering Chemistry*, 23(August), pp. 213–217. doi: 10.1016/j.jiec.2014.08.018.

Statista (2019) *Total land area of oil palm plantations in Indonesia from 2008 to 2018*. Available at: [https://www.statista.com/statistics/971424/total-area-of-oil-palm-plantations-indonesia/#:~:text=Total area of oil palm plantations Indonesia 2008-2018&text=In 2008%2C the total size,was approximately 12.8 million hectares](https://www.statista.com/statistics/971424/total-area-of-oil-palm-plantations-indonesia/#:~:text=Total area of oil palm plantations Indonesia 2008-2018&text=In 2008%2C the total size,was approximately 12.8 million hectares.). (Accessed: 14 December 2020).

Sun, Y. and Cheng, J. (2002) ‘Hydrolysis of lignocellulosic materials for ethanol production: A review’, *Bioresource Technology*, 83(1), pp. 1–11. doi: 10.1016/S0960-8524(01)00212-7.

Suyanto *et al.* (2015) ‘Produksi Bioethanol dari Batang Tua Kelapa Sawit dengan Air Panas Bertekanan dan Ball Mill’, *Jurnal Bioteknologi & Biosains Indonesia (JBBi)*, 2(2), p. 49. doi: 10.29122/jbbi.v2i2.508.

Tareen, A. K. *et al.* (2020) ‘Two-step pretreatment of oil palm trunk for ethanol production by thermotolerant *Saccharomyces cerevisiae* SC90’, *Bioresource Technology*, 320, p. 124298. doi: 10.1016/j.biortech.2020.124298.

Tim Sekretaris Jenderal Dewan Energi Nasional (2019) ‘Indonesia Energy Outlook 2019’, *Journal of Chemical Information and Modeling*, 53(9), pp. 1689–1699. doi: 10.1017/CBO9781107415324.004.

Tristan, G. (2020) *Indonesia’s Efforts at Energy Sector Do Not Go Far Enough - Climate Scorecard*. Available at: <https://www.climatecorecard.org/2020/04/indonesias-efforts-at-energy-sector-do-not-go-far-enough/> (Accessed: 12 August 2020).

Tuong An Tran, T. *et al.* (2020) ‘Bioethanol Production from Lignocellulosic Biomass’, in *Alcohol Fuels - Current Technologies and Future Prospect*. IntechOpen. doi: 10.5772/intechopen.86437.

Wibowo, C. S. *et al.* (2018) ‘The Effect of Gasoline-Bioethanol Blends to The Value of Fuel’s Octane Number’, 02033, pp. 4–6.

Winarni, I., Komarayati, S. and Bardant, T. B. (2016) ‘Pembuatan Bioethanol secara Enzimatis dari Limbah Batang Sawit (*Elaeis guineensis*) dengan Penambahan Surfaktan’, *Jurnal Penelitian Hasil Hutan*, 34(2), pp. 127–135. doi: 10.20886/jphh.2016.34.2.127-135.

Yamada, H. *et al.* (2010) ‘Old oil palm trunk: A promising source of sugars for

bioethanol production', *Biomass and Bioenergy*, 34(11), pp. 1608–1613. doi:
10.1016/j.biombioe.2010.06.011.

