

## REFERENCES

- [1] P. Alagambigai, K. Krithika, V. R. A. Deepa, and J. Serin, "IoT based Hydroponic Plant Monitoring through Image Processing," vol. 29, no. 8, pp. 2964–2974, 2020.
- [2] D. J. P. Allen V. Barker, *Handbook of plant nutrition-Taylor et Francis*. 2015.
- [3] S. Keerthana, "Automating and Analysing Greenhouse Hydroponic Farms using IOT," *Int. J. Res. Appl. Sci. Eng. Technol.*, vol. 6, no. 3, pp. 3325–3329, 2018, doi: 10.22214/ijraset.2018.3706.
- [4] N. F. T. Tomatoes, G. J. Hochmuth, and R. C. Hochmuth, "Nutrient Solution Formulation for Hydroponic ( Perlite ," *Soil Water*, pp. 1–11, 2012.
- [5] F. Modu, A. Adam, F. Aliyu, A. Mabu, and M. Musa, "A survey of smart hydroponic systems," *Adv. Sci. Technol. Eng. Syst.*, vol. 5, no. 1, pp. 233–248, 2020, doi: 10.25046/aj050130.
- [6] E. Vamsidhar, P. J. Rani, and K. R. Babu, "Plant disease identification and classification using image processing," *Int. J. Eng. Adv. Technol.*, vol. 8, no. 3 Special Issue, pp. 442–446, 2019.
- [7] J. C. Puno, E. Sybingco, E. Dadios, I. Valenzuela, and J. Cuello, "Determination of soil nutrients and pH level using image processing and artificial neural network," *HNICEM 2017 - 9th Int. Conf. Humanoid, Nanotechnology, Inf. Technol. Commun. Control. Environ. Manag.*, vol. 2018-Janua, no. December, pp. 1–6, 2017, doi: 10.1109/HNICEM.2017.8269472.
- [8] M. A. Beck, C.-Y. Liu, C. P. Bidinosti, C. J. Henry, C. M. Godee, and M. Ajmani, "An embedded system for the automated generation of labeled plant images to enable machine learning applications in agriculture. (arXiv:2006.01228v1 [cs.CV])," *arXiv Comput. Sci.*, pp. 1–35, doi:

- [9] E. van der Spoel *et al.*, *OPENCV with C++*, vol. 7, no. 11. 2015.
- [10] M. A. Gehan *et al.*, “PlantCV v2: Image analysis software for high-throughput plant phenotyping,” *PeerJ*, vol. 2017, no. 12, pp. 1–23, 2017, doi: 10.7717/peerj.4088.
- [11] Lenni, H. Suhardiyanto, K. Seminar, and R. Setiawan, “Development of a Control System for Lettuce Cultivation in Floating Raft Hydroponics,” *IOP Conf. Ser. Earth Environ. Sci.*, vol. 542, p. 012067, 2020, doi: 10.1088/1755-1315/542/1/012067.
- [12] H. Helmy, A. Nursyahid, T. A. Setyawan, and A. Hasan, “Nutrient Film Technique ( NFT ) Hydroponic Monitoring System,” *J. Appl. Inf. Commun. Technol.*, vol. 1, no. 1, pp. 1–6, 2016.
- [13] S. Goddek, *Aquaponics Food Production Systems*. .
- [14] S. Parks and C. Murray, “Leafy Asian vegetables and their nutrition in hydroponics,” *Clin. Exp. Dermatol.*, vol. 31, no. 3, pp. 361–364, 2006.
- [15] Y. Wang, D. Wang, G. Zhang, and J. Wang, “Field Crops Research Estimating nitrogen status of rice using the image segmentation of G-R thresholding method,” *F. Crop. Res.*, vol. 149, pp. 33–39, 2013, doi: 10.1016/j.fcr.2013.04.007.
- [16] P. Veazie, P. Cockson, J. Henry, P. Perkins-veazie, and B. Whipker, “Characterization of Nutrient Disorders and Impacts on Chlorophyll and Anthocyanin Concentration of,” 2020.
- [17] J. B. J. Jr., *Hydroponics A Practical Guide for the Soilless Grower Second Edition*, no. 3rd Edition. 2005.
- [18] E. Science, “Correlation between conductivity and total dissolved solid in various type of water : A review Correlation between conductivity and total dissolved solid in various type of water : A review.”

- [19] L. M. Romualdo *et al.*, “Use of artificial vision techniques for diagnostic of nitrogen nutritional status in maize plants,” *Comput. Electron. Agric.*, vol. 104, no. June, pp. 63–70, 2014, doi: 10.1016/j.compag.2014.03.009.
- [20] W. Rawat and Z. Wang, “Deep Convolutional Neural Networks for Image Classification : A Comprehensive Review Deep Convolutional Neural Networks for Image Classification : A Comprehensive Review,” no. June, 2017, doi: 10.1162/NECO.
- [21] N. Sciences, U. Pakuan, and J. Barat, “PLANT NUTRIENT DEFICIENCY DETECTION USING DEEP,” vol. 13, no. 10, pp. 971–977, 2019, doi: 10.24507/icicel.13.10.971.
- [22] C. Szegedy, S. Reed, P. Sermanet, V. Vanhoucke, and A. Rabinovich, “Going deeper with convolutions,” pp. 1–12.
- [23] J. K. Bennett, J. K. Wheatley, and K. N. Walton, “Inception\_V4\_2016,” *J. Urol.*, vol. 131, no. 2, pp. 262–263, 1984.
- [24] M. Sandler, A. Howard, M. Zhu, A. Zhmoginov, and L. C. Chen, “MobileNetV2: Inverted residuals and linear bottlenecks,” *arXiv*, 2018.
- [25] W. Scraping and O. Ferm, “Real-time Object Detection on,” 2020.
- [26] H. M and S. M.N, “A Review on Evaluation Metrics for Data Classification Evaluations,” *Int. J. Data Min. Knowl. Manag. Process*, vol. 5, no. 2, pp. 01–11, 2015, doi: 10.5121/ijdkp.2015.5201.
- [27] C. Szegedy *et al.*, “Intriguing properties of neural networks,” *2nd Int. Conf. Learn. Represent. ICLR 2014 - Conf. Track Proc.*, pp. 1–10, 2014.
- [28] L. N. Smith, “Cyclical learning rates for training neural networks,” *Proc. - 2017 IEEE Winter Conf. Appl. Comput. Vision, WACV 2017*, no. April, pp. 464–472, 2017, doi: 10.1109/WACV.2017.58.
- [29] J. Howard, “fastai : A Layered API for Deep Learning,” pp. 1–27.

- [30] A. Singh, B. Ganapathysubramanian, A. K. Singh, and S. Sarkar, "Machine Learning for High-Throughput Stress Phenotyping in Plants," *Trends Plant Sci.*, vol. 21, no. 2, pp. 110–124, 2016, doi: 10.1016/j.tplants.2015.10.015.

