2019 Advances in Science and Engineering Technology International Conferences (ASET 2019)

Dubai, United Arab Emirates 26 March – 10 April 2019

Pages 1-619



IEEE Catalog Number: CISBN: 9'

CFP19ASG-POD 978-1-5386-8272-2

Copyright © 2019 by the Institute of Electrical and Electronics Engineers, Inc. All Rights Reserved

Copyright and Reprint Permissions: Abstracting is permitted with credit to the source. Libraries are permitted to photocopy beyond the limit of U.S. copyright law for private use of patrons those articles in this volume that carry a code at the bottom of the first page, provided the per-copy fee indicated in the code is paid through Copyright Clearance Center, 222 Rosewood Drive, Danvers, MA 01923.

For other copying, reprint or republication permission, write to IEEE Copyrights Manager, IEEE Service Center, 445 Hoes Lane, Piscataway, NJ 08854. All rights reserved.

*** This is a print representation of what appears in the IEEE Digital Library. Some format issues inherent in the e-media version may also appear in this print version.

 IEEE Catalog Number:
 CFP19ASG-POD

 ISBN (Print-On-Demand):
 978-1-5386-8272-2

 ISBN (Online):
 978-1-5386-8271-5

Additional Copies of This Publication Are Available From:

Curran Associates, Inc 57 Morehouse Lane Red Hook, NY 12571 USA Phone: (845) 758-0400 Fax: (845) 758-2633

E-mail: curran@proceedings.com Web: www.proceedings.com



TABLE OF CONTENTS

INVESTIGATING THE COMPRESSIVE STRENGTH OF CFRP PRE-PREG SCRAP FROM	_
AEROSPACE INDUSTRIES: COMPRESSION MOLDING	1
Aya mansour , Hateiman Alababitti , Atya K. Almenatri , Martam Alhammaat , Hiha Alqatay , wateea K. Ahmea , Ali Hilal-Alnaqbi	
POWER-DELAY-PRODUCT, AREA AND THRESHOLD-LOSS ANALYSIS OF CMOS FULL	
ADDER CIRCUITS	7
Irfan Ahmed ; Mohammad Khalil Shahid	
ASSISTIVE TECHNOLOGY FOR INTEGRATING THE VISUALLY-IMPAIRED IN	
MAINSTREAM EDUCATION AND SOCIETY	12
Mohammed Noman ; Wessam Shehieb ; Tazeen Sharif	
A GIS APPROACH OF POTENTIAL PHOTOVOLTAIC POWER SITES IN NIAMEY, NIGER	17
Ibrahim Tanimoune Laouali ; Saidou Madougou ; Mounkaila Mohamed ; Yacouba Moumouni	
CONTINUOUS WAVELET ANALYSIS APPLICABILITY IN AXIAL PUMPS CONDITION MONITORING (PID GAINS PERSPECTIVE)	21
Molham Chikhalsouk ; Khalid Zhouri ; Yasser El Okda ; Monsif Shinneeb ; Chandra Somayaji	∠1
NEW FIBONACCI RECURRENT SYSTEMS APPLIED TO TRANSMISSION LINES INPUT	
IMPEDANCE AND ADMITTANCE	29
Simon Hissem ; Mamadou Lamine Doumbia	
INFINITE SPRING-MASS CHAIN MODEL USING FIBONACCI WAVE FUNCTIONS	37
Simon Hissem; Mamadou Lamine Doumbia	
ROADCO ₂ : A WEB-BASED TOOL FOR ESTIMATION OF GREENHOUSE GAS EMISSIONS OF	
ROAD PROJECTS	45
Mohammed H. Alzard; Munjed A. Maraqa; Rezaul Chowdhury; Mohammad Sherif; Timur Ibrahim Mauga;	
Francisco Benicio De Albuquerque ; Khaled Nazmi Aljunadi GENERATING POWER FROM SOLAR SPHERE DESIGN	51
Hassan Abdulmouti ; Mohamed Ali Almarzooqi ; Abdelrahman Ahmed Almulla ; Mohamed Jassim Khair ; Hisham	
Hassan Alyasi ; Ali Ahmed Aljasmi ; Yousif Mohamed Almulla	
A COMPARATIVE ANALYSIS OF VERTICAL AGRICULTURE SYSTEMS IN RESIDENTIAL	
APARTMENTS	55
Amna Rafi Chaudhry ; Ved P Mishra	
FINITE ELEMENT MODELLING OF EDGE RADIUS EFFECT IN MICRO TURNING PROCESS	60
Ahmet Hascelik; Kubilay Aslantas; Waleed Ahmed	
ANALYSIS OF DAYLIGHTING IN THE UNIVERSITY OF SHARJAH'S WALKWAYS	65
Emad S. Mushtaha; Balsam Munadhil; Amani Awni; Farah Munadhil PARAMAGNETIC CRYSTALLINE COBALT SELENIDE MATERIALS VIA A MOLECULAR	
APPROACH	71
Mohammad Afzaal ; Seema Karkain	/1
DESIGN AND IMPLEMENTATION OF THE CONTROL SYSTEM IN THE ELECTROSPINNING	
MACHINE OF THE NANOCOMPOSITES FOR THE MEDICAL USE	75
Daniel Jancarczyk; Mikolaj Karpinski	
OPTIMISATION OF HARMONIC DROOP COEFFICIENT TO MINIMIZE POWER LOSSES IN	
AN ISLANDED MICROGRID	79
Preetha Sreekumar ; Omar Al Trad	
PI CONTROLLER BASED OPERATIONAL SCHEME TO STABILIZE VOLTAGE IN	0.2
MICROGRID	83
SIMULATION OF ANAEROBIC CO-DIGESTION PROCESS FOR THE BIOGAS PRODUCTION	
USING ASPEN PLUS	80
Abrar Inayat ; Mohsin Raza ; Chaouki Ghenai ; Abdallah Shanableh ; Zafar Said ; Sari Samman ; Ali Al-Mansori	
; Ahmed Lazkani	
DC ELECTRICAL PROPERTIES OF CHEMICALLY SYNTHESIZED	
POLYANILINE/PVA/MNO ₂ /FLY ASH COMPOSITES	94
M Revanasiddappa ; D Siddalinga Swamy ; Vinay K ; Y. T. Ravikiran ; Raghavendra S C	
ICAD - AN ECONOMICAL INDOOR & OUTDOOR DELIVERY VEHICLE CAPABLE OF	e -
AUTONOMOUS NAVIGATION	99
A. W. Darva. J. Neuman. V. Maawona. D. Nonaan.	

AMIE: AN AMBIENT INTELLIGENT ENVIRONMENT FOR ASSISTED LIVING	105
Marwa Kandil ; Reem Albaghdadi ; Fatemah Alattar ; Issam Damaj	
A NOVEL SYNTHETIC INERTIA CONTROL FOR WIND TURBINE INTEGRATION INTO	
TRADITIONAL GRIDS	111
Alessandro Labella	
DESIGNING AN INNOVATIVE CUBESAT PAYLOAD TO INVESTIGATE MATERIAL	
PROPERTIES FOR UAE SPACE MISSIONS	117
Kanna Abdulhadi Awad Alahbabi ; Alia Ali Obaid Alazeezi ; Waleed Khalil Ahmed	
HOW TO USE KITCHEN WASTE TO PRODUCE MANURE?	122
Arati Joshi ; Koustubh Yadre TECHNIQUES OF INDOOR POSITIONING SYSTEMS (IPS): A SURVEY	126
Fares Alkhawaja ; Mohammad Jaradat ; Lotfi Romdhane	120
SYNTHESIS OF FUNCTIONALIZED SILVER NANOPARTICLES AND ITS APPLICATION AS	
CHEMICAL SENSOR	134
Asha Anish Madhavan ; Reem Qotainy ; Reshmi Nair	134
BEHAVIOR ANALYSIS TOOL FOR AUTISTIC CHILDREN USING EEG SIGNALS	138
Eva Habeeb ; Noor Ghazal ; Sohaib Majzoub	
QUARTER VS. HALF CAR MODEL ENERGY HARVESTING SYSTEMS	143
Doaa Al-Yafeai ; Tariq Darabseh ; Abdel-Hamid I. Mourad	
COMBINATION OF VIRTUAL PRIVATE NETWORK AND WIRELESS SENSOR NETWORK:	
PROTECTION AGAINST THE INTERFERENCE PROBLEM OF IOT	147
Pramathesh Majumdar ; Ayushi Pandey ; Sunil Kumar Khatri ; Rachna Jain ; Rana Majumdar ; Ved Prakash	
Mishra	
FOOT MODELLING FOR INVESTIGATING FOOT-DROP PROBLEM USING	
BIOMECHANICAL LEGS	152
Omer Eldirdiry; Riadh Zaier; Fady Alnajjar; Amur Al-Yahmedi; Issam Bahadur	4.50
ON IMPLEMENTATION OF DECISION TREE INDUCTION IN CLOUD PLATFORMS	158
Vasyl Martsenyuk ; Zoryana Mayhruk ; Mikolaj Karpinski ; Nazar Milian ; Igor Andrushchak ; Olga Veselskawe	1.64
CAGED QUADROTOR DRONE FOR INSPECTION OF CENTRAL HVAC DUCTS	164
Ahmed Borik ; Alif Kallangodan ; Wisaam Farhat ; Arwa Abougharib ; Mohammad A. Jaradat ; Shayok Mukhopadhyay ; Mamoun Abdel-Hafez	
THE USE OF FUZZY PROMETHEE TECHNIQUE IN ANTIRETROVIRAL COMBINATION	
DECISION IN PEDIATRIC HIV TREATMENTS	171
Berna Uzun ; Figen Sarigül Yildirim ; Murat Sayan ; Tamer Sanlidag ; Dilber Uzun Ozsahin	, 1 / 1
AN INTEGRATED ASSESSMENT OF THE HIGH-PERFORMANCE GLAZING SYSTEMS IN	
THE OFFICE BUILDINGS	175
Youssef O. Elkhayat ; Mona G. Ibrahim ; Ahmed Abdelmonteleb M. Ali	
AGILE IMPLEMENTATION-A MILESTONE FOR ACADEMICS USING SOFTWARE	
ENGINEERING INDUSTRY PRACTICES	181
Jumana Nagaria ; Lipsa Sadath ; Suhaib Ahmed	
ANALYSIS OF MUSCLE ACTIVATION PATTERNS DURING WALKING IN PATIENTS WITH	
FOOT DROP: INSIGHTS FOR THE DESIGN OF AN ADVANCED FES CONTROLLER	187
Aikaterini D. Koutsou ; Fady Alnajjar ; Sergio Lerma Lara ; Beatriz Moral ; Riadh Zaier ; Juan C. Moreno	
MOBILE CLASSROOM-BLENDED LEARNING THROUGH USE OF TECHNOLOGY	193
Gomathy Krishnan ; Wahida Dastakeer	
SIZING OF A CAR PARKING PHOTOVOLTAIC SYSTEM: AN ECONOMIC ANALYSIS	199
Nawal Nader Al Awadhi ; Yacouba Moumouni ; Ahmed Khodary	
EFFECT OF VIBRATION AND CHEMICAL SOLUTION ON MECHANICAL PROPERTIES OF	202
FIBERGLASS REINFORCED COMPOSITES	203
EFFECTS OF CYLINDER SHAPE ON THE PERFORMANCE OF VORTEX INDUCED	
VIBRATION FOR AQUATIC RENEWABLE ENERGY	206
Abid Abdul Azeez ; Sharul Sham Dol ; Mohammad S. Khan	200
FLEXURAL RESPONSE OF RC BEAMS REINFORCED WITH HSS BARS USING FEA	210
Saif Aldabagh; Farid Abed; Sherif Yehia	210
IOT-BASED INTELLIGENT WASTE BIN	215
Moath Awawdeh ; Anees Bashir ; Tarig Faisal ; Irfan Ahmad ; Mohammad Khalil Shahid	
ISOTHERMAL COMPRESSED AIR SYSTEM FOR INTERNAL CHANNEL COOLING	221
Amin Safi ; Emad Elnajjar ; Mohammad Hamdan	

IMPROVING THE FUNCTIONAL PERFORMANCE OF OUTDOOR SPACES IN HOT ARID REGION USING PHOTOVOLTAICS SYSTEMS	225
Lucienne G. Basaly; Mona G. Ibrahim; Nancy Mahmoud Badawy; Mohammad Refaat M. Abdelaal; Ahmed	223
Abdelmonteleb M. Ali	
AN ANALYSIS TOOL FOR THE DETECTION OF METHANE IN THE MARTIAN	
ATMOSPHERE	230
K C Utsav ; Mohamad Muflehi	
NUMERICAL MODELLING OF BIOMASS COMBUSTION ON MOVING GRATES	236
K.U.C. Perera; M. Narayana; Sanjeeva Witharana	
A PILOT STUDY ON ABLUTION SPACE SAFETY IN MOSQUES: SLIP-RESISTANCE ASSESSMENTS OF ABLUTION FLOORINGS FROM A VIEWPOINT OF FALL INCIDENTS	242
In-Ju Kim; Omar Hassan Omar	242
SAFETY ASSESSMENTS OF ABLUTION FLOORS IN MOSQUES: : MEASUREMENTS OF SLIP	
RESISTANCE PERFORMANCE AND SURFACE FEATURES	247
In-Ju Kim; Omar Hassan Omar	
CFD INVESTIGATION OF THE EFFECT OF CEREBRAL ANEURYSMS SIZE ON WALL	
STRESSES AND STRAIN	253
Mohammad O. Hamdan ; Hashem M. Alargha ; Saud Khashan ; Waseem H. Aziz	
ADAPTING THE MACHINE LEARNING GRID PREDICTION MODELS FOR FORECASTING	
OF RESOURCES ON THE CLOUDS	260
Sena Seneviratne ; Sanjeeva Witharana ; Adel N Toosi	
CREATING A COURSE TEACHING MAP FOR STEM COURSES	266
Elsheikh Mohamed Ahmed Elsheikh	
THERMAL DESIGN OF A PORTABLE PCM COOLER FOR AN INSULATED ROOM	271
P. Venkata Reddy ; Vishal Naranje	
IS LIFELONG LEARNING SKILL THE ONLY LIFE-LASTING SKILL ENGINEERING	
GRADUATES EVER NEED?: TEACHING LIFELONG LEARNING SKILL IN THE	
CLASSROOM	278
Sadegh Babaii Kochekseraii	204
NANO-ENHANCED PCM FOR ENERGY STORAGE	284
Zafar Said; Hanin Zeyad; Tasnim I. Eisa; Mamdouh El Haj Assad WHITE BLOOD CELL DETECTION AND COUNTING BASED ON GENETIC ALGORITHM	200
M. Khodashenas; H. Ebrahimpour-Komleh; A. M. Nickfarjam	290
A SYNTHESIS OF VITREOUS CARBON FROM BROMINE FLAME RETARDED HIGH	
IMPACT POLYSTYRENE	294
Sylwia Oleszek ; Mariusz Grabda ; Adline Nwodo ; Takashi Nakamura ; Alfons Buekens	
COMPARISON OF HALF CUT SOLAR CELLS WITH STANDARD SOLAR CELLS	298
Arati Joshi ; Afrah Khan ; Afra Sp	
ENHANCING USER NAVIGATION EXPERIENCE, OBJECT IDENTIFICATION AND SURFACE	
DEPTH DETECTION FOR "LOW VISION" WITH PROPOSED ELECTRONIC CANE	301
Vinod Kumar Shukla ; Amit Verma	
MULTI-CLASS SURVEILLANCE FOR ACUTE RESPIRATORY DISTRESS SYNDROME USING	
BELIEF FUNCTIONS	306
Aline Taoum ; Hassan Amoud ; Farah Mourad-Chehade	
INVESTIGATING ON MOBILE USAGE PATTERNS AND REASONS BY UNIVERSITY	
STUDENTS IN THE UAE INSIDE CLASSROOMS	312
Farah A. Genena ; Asel A. Mwafy ; Mouza S. Al Mansoori ; Abdel-Hamid I. Mourad	
OPTIMIZATION OF PROCESS PARAMETERS FOR ORGANIC MUNICIPAL SOLID WASTE	217
TORREFACTION	317
REDEFINING BANKING AND FINANCIAL INDUSTRY THROUGH THE APPLICATION OF	
COMPUTATIONAL INTELLIGENCE	322
Princy Agarwal	
A COMPARATIVE ANALYSIS OF RETROFIT VERSUS NEW CONSTRUCTION: THE CASE	
STUDY OF MOHAMMED BIN RASHID HOUSING ESTABLISHMENT HEADQUARTER	
(MBRHE)	327
Vittorino Belpoliti ; Raghad A. Ghazal ; Nesrine O. Ousadou ; Dana G. Obaid	
ESTIMATION OF VOLTAGE SYMMETRICAL COMPONENTS AND CURRENT HARMONICS	
USING MULTI-OUTPUT KALMAN FILTER	333
N. Alawadhi ; A. Elnady ; S. Sinan	
DESIGN OF A COST-EFFICIENT TERAHERTZ SYSTEM FOR BIOMEDICAL APPLICATIONS	338
Sara Boumali ; Bouhdid Imane ; Rezgoune Baha Eddine ; Mohamed Taoufik Benhabiles ; Fouad Kerrour	

AUTONOMOUS MOTION TRACKING FOR DYNAMIC OBJECTS USING A TEMPORAL	
QUAD-TREE ALGORITHM	343
Baraa Al Jilani ; Tamer Rabie ; Mohammed Baziyad	2.10
NEURAL NETWORK PATH FOLLOWING FOR DIFFERENTIAL DRIVE VEHICLE	348
Madoka Asai ; Gan Chen ; Isao Takami	
PARAMETRIC STUDY OF GEOTHERMAL PARALLEL FLOW DOUBLE-EFFECT WATER-	254
LIBR ABSORPTION CHILLER	334
SELECTION OF THE MOST APPROPRIATE ANTIRETROVIRAL MEDICATION IN	
DETERMINED AGED GROUPS (=3 YEARS) OF HIV-1 INFECTED CHILDREN	360
Nazife Sultanoglu ; Berna Uzun ; Figen Sarigul Yildirim ; Murat Sayan ; Tamer Sanlidag ; Dilber Uzun Ozsahin	
USAGE OF HOUGH TRANSFORM FOR EXPIRY DATE EXTRACTION VIA OPTICAL	
CHARACTER RECOGNITION	366
Davide Scazzoli ; Giulia Bartezzaghi ; Deniz Uysal ; Maurizio Magarini ; Marco Melacini ; Marco Marcon	
COMPREHENSIVE SURVEY OF MASSIVE MIMO FOR 5G COMMUNICATIONS	372
Aliya Shaikh ; Maninder Jeet Kaur	
USERS PERCEPTIONS AND EXPERIENCE ON BLACKBOARD LEARN FUNCTIONALITIES	377
Panthayil. K. Baburajan ; Silishi Noushad ; Amjad. A. Shaikh	
REVIEW ON SYSTEM IDENTIFICATION FOR QUADROTOR UNMANNED AERIAL VEHICLE	
(UAV)	383
Ari Legowo ; Erwin Sulaeman ; Danial Rosli	
EFFECT OF HARSH ENVIRONMENTAL CONDITIONS ON THE BOND-DEPENDENT	
COEFFICIENT OF GFRP BARS IN CONCRETE BEAMS	391
Farid Abed ; Nouran Elmesalami	
CONSTRUCTION OF URDF MODEL BASED ON OPEN SOURCE ROBOT DOG USING	20.6
GAZEBO AND ROS	396
Pratik Vyavahare; Sivaranjani Jayaprakash; Krishna Bharatia	401
A COMPARISON FOR LIVER CANCER TREATMENT ALTERNATIVES	401
EVALUATION AND SIMULATION OF COLON CANCER TREATMENT TECHNIQUES WITH	
FUZZY PROMETHEE	405
Dilber Uzun Ozsahin ; Kudakwashe Nyakuwanikwa ; Tapiwa Wallace ; Ilker Ozsahin	403
EVALUATION OF STERILIZATION METHODS FOR MEDICAL DEVICES	411
Mubarak Taiwo Mubarak ; Ilker Ozsahin ; Dilber Uzun Ozsahin	
ENHANCED MECHANICAL PROPERTIES OF GLASS FIBER/EPOXY COMPOSITES USING	
NANOCLAY	415
M. S. Senthil Kumar ; Chithirai Pon Selvan ; P. S. Sampath ; K. Raja ; Reshmi Nair	
FUZZY PROMETHEE FOR RANKING PANCREATIC CANCER TREATMENT TECHNIQUES	424
Ilker Ozsahin ; Dilber Uzun Ozsahin ; Kudakwashe Nyakuwanikwa ; Tapiwa Wallace Simbanegavi	
MULTI-OBJECTIVE OPTIMIZATION OF AIR CONDITIONING SYSTEM WITH THE LOW	
GWP REFRIGERANT R1234YF USING GENETIC ALGORITHM	429
Juan Garcia ; Ali Khosravi ; Ricardo Poley ; Mamdouh Assad ; Luiz Machado	
MULTI DOF SYSTEM MODELLING-TRANSFER FUNCTION AND STATE VARIABLE	
APPROACHES	436
Fesmi Abdul Majeed ; Mazin Abuharaz	
TOXICITY ASSESSMENT OF DATE PIT ACTIVATED CARBON NANOMATERIALS IN	4.40
HEPATOCYTES	442
Betty Titus Mathew ; Shaima Raji ; A-H. I. Mourad ; Ali Hilal-Alnaqbi ; Khaled A. El-Tarabily ; Amr Amin ; Fadi Alnaimat ; Bobby Mathew	
REMOVAL OF PFASS FROM WATER WITH IONIC LIQUIDS: QUANTUM-MECHANICAL	
AND EXPERIMENTAL STUDIES	448
Mariusz Grabda ; Sylwia Oleszek	440
INTELLECTUAL HUMAN-OBJECT CLASSIFICATION USING GENETIC ALGORITHM	452
N. Kavitha ; K. Ruba Soundar ; V. Balasubramaniam	
ISOTHERMAL MELT CRYSTALLIZATION OF POLYETHYLENE NANOCOMPOSITES WITH	
THERMALLY REDUCED GRAPHENE AND CARBON BLACK	457
Ahmed Z. A. Abuibaid ; Muhammad Z. Iqbal	
EMPLOYABILITY AND HIRING TRENDS OF ENGINEERING JOB ASPIRANTS IN UAE	462
Shanthi Rajan ; Archana Pandita	
ADVANCING KNOWLEDGE IN TECHNOLOGICAL INNOVATION: INNOVATION MAPPING	
MODEL	468
Alaa M. Ubaid ; Mustafa Sahban ; Oussama Hammad ; Ayman Ramadan ; Refaat Abdel-Razek	

MULTI-FUNCTIONAL SAFETY JACKET FOR FIREFIGHTERS	475
Amal Al Hamadi ; Mariam Al Hamadi ; Nawal Al Awadi ; Yacouba Moumouni	
A PILOT STUDY ON CIVIL ENGINEERING STUDENTS ACCEPTANCE TO A FLIPPED CLASSROOMS PEDAGOGY	480
Hamad Al Jassmi ; Salini Ramesh ; Tamer El-Maaddawy ; Omniah Alqahtani ; Waleed Khalil Ahmed	
SOPHOMORE DESIGN PROJECT OF A VALUE DRIVEN UNMANNED AIR VEHICLE DESIGN Evangelos Papageorgiou; Serdar Dalkilic; Eleni-Eleftheria Kamperi	484
COMPETITIVE ADSORPTION ON DIATOMACEOUS EARTH PARTICLES	490
Helanka J. Perera ; Frank D. Blum	
SMART TRAFFIC MANAGEMENT SYSTEM FOR FOGGY WEATHER CONDITIONS	494
Fesmi Abdul Majeed ; Basma Murad ; Khawla Khalil ; Asma Mohamed ; Fatima Ali ; Sendeyah Obaid ; Sara Ahmed	
INTELLIGENT TUTORING FOR INFORMED FEEDBACK IN INTERACTIVE LEARNING	
ENVIRONMENTS	497
Sadia Riaz ; Arif Mushtaq ; Maninder Jeet Kaur	
BOOSTING TEACHING EXPERIENCE IN MECHANICAL ENGINEERING COURSES USING	
ADDITIVE MANUFACTURING TECHNOLOGIES	503
Issah M. Alhamad ; Waleed K. Ahmed ; Hayder Z. Ali	
SMART GRID INTELLIGENT ENERGY MANAGEMENT SYSTEM WITH COST	
OPTIMIZATION IN POWER SYSTEM	509
Hafiz Fuad Usman ; Shahzaib Hamid ; Waheed Aftab Khan ; Majid Ali ; Saif Ur Rehman	
DETERMINATION OF POST-EXPOSURE PROPHYLAXIS REGIMEN IN THE PREVENTION	
OF POTENTIAL PEDIATRIC HIV-1 INFECTION BY THE MULTI-CRITERIA DECISION	
MAKING THEORY	515
Murat Sayan; Nazife Sultanoglu; Berna Uzun; Figen Sarigul Yildirim; Tamer Sanlidag; Dilber Uzun Ozsahin	
FINANCING THE CLIMATE CHANGE THROUGH GREEN (CLIMATE SUSTAINABLE)	500
BONDS	520
·	
EFFECT OF SHALLOWNESS ON THE FLOW FIELD OF A HORIZONTAL TURBULENT WATER JET	524
Monsif Shinneeb; Khalid Zouhri; Molham Chikhalsouk	
REDUCED COMPLEXITY TRAINING SYMBOL FOR FAST SYNCHRONIZATION OF OFDM-	
BASED NETWORKS	530
Zaid S. Al-Aubaidy ; Munther Gdeisat ; Saloa M. Ali	
EMBEDDED VENTILATION AIR CONDITIONING SYSTEM FOR PROTECTION PURPOSES	
WITH IOT CONTROL	536
Moath Awawdeh ; Anees Bashir ; Tarig Faisal ; Khawla Alhammadi ; Mouza Almansori ; Sara Almazrouei	
THERMODYNAMIC ANALYSIS OF GEOTHERMAL SERIES FLOW DOUBLE-EFFFECT	
WATER/LIBR ABSORPTION CHILLER	542
Mamdouh El Haj Assad ; Ali Khosravi ; Zafar Said ; Mona Albawab ; Tareq Salameh	
CAMEL MONITORING AND TRACKING SYSTEM ACROSS FENCED HIGHWAYS	548
Abdel Ilah N. Alshbatat ; Fawaz Hrahsheh ; Tarig Faisal	
DESIGN OF A SMALL HORIZONTAL AXIS WIND TURBINE	553
Yasser El-Okda; Kamel Adref; Molham Chikhalsouk; Hussni Al Hajjar	
ACCUMULATION OF HEAVY METALS ON SOIL IRRIGATED WITH TREATED	5.00
WASTEWATER AT AL AL-BAYT UNIVERSITY-JORDAN Anf Hanna Ziadat; Anwar Jiries; Ibrahim Alojail	360
RESIDENTIAL PEAK COOLING LOAD AND PEAK SOLAR TIME FOR TYPICAL UAE	
CONDITIONS	566
Kamel Adref ; Yasser Elokda ; Molham Chikhalsouk ; Asma Alebri ; Hamda Alhosani	
IMPACT OF TIME OF USE TARIFF AND DEMAND PROFILES ON PROSUMERS IN PEER-TO-	
PEER ENERGY SHARING SCHEME	571
K. Kusakana	
AUTOMATED DESIGN PLATFORM FOR EDUCATIONAL ROBOTS	578
Tiago Caldeira ; Jorge I. Montalvo Navarrete	
SMART MANUFACTURING OF 3D PRINTED ROBOTS	583
Jorge I. Montalvo Navarrete ; Tiago Caldeira	
LATENT FINGERPRINT DEVELOPMENT WITH BIOSYNTHESIZED NANO RUST	588
Asha Anish Madhavan ; Bhoopesh Kumar Sharma	
BEHAVIOR OF RC BEAMS EXTERNALLY STRENGTHENED WITH MORTAR BONDED	
STEEL MESH	592
Kais A. Douier ; Rami Hawileh ; Jamal A. Abdalla	

REVIEW OF SECURITY IN MOBILE EDGE COMPUTING WITH DEEP LEARNING	595
Prashanth Subramaniam; Maninder Jeet Kaur	
EVALUATION OF BFRP RC BEAMS UNDER FLEXURE	600
Farid Abed ; Mustafa Al-Mimar ; Noor Tello	
RENEWABLE AND ANONYMOUS BIOMETRICS-BASED REMOTE USER AUTHENTICATION	
SCHEME USING SMART CARDS FOR TELECARE MEDICINE INFORMATION SYSTEM	604
Alawi A. Al-Saggaf ; Tarek R Sheltami	
THE APPLICATION OF DEEP LEARNING TO QUANTIFY SAT/VAT IN HUMAN ABDOMINAL	
AREA	610
Walid Zgallai ; Teye Brown ; Asma Murtada ; Sara Ali ; Amina Haji ; Khawla Khalil ; Maryam Omran ; Entesar	
Z. Dalah ; Moez Al-Islam E. Faris ; Abdulmunhem K. Obaideen	
INVESTIGATION OF BIOSENSING BIAS WITH SINGLE CELLS LOCATED IN	
RECTANGULAR MICROWELLS	615
Ayoola T. Brimmo ; Pavithra Sukumar ; Mohammad A. Qasaimeh	
SIMPLIFIED MATHEMATICAL MODELLING OF WING TIP VORTICES	620
Aziz Al-Mahadin ; Mohammad Almajali	
DEEP LEARNING AI APPLICATION TO AN EEG DRIVEN BCI SMART WHEELCHAIR	626
Walid Zgallai ; John Teye Brown ; Afnan Ibrahim ; Fatma Mahmood ; Khulood Mohammad ; Maitha Khalfan ;	
Maryam Mohammed; Maryam Salem; Noof Hamood	
AUTOMATIC SPEECH RECOGNITION AND ITS VISUAL PERCEPTION VIA A CYMATICS	621
BASED DISPLAY	631
Saeed Mian Qaisar; Hannan Alsharif; M. Akbar; A. Abdullah	<i>(</i> 25
SHEAR BEHAVIOR OF RC BEAMS CAST WITH LAVA LIGHTWEIGHT AGGREGATES	633
Waleed Nawaz ; Rami Hawileh ; Jamal A Abdalla ; H Ataya ; H.S Alajmani ; I.H Abuzayed ; H.A Mohamed EOUIVALENT PERMEABILITY OF ADJACENT POROUS REGIONS	(20
Muhammad Ali A. ; Rehan Umer ; Kamran A. Khan	039
INTERPRETING TRASMITARRAYS FAR-FIELD PERFORMANCE USING ITS NEAR FOCAL REGION FIELDS	612
E'qab R. Almajali ; Abdulkader Hamid ; Saqer S. Alja'afreh ; Ashraf Tahat	043
A SPEECH TO MACHINE INTERFACE BASED ON PERCEPTUAL LINEAR PREDICTION	
AND CLASSIFICATION	647
Saeed Mian Qaisar; Noofa Hainmad; Raviha Khan; Rawan Asfour	047
FEASIBILITY STUDY OF USING PHOTOVOLTAIC (PV), WIND AND BIOGAS RENEWABLE	
ENERGY SYSTEM IN SOUTH AUSTRALIA HOUSEHOLD TO MAXIMIZE THE ENERGY	
PRODUCTION FROM RENEWABLE SOURCES	651
Chi Sing Kwok ; Sathyan Krishnan ; Birhane Haile Tesfagergis ; Hung Yao Hsu	051
BRAIN TUMOR CLASSIFICATION AND SEGMENTATION USING FASTER R-CNN	656
H. N. T. K. Kaldera; Shanaka Ramesh Gunasekara; Maheshi B. Dissanayake	
BUSINESS CONTINUITY MANAGEMENT FRAMEWORK OF INTERNET OF THINGS (IOT)	662
Jasim Al Ali ; Qassim Nasir ; Fikri T. Dweiri	
ANALYSIS OF ACOUSTIC TESTING ON STATIC CHEVRONS NOZZLES	669
Jerrin Thadathil Varghese ; Sarath Raj N.S ; Mohamed Sufyan Shafi	
IN-DEPTH EVALUATION OF PROCESS VARIABLES IN ABRASIVE WATERJET CUTTING	
OF ALUMINA CERAMICS	675
Chithirai Pon Selvan ; Sahith Reddy Madara ; Swaroop Ramaswamy Pillai ; Ramesh Vandanapu	
DESIGNING AND DEVELOPING INNOVATIVE STRUCTURAL ENGINEERING FAILURE	
EXPERIMENT USING ADDITIVE MANUFACTURING TECHNOLOGY	679
Asma Aldarmaki ; Alyazia Alshamsi ; Waleed K Ahmed ; Hamad Al Jassmi	
ASSESSING COMMERCIAL 3D SCANNERS TO REPRODUCE STRUCTURAL ELEMENTS	685
Alyazia Hamad Al-Shamsi ; Asma Rashed Al-Darmaki ; Waleed K Ahmed ; Hamad Al-Jassmi	
THERMAL CONDUCTIVITY OF CARBON FOAM ASSUMING SPHERICAL UNIT CELL	693
Mohammad Almajali ; Aziz Al-Mahadin	
DEVELOPMENT OF A KNOWLEDGE BASED DESIGN ASSISTING SYSTEM FOR	
COMPLIANT MACHINE PARTS	697
Laith Abdullah Al-Juboori	,
EFFECT OF LEARNING FOREIGN LANGUAGES ON STEM EDUCATION	702
Ishan Maheshwari ; Piyush Maheshwari	
OPTIMIZATION OF CONTROL VARIABLES IN LASER WELDING OF DISSIMILAR	
MATERIALS USING GA APPROACH	706
Renangi Sandeep ; M. Chithirai Pon Selvan ; D. Sudhakara ; M. S. Senthil Kumar	

PERFORMANCE ANALYSIS OF NANO-CRYSTALLINE DIAMOND (NCD) COATING IN	
MICRO-MILLING OF ALUMINUM ALLOY	710
Kubilay Aslantas; Waleed Ahmed TWO PHOTON DOSE ENGINES FOR ACCURATE AND FAST VOLUMETRIC MODULATED	
ARC THERAPY	716
Abdulla Ali Desmal ; Yang Sheng ; Hunter Stephens ; Yaorong Ge ; Qiuwen Wu ; Jackie Wu	
SOLAR AND WIND POWER IN ENHANCING UNCONVENTIONAL OIL RECOVERY BY	
UNDERGROUND HEAT INDUCTION	720
Ahmad E'mar ; Yahia Alraie ; Fahad Ismail ; Saad Al-Afnan	
DESIGN AND DEVELOPMENT OF LIGHTWEIGHT-HIGH ENDURANCE UNMANNED AERIAL VEHICLE FOR OFFSHORE SEARCH AND RESCUE OPERATION	725
Saif Eldin Eid ; Sharul Sham Dol	123
SPINAL FUNCTIONAL MAGNETIC RESONANCE IMAGING (FMRI) ON HUMAN STUDIES: A	
LITERATURE REVIEW	730
Sajedah Al-Momani ; Salam Dhou	
ESTIMATING TI-6AL-4V COATING THICKNESS OVER SS304 SUBSTRATE USING SIMULATED SINGLE-FREQUENCY APPARENT EDDY CURRENT CONDUCTIVITY	735
Zain A. Ansari ; Bassam A. Abu-Nabah ; Maen Alkhader	133
LARGE-SCALE EMPIRICAL MODEL FOR A 2.4 GHZ WIRELESS NETWORK IN AN	
OUTDOOR ENVIRONMENT	740
Mariam Alhammadi ; Mouza Almansoori ; Isaias Tesfu ; Daniel Habte ; Irfan Ahmed	
IMPROVING STUDENTS CONCEPTUAL UNDERSTANDING OF CALCULUS BASED PHYSICS	
USING PROBLEM BASED LEARNING APPROACH ON AN E-LEARNING PLATFORM APPLIED TO ENGINEERING EDUCATION	744
Sandhya Kattayat ; Smitha Josey	
INFLUENCE OF RADIATION AT DIFFERENT RF FREQUENCIES ON BOVINE SERUM	
ALBUMIN STABILITY IN THE ASPECT OF BIOSENSOR	750
Aleksandra Klos-Witkowska; Vasyl Martsenyuk; Mikolaj Karpinski; Ibrahim Obeidat	
A REVIEW ON THE STRUCTURE, PROPERTIES AND CHARACTERIZATION OF 2D MOLYBDENUM DISULFIDE	755
Sharon Santhosh ; Asha Anish Madhavan	
ANALYSIS OF COOLING PROCESS OF SINGLE POINT CUTTING TOOL BY SURFACE	
DROPLET IMPINGEMENT AND INTERNAL TRANSPIRATION METHODS	760
P. Venkata Reddy; Vishal Naranje	
ROBUST REAL-TIME EMBEDDED FACE DETECTION USING FIELD PROGRAMMABLE GATE ARRAYS (FPGA)	765
Afnan Alahmadi ; Saeed Mian Qaisar	, 103
SCENE TO TEXT CONVERSION AND PRONUNCIATION FOR VISUALLY IMPAIRED	
PEOPLE	770
Saeed Mian Qaisar; Raviha Khan; Noofa Hammad	
UNDERSTANDING THE INFLUENCE OF REPLACING CEMENT WITH GGBS ON COMPRESSIVE AND FLEXURAL STRENGTHS OF CONCRETE AT MEDIUM WORKABILITY	
CONDITIONS	774
Ramesh Vandanapu ; Vidya Mohanan ; Chithirai Pon Selvan	
STUDY ON THE EFFECT OF MG DOPANT ON THE PROPERTIES OF ZNO THIN FILM	
PREPARED BY SOL GEL	778
Tang Xiao Fen ; Ari Legowo ; Ali Shaitir ; Agus Geter Edy Sutjipto COMPUTATIONAL STUDY OF HEAT TRANSFER AUGMENTATION IN RECTANGULAR	
CHANNEL WITH UPPER WALL EXPOSED TO CONSTANT HEAT FLUX	786
Abed Mennad ; Najeeb U. Khan ; Muhammad M. Janjua ; Altaf H. Khan	
UNIVERSITY HOSPITAL IN SHARJAH DIAGNOSTIC REFERENCE LEVELS FOR MULTI-	
DETECTOR CT EXAMINATIONS	795
Entesar Zawam Dalah ; Hiba Waleed Al-Dhubhani ; Hussein M Elmehdi ; Abdulmunhem Obaideen ; Mohammed Sammy Weis ; Omar Adas	
SYSTEMIC VIEW TO NURTURE PROFESSIONAL ENGINEERS - A ROADMAP	800
Umesh Bhushi ; Omar Altrad ; Manjunath Bhandary	
INVESTIGATING PHOTOCATALYTIC FUNCTIONAL PROPERTY OF TIO2 THIN FILM	
DEVELOPED BY NOVEL DEPOSITION METHOD	805
Amjad. A. Shaikh CASCADING FAILURE ANALYSIS BASED EARLY DESIGN FOR A COMPLEX	
ENGINEERING SYSTEMENGINEERING SYSTEM	809
Khulood Ismaeel Alhosani ; Ameena Al-Sumaiti ; Khalid Al-Ali	

THE EFFECT OF CURVATURE AND LAYUP OF AIRCRAFT TYPE CFRP LAMINATE ON	
THE SPRINGBACK AFTER CURING PROCESS	814
Yulfian Aminanda ; Ari Legowo ; Mohd Nazreen Bin Mohd Nasir	040
PHYSICALLY UNCLONABLE FUNCTIONS (PUFS): A SYSTEMATIC LITERATURE REVIEW	819
Mohammed Al-Haidary ; Qassim Nasir	
IOT DEVICES SECURITY USING RF FINGERPRINTING	825
Douae Nouichi ; Mohamed Abdelsalam ; Qassim Nasir ; Sohail Abbas	
WEAR PERFORMANCE ANALYSIS OF ALUMINUM MATRIX COMPOSITES USING	
ARTIFICIAL NEURAL NETWORK	832
Amir Hussain Idrisi ; Abdel Hamid Ismail Mourad	
TRACKING CONTROL OF SERIAL ROBOT MANIPULATOR USING ACTIVE DISTURBANCE	
REJECTION CONTROL	837
Mahmoud A. Y. Abdallah ; Rouf Fareh	
EFFECTS OF CLIMATE CHANGE ON RIVER FLOW STOCHASTIC APPROACH	842
Elgaali Elgaali ; Zeyad Tarawneh	
RECYCLING OF WASTEWATER FROM CAR-WASHING FACILITIES FOR LANDSCAPING	
APPLICATIONS	847
Majid Akram ; Elgaali Elgaali	
USE OF RECYCLED CONSTRUCTION WASTE MATERIALS FOR PIPELINE BEDDING	
APPLICATION	851
Majid Akram ; Elgaali Elgaali ; Samir Janho	
A NOVEL FLARE MANEUVER GUIDANCE FOR APPROACH AND LANDING PHASE OF A	
REUSABLE LAUNCH VEHICLE	855
Aysha S. Hameed ; G. R. Bindu	655
EFFECT OF ANNEALING TEMPERATURE ON THE ANALYSIS AND CHARACTERIZATION	
OF CU2ZN0.6CD0.4SNS4 QUINTERNARY ALLOY NANOSTRUCTURES DEPOSITED ON	
SILICON SUBSTRATESILICON SUBSTRATE	0.61
A. S. Ibraheam ; Ali Abu Odeh ; Yarub Al-Douri	001
ASSESSMENT OF PUBLIC-PRIVATE PARTNERSHIP MODELS FOR HOUSING DELIVERY IN	0.65
THE UAE	865
Khalifa Alteneiji ; Sabah Alkass ; Saleh Abu Dabous	
PROCESS PARAMETERS OPTIMIZATION OF TUNGSTEN INERT GAS WELDING BY	0.60
TAGUCHI METHOD	869
Mohammad Khalid	
DEVELOPMENT OF INERT CERAMIC FOR INDUSTRIAL APPLICATION BASED ON	
TERNARY PHASE DIAGRAM OF POTASSIUN OXIDE-ALUMINUM OXIDE-SILICON	o= 4
DIOXIDE	874
Agus Geter Edy Sutjipto ; Anwaruddin Hisyam ; Nurjannah Salim ; Mohd Hasbi Ab Rahim ; Ari Legowo ; Moh	
Hanafi Ani	
A NEW DUAL-ELEMENT MULTIMODE MIMO ANTENNA FOR METAL-RIMMED	
SMARTPHONE	878
Saqer Aljaafreh ; Mallak H. Alshamaileh ; Eqab Almajali	
A MICROFLUIDIC DEVICE WITH PENETRATING MICROELECTRODE ARRAY FOR	
FOCUSING OF CELLS USING DIELECTROPHORESIS	881
Nosayba Al-Azzam ; Bobby Mathew ; Waqas Waheed	
BUILDING ENERGY MANAGEMENT SYSTEM: AN OVERVIEW OF RECENT LITERATURE	
RESEARCH	885
Safa Alattas Alhashmi ; Ameena Saad Al-Sumaiti ; Muhammad Wajahat Hassan ; Muhammad Babar Rasheed ;	
Sergio Raul Rivera Rodriguez ; Rajesh Kumar ; Ehsan Heydarian-Forushani	
A MATHEMATICAL MODEL OF ARTERIOSCLEROSIS ONSET	890
Hiroyuki Kagami	
Hiroyuki Kagami PROJECT BASED LEARNING (PBL) APPROACH FOR IMPROVING THE STUDENT	
PROJECT BASED LEARNING (PBL) APPROACH FOR IMPROVING THE STUDENT	893
PROJECT BASED LEARNING (PBL) APPROACH FOR IMPROVING THE STUDENT ENGAGEMENT IN VOCATIONAL EDUCATION: AN INVESTIGATION ON STUDENTS	893
PROJECT BASED LEARNING (PBL) APPROACH FOR IMPROVING THE STUDENT ENGAGEMENT IN VOCATIONAL EDUCATION: AN INVESTIGATION ON STUDENTS LEARNING EXPERIENCES & ACHIEVEMENTS	893
PROJECT BASED LEARNING (PBL) APPROACH FOR IMPROVING THE STUDENT ENGAGEMENT IN VOCATIONAL EDUCATION: AN INVESTIGATION ON STUDENTS' LEARNING EXPERIENCES & ACHIEVEMENTS	
PROJECT BASED LEARNING (PBL) APPROACH FOR IMPROVING THE STUDENT ENGAGEMENT IN VOCATIONAL EDUCATION: AN INVESTIGATION ON STUDENTS LEARNING EXPERIENCES & ACHIEVEMENTS Vidhya K Viswambaran; Shimna Shafeek FLUID STRUCTURE INTERACTION SIMULATION STUDY OF TRAVELLING WAVE VALVE- LESS MICRO PUMP IN FLUID DELIVERY	
PROJECT BASED LEARNING (PBL) APPROACH FOR IMPROVING THE STUDENT ENGAGEMENT IN VOCATIONAL EDUCATION: AN INVESTIGATION ON STUDENTS' LEARNING EXPERIENCES & ACHIEVEMENTS	
PROJECT BASED LEARNING (PBL) APPROACH FOR IMPROVING THE STUDENT ENGAGEMENT IN VOCATIONAL EDUCATION: AN INVESTIGATION ON STUDENTS' LEARNING EXPERIENCES & ACHIEVEMENTS	
PROJECT BASED LEARNING (PBL) APPROACH FOR IMPROVING THE STUDENT ENGAGEMENT IN VOCATIONAL EDUCATION: AN INVESTIGATION ON STUDENTS' LEARNING EXPERIENCES & ACHIEVEMENTS	899
PROJECT BASED LEARNING (PBL) APPROACH FOR IMPROVING THE STUDENT ENGAGEMENT IN VOCATIONAL EDUCATION: AN INVESTIGATION ON STUDENTS' LEARNING EXPERIENCES & ACHIEVEMENTS	899

INVESTIGATING THE COMPLEXITY OF COMPUTATIONAL INTELLIGENCE USING THE LEVELS OF INHERITANCE IN AN AOP BASED SOFTWARE	910
S. Senthil Velan	
INTRODUCTION TO FRACTIONAL CALCULUS	915
INDUSTRY 4.0: DEVELOPMENT OF SMART SUNROOF AMBIENT LIGHT	
MANUFACTURING SYSTEM FOR AUTOMOTIVE INDUSTRY	920
Muawia Ramadan	
OPTIMAL DESIGN FO A PORTABLE NUCLEAR MAGNETIC RESONANCE FLOW METER	
ANALYZING ANGULAR VELOCITY OF THE HUMAN ARM IN RHYTHMIC WALKING	931
Lanka Udawatta ; Mohammad Alwedian ; Simon Hissem ; Bryan Daniels ; Mouza Almazrouei	
REVIEW OF IMAGE-GUIDED PERCUTANEOUS CORONARY INTERVENTIONS	937
AN EVALUATION OF THE DEVELOPMENT OF FORMATIVE ASSESSMENT STRATEGIES TO ENHANCE STUDENT LEARNING AND ENGAGEMENT	945
Shimna Shafeek ; Vidhya K Viswambaran ; Ben Alex Baby	
ANALYSIS OF DIGITAL UTILITY ENDPOINTS IN SMART GRID USING MODULAR COMPUTING PLATFORM	951
Mohammed Saleh ; Thair Khdour ; Azzeddine Ferrah ; Mahmoud Qasaymeh ; Madeleine Togher	
INNOVATIONS IN MDR THERAPY: ESSENTIAL OIL APPLICATIONS	957
Sk Yang ; Ms Alhosani ; She Lim ; R Akseer ; A Abushelaibi ; Ks Lai	
TRAFFIC CONGESTION IMPROVEMENT ON CLOVERLEAF INTERCHANGE: DUBAI - AL	
AIN ROAD (E66) AND SHEIKH MOHAMMED BIN ZAYED ROAD (E311)	961
Samir Janho ; Elgaali ; Majid Akram	
NOTCH-FILTER ACTIVE DAMPING OF LCL FILTER RESONANCE IN A GRID-CONNECTED	
INVERTER WITH VARIABLE GRID INDUCTANCE Francis Mulolani; Ahmed Althobaiti; Yasser Alamoudi	965
A CASE STUDY ON THE AUTHENTIC LEARNING AND ASSESSMENTS IN THE UNIVERSITY	
EDUCATION	071
	9/1
Jinendrika Weliwita ; Sanjeeva Witharana	
DEEP LEARNING APPLICATION IN MECHATRONICS SYSTEMS' FAULT DIAGNOSIS, A	
CASE STUDY OF THE DEMAND-CONTROLLED VENTILATION AND HEATING SYSTEM	976
Ali Behravan ; Mohammad Abboush ; Roman Obermaisser	
IMPACT OF FLIPPED PHYSICS CLASSES ON THE PERFORMANCE OF ENGINEERING	
STUDENTS: UNIVERSITY OF SHARJAH CASE STUDY	982
Hussein M Elmehdi ; Entesar Z Dalah ; Almehdi M. Ibrahem	
EXPERIMENTAL INVESTIGATIONS ON ABRASIVE WATERJET MACHINING OF	
HYBRIDIZED KEVLAR WITH JUTE FIBER REINFORCED EPOXY COMPOSITE USING	
TAGUCHI & ANOVA APPROACH	987
Sahith Reddy Madara ; Raj N.S. Sarath ; Jerrin Thadathil Varghese ; Chithirai Pon Selvan	
LASER TECHNOLOGY FOR CUSTOMIZING SILICON SOLAR CELLS	996
Douae Nouichi ; Noor Hindawi ; Heba Fares ; Yara Yaghi ; Soliman Mahmoud	
MEASUREMENTS OF RADON CONCENTRATION IN WATER IN THE UNITED ARAB	
EMIRATES AND THE ASSOCIATED HEALTH EFFECTS	1002
Hussein M Elmehdi ; Entesar Z Dalah ; Komyor Bakhronov	
DATA-DRIVEN ANALYSIS OF PRICE CHANGE, USER BEHAVIOR AND WEALTH	
ACCUMULATION IN BITCOIN TRANSACTIONS	1007
Deepa Pavithran ; Jamal N. Al-Karaki ; Rajesh Thomas ; Charles Shibu ; Amjad Gawanmeh	
VALORIZATION OF WASTE COOKING OIL	1013
Padmaja Vootla ; Maha Majed Ajlan Mohamed Almansoori ; Ayesha Ali Abdullah Othman Alhammadi ; Sara	
Mahmoud Ali Alhousani ; Fatema Malalla Saif Hasan Alhammadi	
RESEARCH INFORMED TEACHING: A BRIEF ORIENTATION	1017
Loraine Charlet Annie ; Fathima Shemim Ks	
ENVIRONMENTAL EFFECTS OF NEW DEVELOPMENTS IN THE COASTAL ZONES OF	
DUBAI	1022
Elgaali Elgaali ; Anf Hanna Ziadat ; Sukina Alzyoud	1023
BUILDING-INTEGRATED PHOTOVOLTAICS (BIPV) FOR RESIDENTIAL AND INDUSTRIAL PROPERTIES	1007
PROPERTIES.	1027
A. Mehravaran ; A. Derhem ; M. Nassereddine	1000
THERMAL MANAGEMENT OF CONVENTIONAL P V MODULE	1033
Divya Shetty ; Arunachala U C	

STATE-OF-THE ART ELECTRICAL MACHINES FOR MODERN ELECTRIC VEHICLES	1038
Yasser A Alamoudi ; Azzeddine Ferrah ; Raghu Panduranga ; Ahmed Althobaiti ; F Mulolani	
DYNAMIC MODEL OF A PROTON-EXCHANGE MEMBRANE FUEL CELL USING	
EQUIVALENT ELECTRICAL CIRCUIT	1046
Aya Taieb ; Shayok Mukhopadhyay ; Amani Al-Othman	
ADVENTUROUS ARCHITECTURE AND GREEN TECHNOLOGIES	1050
Hadeejathul Ajmeena ; Niva Rana Mahanta	
EFFECT OF GRINDING, POLISHING AND HCL ON SURFACE ROUGHNESS OF LOW	
CARBON STEEL	1056
Shahid Parapurath ; Mohamed Elkhodbia ; Ebru Gunister	
EFFECTIVENESS OF USING ARDUINO PLATFORM FOR THE HYBRID ENGINEERING	
EDUCATION LEARNING MODEL	1061
Anees Bashir; Mariam Alhammadi; Moath Awawdeh; Tarig Faisal	
UNMANNED AERIAL VEHICLE FOR HUMAN TRACKING USING FACE RECOGNITION	10.5
SYSTEM	1067
Sarath Raj N.S.; Jerrin Thadathil Varghese; Feni Pandya	
APPLICATION OF OUTLIER DETECTION USING RE-WEIGHTED LEAST SQUARES AND R-	1070
SQUARED FOR IOT EXTRACTED DATA	1072
Moath Awawdeh; Tarig Faisal; Anees Bashir; Amjad Sheikh	
LANDSCAPE INTERVENTIONS FOR RESILIENCE AND SUSTAINABILITY IN URBAN	1070
WETLAND PARKS: A REVIEW	10/8
Niva Rana Mahanta ; Banafsha Rajput NANOENGINEERED COMPOSITE MATERIALS FOR WIND TURBINE BLADES	1004
Raghu Panduranga; Yasser Alamoudi; Azzeddine Ferrah	1084
v v	
A FRAMEWORK FOR IMPLEMENTING HIGHER-ORDER THINKING SKILLS (PROBLEM- SOLVING, CRITICAL THINKING, CREATIVE THINKING, AND DECISION-MAKING) IN	
ENGINEERING & HUMANITIES	1001
Omar J. Alkhatib	1091
PROCESSING AND MECHANICAL PERFORMANCE OF HYDROXYAPATITE-UHMWPE	
COMPOSITES	1000
Abdel-Hamid I. Mourad ; Yaser E. Greish ; Omar G. Ayad	1099
IMPACT ON HDPE MECHANICAL PROPERTIES AND MORPHOLOGY DUE TO	
PROCESSING	1104
Edgar B. Mejia ; Abdel-Hamid I. Mourad ; Aisha S. Ba Faqer ; Doaa F. Halwish ; Hour O. Al Hefeiti ; Saleha M.	1104
Al Kashadi ; Nizamudeen Cherupurakal ; Mohammad Sayem Mozumder	
SURVEY OF IOT-BASED SMART HOME APPROACHES	1109
Abdulla Alhammadi ; Aisha Alzaabi ; Bashayer Almarzooqi ; Suhail Alneyadi ; Zayed Alhashmi ; Maad Shatnawi	
AIRPLANE RELIABILITY STUDY USING GRAPH THEORY BASED MATLAB GUI	
APPLICATION	1115
Abderrabi Bourezg ; Hamid Bentarzi	
THE IMPACT OF URBAN GREENING AND URBAN GEOMETRY ON THE MICROCLIMATE	
AT THE NEIGHBORHOOD LEVEL IN HOT ARID CLIMATES	1120
Tahani Ahmed Elbondira ; Mona Gamal Eldin Ibrahim ; Manabu Fujii	
INNOVATIVE DESIGN OF HEAT EXCHANGER USING AIRFOIL FINS FOR	
CONCENTRATED SOLAR POWER PLANTS	1126
Hoor Obaid Alhafeiti ; Halimah Abdullah Almetiri ; Fadi Alnaimat ; Alanoud Ali Alkaabi ; Aysha Khamis	
Alshamsi; Bobby Mathew; Mohammed Ziauddin	
EXPERIMENTAL TESTBED AND PERFORMANCE EVALUATION FOR ROOFTOP SOLAR PV	
SYSTEM AND GENERATOR SET	1131
Dena Hendriana ; Erikson Ferry Sinaga ; Arko Djajadi Kt	
THE BEHAVIORAL ANALYSIS OF HYBRIDIZED SANDWICH COMPOSITE WITH VARIED	
YOUNG'S MODULI USING MECHANICAL ANSYS APDL	1139
Jerrin Thadathil Varghese ; Sarath Raj N. S	
DEVELOPMENT OF A SIMPLE AND AFFORDABLE COMPUTER AIDED PROCESS	
PLANNING (CAPP)	1146
M.S. Abdul Karim; Chan Tai Tiong	
STUDENTS' DIFFICULTIES WITH RELATED RATES PROBLEM IN CALCULUS	1150
Nabila A. Azzam ; Manuel Eusebio ; Ruba Miqdadi	
THE EFFECT OF SELF REFLECTION AS AN ASSESSMENT TOOL FOR IMPROVING	
UNIVERSITIES' STUDENTS PERFORMANCE: CASE STUDY	1155
Molham Chikhalsouk ; Hussni Al Hajjar ; Yasser El-Okda ; Kamel Adref	

AVIATION MRO: A CASE STUDY OF SOCIAL PSYCHOLOGY ELEMENTS OF HUMAN	
FACTOR AFFECTING WORK PERFORMANCE	1161
Kamal Jaiswal ; Serdar Dalkilic ; Seema Verma ; Balgopal Singh	
INTELLIGENT CONTROLLER DESIGN FOR MIMO SYSTEMS USING MODEL-FREE	
CONTROL AND LMI APPROACHES APPLIED ON A TWIN ROTOR MIMO SYSTEM	1171
Younes Al Younes ; Abdelhamid Rabhi ; Hussien Al-Wedyan	
PRODUCTIVITY IMPROVEMENT OF DUCT WORKSHOPS IN THE MODULAR SYSTEMS	
DIVISION AT BK GULF LLC	1177
Karim Mohd Harbi Sandouka ; Imad Alsyouf	
APPLICATION OF CONTEXTUAL TEACHING AND LEARNING MODEL THROUGH	
INTERDISCIPLINARY STUDENT PROJECTS – AN APPROACH TO ENHANCING	
ACCOUNTING AND IT SKILLS	1182
Rachna Banerjee ; Jumana Tarazi ; Moaza Juma Abdulla Ahli	
STABILITY ANALYSIS OF TESLA VALVE BASED NATURAL CIRCULATION LOOP FOR	
DECAY HEAT REMOVAL IN NUCLEAR POWER PLANTS	1190
Rajat A. Chandavar	
ON THE UNICITY OF A SOLUTION IN BIOMECHANICS OF SOFT TISSUES: A NUMERICAL	
APPROACH	1196
Nizar Harb ; Nadia Labed ; Matthieu Domaszewski ; François Peyraut	
UAE FEMALES IN STEM HIGHER EDUCATION	1202
Roudaina Houjeir ; Rula Al-Abbas Al-Kayyali ; Sukina Alzyoud ; Baheia Ahmad-Derweesh	
A SMART DIGITAL SOFTWARE RADIO TRANSCEIVER DESIGN CONCEPT FOR UAV AND	
AUTONOMOUS VEHICLES APPLICATION	1208
Yacine Adane	
REMOVAL OF CD ⁺⁺ FROM CONTAMINATED WATER USING BIO-SURFACTANT MODIFIED	
GROUND GRASS AS A BIO-SORBENT	1214
El-Sayed I. Ghaith; S. Rizvi; C. Namasivayam; P.K.S.M Rahman	
WASTEWATER TREATMENT WITH PVC ELECTROSPUN NANOFIBROUS MEMBRANE	1221
Waseem S. Khan ; Najeeb U. Khan ; Muhammad M. Janjua	
DESIGN OF SOLAR PV/FUEL CELL/DIESEL GENERATOR ENERGY SYSTEM FOR DUBAI	
FERRY	1227
Chaouki Ghenai ; Israa Al-Ani ; Farah Khalifeh ; Tassnim Alamaari ; Abdul Kadir Hamid	
PERFORMANCE ASSESSMENT OF A SOLAR PHOTOVOLTAIC THERMAL HEAT PIPE	
COLLECTOR UNDER HOT CLIMATE: A CASE STUDY	1232
Oussama Rejeb ; Chaouki Ghenai ; Abdelmajid Jemni ; Maamar Bettayeb	
FRACTIONAL NONLINEAR SYNERGETIC CONTROL BASED MPPT ALGORITHM FOR PV	
SYSTEM	1237
Abdelbasset Mehiri ; Maamar Bettayeb ; Abdul-Kadir Hamid	
Author Index	





CONFERENCE INVITATION LETTER

February 04, 2019

Dear Dr. Dena,

The organizers of the International Multi-Conference on Advances in Science and Engineering Technology (ASET'2019) confirm the paper entitled "Experimental Testbed and Performance Evaluation for Rooftop Solar PV System and Generator Set", author (s): Dena Hendriana, Erikson Ferry Sinaga, and Arko Djajadi KT <a href="https://doi.org/10.1007/jajadi-kt-1.0007/jaja


We are pleased to invite you to present your paper at our **Renewable and Sustainable Energy International Conference**, as a part of the Advances in Science and Engineering Technology Multi-Conference (ASET'19), to be held 26th - 28th March 2019 at Dubai Men's Campus, Higher Colleges of Technology, Dubai- UAE.

This conference is in line with the UAE National Innovation Strategy and represent hot topics of research in the above-mentioned area, that is of high interest for both the academic and the research communities in the UAE and worldwide. It offers a unique opportunity for academia, researchers, engineers and innovators coming together to present and discuss the latest issues and trends for improvement of brighter future. Your contribution will enrich the conference through enhancing the diversity of perspectives and content represented.

Yours faithfully,

Dr. Azzeddine Ferrah

Chair of the Renewable and Sustainable Energy Sub-Conference (ASET'2019)



IV. Generator Set Characteristic Study

>> Conclusion

Authors

Figures

References

Citations

Keywords

Metrics

More Like This

Footnotes

Adoption of renewable energy sources into daily energy consumption has become both trends and necessity worldwide to cultivate environmentally friendly attitude of living. On top of that, Indonesia was once a member of oil exporting countries, but recently the county has been forced to become a net oil importer due to increasing internal demands. So fossil fuel and electricity are getting pricier. The use of rooftop solar photovoltaics system with a backup system such as a generator set (genset) provides a viable alternative solution. Such a solution is quite popular in Indonesia due to their wide availability and abundance of solar radiation. The underlying questions are: how efficient is such approach, and how can the efficiency be improved. In this paper, first the electric power and energy production of an installed rooftop solar photovoltaics system is studied and possible losses in the system are estimated by comparing daily measurements and PVGIS modelled energy productions. The study reveals that the current system is estimated to have 29% loss that is attributable to the inefficiency in the PV panel, cabling and inverter. Tests on the genset were performed to verify the quality of the AC electricity output and to produce the fuel consumption characteristic of the genset. It was achieved by attaching electric loads to the genset output while inputting a fixed amount of gasoline volume, and recording the running time of the genset for each load. Each test was done for a different electric load. Knowing the running time of the genset, total electrical energy output of the genset could be calculated and its energy efficiency could be calculated. The resultant efficiency curve for the genset used in this study yielded a maximum of 15% of usable electric energy out of 100% of supplied fuel energy. It demonstrated the quite big loss in converting fuel energy to electric energy. Genset producing electricity ideally should be loaded high enough of around 80% of its i...

(Show More)

Published in: 2019 Advances in Science and Engineering Technology International Conferences (ASET)

Date of Conference: 26 March 2019 - 10 April 2019 INSPEC Accession Number: 18674049

Date Added to IEEE Xplore: 16 May 2019 **DOI:** 10.1109/ICASET.2019.8714355

▶ ISBN Information: Publisher: IEEE

Conference Location: Dubai, United Arab Emirates



I. Introduction

Indonesia has been forced to become a net oil importer, so fossil fuel and electricity are getting more pricy. Global oil price fluctuates erratically. Therefore, not only must the use of electricity be more efficient, but also must alternative solutions be invented, tested and adopted. Most households in Indonesia use PLN, a name of government's power grid company, as the main source of electrical energy supply. However, the monthly electricity bill keeps increasing steadily due to higher and higher kWh prices. People start to look for alternative sources of electricity simply to reduce their electricity both continue electrical energy. To pursue for that, worldwide people start to utilize and convert some natural resources into electrical energy. Global efforts have achieved remarkable technological advances and promising results. Available resources such as sunlight, wind, running water, biomass, etc have been prospected and can readily be converted to usable electrical energy and consumed locally[1]–[15]. Other electrical energy sources such as genset and storage such as battery have been used to fulfill the need for electricity.



Authors	~
Figures	~
References	~
Citations	~
Keywords	~
Metrics	~
Footnotes	~

CHANGE USERNAME/PASSWORD

PAYMENT OPTIONS

VIEW PURCHASED DOCUMENTS

COMMUNICATIONS PREFERENCES

PROFESSION AND EDUCATION

TECHNICAL INTERESTS

US & CANADA: +1 800 678 4333

WORLDWIDE: +1 732 981 0060

CONTACT & SUPPORT

f in 🛩

About IEEE Xplore Contact Us Help Accessibility Terms of Use Nondiscrimination Policy IEEE Ethics Reporting 🗹 Sitemap IEEE Privacy Policy

IEEE Account

- » Change Username/Password
- » Update Address

Purchase Details

- » Payment Options
- » Order History
- » View Purchased Documents

Profile Information

- » Communications Preferences
- » Profession and Education
- » Technical Interests

Need Help?

- » US & Canada: +1 800 678 4333
- » Worldwide: +1 732 981 0060
- » Contact & Support

About IEEE Xplore Contact Us Help Accessibility Terms of Use Nondiscrimination Policy Sitemap Privacy & Opting Out of Cookies

A not-for-profit organization, IEEE is the world's largest technical professional organization dedicated to advancing technology for the benefit of humanity
© Copyright 2023 IEEE - All rights reserved. Use of this web site signifies your agreement to the terms and conditions.

Experimental Testbed and Performance Evaluation for Rooftop Solar PV System and Generator Set

Dena Hendriana^a, Erikson Ferry Sinaga^a

aSwiss German University
Indonesia
dena.hendriana@sgu.ac.id

Arko Djajadi KT^{ab*}

bHigher Colleges of Technology
UAE

*atodokromo@hct.ac.ae

Abstract—Adoption of renewable energy sources into daily energy consumption has become both trends and necessity worldwide to cultivate environmentally friendly attitude of living. On top of that, Indonesia was once a member of oil exporting countries, but recently the county has been forced to become a net oil importer due to increasing internal demands. So fossil fuel and electricity are getting pricier. The use of rooftop solar photovoltaics system with a backup system such as a generator set (genset) provides a viable alternative solution. Such a solution is quite popular in Indonesia due to their wide availability and abundance of solar radiation. The underlying questions are: how efficient is such approach, and how can the efficiency be improved. In this paper, first the electric power and energy production of an installed rooftop solar photovoltaics system is studied and possible losses in the system are estimated by comparing daily measurements and PVGIS modelled energy productions. The study reveals that the current system is estimated to have 29% loss that is attributable to the inefficiency in the PV panel, cabling and inverter.

Tests on the genset were performed to verify the quality of the AC electricity output and to produce the fuel consumption characteristic of the genset. It was achieved by attaching electric loads to the genset output while inputting a fixed amount of gasoline volume, and recording the running time of the genset for each load. Each test was done for a different electric load. Knowing the running time of the genset, total electrical energy output of the genset could be calculated and its energy efficiency could be calculated. The resultant efficiency curve for the genset used in this study yielded a maximum of 15% of usable electric energy out of 100% of supplied fuel energy. It demonstrated the quite big loss in converting fuel energy to electric energy. Genset producing electricity ideally should be loaded high enough of around 80% of its ideal capacity to further minimize losses.

These findings from experimental setup are useful to consider and where to focus for the next study to gain improved efficiency when combining multi-sources in the context of renewable energy and smart grid. These findings will be applicable in most parts of the world.

Keywords: Photovoltaics; Solar PV; genset; testbed; measurement

I. INTRODUCTION

Indonesia has been forced to become a net oil importer, so fossil fuel and electricity are getting more pricy. Global oil price fluctuates erratically. Therefore, not only must the use of electricity be more efficient, but also must alternative solutions be invented, tested and adopted. Most households in Indonesia use PLN, a name of government's power grid company, as the main source of electrical energy supply. However, the monthly electricity bill keeps increasing steadily due to higher and higher kWh prices. People start to look for alternative sources of electricity simply to reduce their electricity bills or to be less dependent from PLN. To pursue for that, worldwide people start to utilize and convert some natural resources into electrical energy. Available resources such as sunlight, wind, running water, biomass, etc can readily be converted to usable electrical energy and consumed locally [1,2,4,5,6,7,11,13,15]. Other electrical energy sources such as genset and storage such as battery have been used to fulfill the need for electricity [1,2,4,11,13].

In another case, many telecommunication stations (BTS) are located away from the city, and the network of electricity from PLN does not reach the sites. In this situation, they need to use genset with a combination of solar panel and battery to power the BTS to cover their continuous operation. Configuration and strategy on utilizing these combinations of power sources have been studied in several references [1,2,4,12,13]. Usually, the use of genset is quite expensive due to the price of the fuel and the difficulty of fuel transport to the site for a continuous operation. Therefore, their strategy is to minimize the use of genset and maximize locally generated energy from available resources.

Below is a brief review of natural resources that offer potential as a source of energy for electrical energy, especially in Indonesia. Sunlight is an abundant source of energy due to country's location around and along the equator. The sunlight is available everywhere, however, its intensity varies between seasons due to weather variations during daylight. Clouds, atmospheric haze, temperature and rains affect the intensity of earth surface radiation [17,19]. The intensity of sunlight depends on the time of the day, with lower intensity dominates in the morning and evening time, and with significantly higher intensity in between during clear sky day. The solar intensity depends on the season, with lower intensity dominates during

raining season and with higher intensity shines during dry season. This variation of radiation intensity undoubtedly will reduce the amount of solar energy reaching the earth surface that can be converted into electricity by the PV panels.

Wind is another source of energy. In general, wind energy in Indonesia is not as high as in northern America or northern Europe. However, it has been surveyed that in some part of Indonesia wind energy has a good potential to be converted to electricity [6,8]. Wind speed and its direction is changing from time to time within the day. To calculate its potential energy, a wind speed graph as a function of time for the whole day of the year is needed. This wind speed graph shows an average for the whole month or even the whole year. With this graph, potential kinetic energy from the wind per unit area can be calculated and estimated for daily, monthly or yearly.

On the other hand, the technology to convert wind to electric energy needs to be adapted to the typical wind speed in Indonesia. Most of wind turbines in the market are rated for high wind speed such as 10 m/s or higher, and this technology is not applicable in Indonesia due to lower wind speed, such as 4-6 m/s. Development of wind turbines optimized for lower wind speed is needed for the application in Indonesia [6,8,9].

Water has been used most extensively to produce electricity. Energy from running water is available in the areas close to rivers or lakes. The conversion of water's potential energy to electric energy can be done in those areas after securing the required license and permit to do so. Blocking a large river flow will create large water area which might displace housing and existing objects in the area.

The other common source of electric energy is a generator set or genset for short. This equipment is available with reasonable price. However, generator sets need gasoline or diesel fuel to run and generate electricity. As the price and transport of the fuel is not cheap, this will increase the operating cost. Test and measurement need be done on a generator set to obtain its electric generation and fuel consumption characteristics, and to find how much the cost to generate electricity per kWh.

Battery is a common apparatus to store electric energy. High capacity battery is still quite expensive and can only store a limited quantity of electric energy. However, its application is essential to enable a continuous electricity delivery to users using some forms of renewable energy sources [4,13]. Optimization of required battery capacity needs to be done to minimize the cost of investment.

II. LITERATURE REVIEWS

A. Solar Panel

The invention of solar cell was started in early 1900s when engineers observed the effect of some material being stroked by sunlight and generated some amount of electric current [3,4]. Significant developments of solar panel occurred around 1970 by many universities and companies. The current technology for solar cell, published by National Renewable Energy Laboratory (NREL) from USA, is shown in the following graph [18].




Fig 1. Timeline and development of solar cell efficiencies (source: NREL)

Based on the graph, there are 5 major types of solar cell developments. The first type is multi junction cells. The solar cell efficiency of this type is quite high, 46%, and it is still growing [3,16,18,21]. The challenge for this type of solar cell is that the manufacturing cost is still expensive. The second type is single junction Gallium arsenide (GaAs). Its efficiency is 29%, which is quite high but the cost of this solar cell is very expensive. The most common solar cell is the third type, Crystalline silicon cell. Its highest efficiency is 27%. Poly-Crystalline and Mono-Crystalline solar cells are the main solar panel in the market due to their better price. The price is lower because the manufacturing process for this type of solar cell is easier than other types and with cheaper raw material. Now, researchers are looking for cheaper solar cell and emerging solar cell is made of organic material which is quite popular in universities [22]. However, its efficiency is only 12% and there are still a lot of work to be done to improve it.

Market share for different solar cell types is shown in Figure 2. From this graph, the most popular solar cell in 2010 is Multi-Si or Poly-Crystalline Silicon base solar cell which is holding for around 53% and the second most popular is Mono-Si or Mono-Crystalline Silicon base solar cell which is accounting for around 33% of the market share [16,23]. Both products control 86% of the market share.

B. Photovoltaic Geographical Information System (PVGIS)

PVGIS is a free online solar photovoltaic energy calculator for stand alone or connected to the grid. It calculates the annual, monthly and daily output power and potential electricity generation of solar photovoltaic panels with defined modules tilt and orientation. The area covered by the PVGIS calculator is almost the whole world from America, Europe, Africa and Asia including Indonesia.

PVGIS is utilizing maps representing yearly average of daily total of global irradiation on a horizontal and inclined surface [17]. The data is derived by data enhancement of the HelioClim-1 database [26] which is containing 20-years average, period 1985-2004, see Figure 7. PVGIS contains several calculations:

 Computation of clear-sky global irradiation on a horizontal surface.

- Sky obstruction by local terrain features (hills or mountains) calculated from the digital elevation model.
- Interpolation of the clear-sky index and computation of global irradiation on a horizontal surface.

C. Generator Set

A gasoline generator set is a combination of gasoline internal combustion engine with an electric generator to generate electrical power. Generator sets, or called gensets, are usually used in locations without any connection to power grid, or for emergency power-supply when the grid fails, or for grid support and for exporting to the power grid.

Proper sizing of genset is critical to avoid a shortage of power or over supply of power. Sizing depends on electric demand and complexity comes when the demand is not constant and sometimes unpredictable. Figure 8 shows different kinds of gensets. As a general practice, diesel engines are used up to 50 MW. For higher demand, an open cycle gas turbine is more efficient at full load than an array of diesel engines. The gas turbine is far more compact at comparable capital costs. For regular part-loading, diesel arrays are sometimes preferred to open cycle gas turbines, due to better efficiencies. In a typical household, electric demand is not constant, depending to the condition of the family activity. Generator size of 3000 watt should be sufficient for most of households and we consider this size in this research.



Fig 2. Different kinds of gensets: 12.5 MW gas turbine, 12.5 kW diesel, 2.2 kW gasoline gensets.

III. SOLAR PANEL SYSTEM INSTALLATION AND TEST

In this project, a 2000-watt-peak of solar panel PV system is used as a testbed to evaluate the overall efficieny of the installed system, in comparison to the theoretical analysis from a simulation sofware tool. The installed PV system consists of 10 pieces of 200-watt solar panels, a cabling system and an On-Grid inverter, as is shown in Figure 9. The location is in Tangerang, Banten, (latitude, longitude: -6.248, 106.606.)






Fig 3. Installation of a rooftop solar panel PV system on site for the test.

The installed system is equiped with a online monitoring system that sends data to the clouds and can be accessed in the internet by the web address www.ginlongmonitoring.com. The monitoring system records the power and energy generated every 5 minutes. From the power generation, the total produced energy is accumuled, recorded, aggregated and displayed by day, by month and by year for ease of monitoring.

Typical graphs of power generation in a day are shown in figure 10 for the recorded data on the 10th and 12th of September 2018. They confirm that power generation starts around 07:00 in the morning and ends around 17:30 in the evening of local time, when the sun rays are shining on the PV panels . Daily power curve is climbing gradually in the morning and dropping down fast in the evening. This could be because of the positioning of solar PV panels at a fixed angle on the rooftop which are facing more to the west and so the sun has more visibility to the panels in the afternoon time until sunset.



Fig 4. Typical graph of power generation in a day.

The graphs show that during the day time, there were power drops especially for the 12th September data. These power drops were mainly due to clouds or rains that blocked the sun rays resulting in lower electric power generation. Typically the denser the clouds the lower the power generated will be. The longer the time of the clouds blocks along the path of sun rays reaching the PV panels, the longer the time of power drops will be, as can be observed from the graph.

Both graphs show that electric power of the 2000-watt installed capacity can only reach a maximum of around 1500 watt. A quick check to the power generation on any other days, the electric power has never reached 2000 watt, confirming that he maximum power generated was only around 1500 watt. This 80% performance is attributed most likely to the marketed watt-peak as claimed by the vendor of PV panels, whose watt-peak value can only be achieved in idealised testing condition. Further investigatation of why the solar panel system never reaches the designed maximum power needs to be planned in a separate study by collecting and using a database based on a large amount of installed PV in many different places in order to compare the claimed wattpeak capacity against the actual power produced. Other factors such as the tilt angle, orientation, shadowing are worth a closer look at.

Daily electric energy generation for June and July 2018 are shown in Figure 11. The amount of electric energy in kWh per day was not constant, depending on the clouds and weather. A heavy rainy and cloudy day on 25 June only produced 1.2 kWh while a very clear day on 1 June produced 9.4 kWh. This evidently indicates that effect of the weather to electric generation is quite significant.



Fig 5. Daily electric energy generation for June and July 2018.

The monitoring system shows that the total electric energy generation on the month of June 2018 was 160 kWh and on July 2018 was 170 kWh. If all days in June were as clear as 1^{st} June day, then the maximum monthly energy generation would be 9.4 kWh x 30 = 282 kWh. And if all days in June were as cloudy as 25^{th} June day, the minimum monthly energy

generation would be only 1.2 kWh x 30 = 36 kWh. As an estimation, the effect of weather on electric energy generation in June gave the energy output of $160/282 \times 100\% = 57\%$ from maximum monthly energy. The extreme weather whenever all the days in June were as cloudy as 25^{th} June day would give monthly energy output of $36/282 \times 100\% = 13\%$ from maximum potential produced energy on that day. The range here is 13% to 57%.

Similar study can be done for recorded data on July 2018. Note that data on 16th July was not good because of an internet connection problem. The clearest day in July was 15th July day and it produced 8.1 kWh. Dividing this value by the maximum achievable power of 1.5 kW gives the number of equivalent peak hour with clear sky of of 8.1/1.5 h = 5.4 h for that specific day. Obviously, other days have relatively lower values than 5.4 h. The actual daylight with observale output power is 10 hours / day from the graphs in Figure 10, with a typical half circle shape and not a square shape of power distribution through out the day.

To gain insight about the experimental results based on an actual installed PV system above, the effect of weather to electric energy generation is calculated and simulated in the PVGIS website as briefly reviewed before. In this analysis, we are going to use PVGIS to estimate cable and other system loss in the installed PV panel system by approximating the energy generation in the month of June 2018. After several iterations, we have the following inputs to the PVGIS

- · PV technology: Crystalline Silicone
- Installed peak PV power: 2 kWp
- Estimated system losses: 29% (after several iterations to match June energy generation)
- Mounting position: Building integrated (installed on building roof)
- Slope: 30 degree (based on building design)
- Azimuth: 105 derajat (based on building orientation on the map)

The result of PVGIS calculation is shown in the following figure.




Fig 6. PVGIS calculation result for the project location.

With the cable loss of 29%, the june electric energy production is 159 kWh, which is close to recorded june electric energy production of 160 kWh. Note that July

recorded energy production of 170 kWh has 1 day missing data of 16th July and if that missing day is filled with estimated average of 5 kWh, then the total July production will be 175 kWh and this is the same as calculated July production by PVGIS. Looking at the yearly average from January to December from the PVGIS of 161 kWh, this value is very close to the value from June 2018 of 160 kWh.

This cable loss can be the reason why the solar panel full capacity of 2000 watt is never reached. Subtracting the effect of cable loss to the maximum power, we have 2000 watt x (1.0-0.29) = 1420 watt, which is close to maximum value in the daily power graph. The loss can be recovered partially with more efficient inverters, better cabling and improvement of PV efficiency for future installations. Meanwhile the loss of 15.3% are still attributable to the less or ucontrollable environmental factors as has been included in the simulation. This sum up the results obtained from the testbed of solar PV system under study.

IV. GENERATOR SET CHARACTERISTIC STUDY

The generator set or genset used in this project has spesifications as follows: Output voltage 220 Volt, Output Frequency 50 Hz, Maximum Output Power 3000 Watt, Rated Output Power 2800 watt, Power Factor 1.0, Starter system electric or manual, Weight 55 kg. The reason for choosing this product is because many households have 2200 VA PLN power connection and it is less than 3000 watt. Ideally, this genset will be used as an electric power back-up in a hybrid renewable energy system for a household which is equipped with other sources such as solar panel, wind turbine and microhydro system.

Two types of tests are performed to verify the main quality of the electricity output. First test is to look into the voltage waveforms of the generated electricity to see the shape and frequency of voltage and compare it to a prefect sinusoidal function of 50 Hz. Second test is to obtain a fuel consumption characteristic of the generator, to calculate efficiency curve of the generator and to estimate the price per kWh on the maximum efficiency for this generator. The voltage waveform generated by this genset can be seen in the Figure 13.




Fig 7. Voltage waveform of the electricity generated by the genset using Rigol DS1074 Digital Oscilloscope.

The graph shows that electrical voltage waveform is not a sinusoidal function but rather a rigid linear function up and

down with linear cut-off in maximum and minimum peak at 320 Volt. The wave contains harmonic waves. Frequency of this wave is 53.2 Hz. To calculate the rms value of this wave, we remove the harmonic waves resulting in a simplified function of the wave as shown in the Figure 14. Wave function is compared to the perfect sinusoidal function.




Fig 8. Simplified model of voltage waveform function from genset vs. a sinusoidal function.

The formula to calculate the rms value is

$$f_{
m rms} = \lim_{T o\infty} \sqrt{rac{1}{T} {\int_0^T \left[f(t)
ight]^2 dt}}.$$

Utilizing the formula above, we can get V_rms = 0.7375 V_max = 0.7375 x 320 V = 236 Volt. Note that the constant in front of V_max for sinusoildal function is $1/\sqrt{2} = 0.7071$. The voltage function from generator has slightly larger constant in front of V_max. Based on this, the deviation from output voltage specification is (236-220) = 16 Volt, and its error is $16/220 \sim 7\%$. And the frequency deviation is (53.2-50) Hz = 3.2 Hz and its error is $3.2/50 \sim 6\%$.

Second test is to find generator fuel consumption characteristic and to estimate its efficiency. The test is done by applying different resistive load for the same amount of gasoline, which is 200 ml in this case, and we let the generator runs until it runs out of fuel. In each run, we measure how many seconds the generator runs, how much energy is generated, what are the output voltage and current. To improve test accuracy, each of the case is performed 5 times. Configuration of the test is shown in the following figure.



Fig 9. Test equipment consists of genset, resistive load lamp, electric voltage, current and energy meter and stop-watch.

The following table is the summary of test results. For each run, 200 mL gasoline is used and gasoline energy density is 34.2 mega joule per liter. Therefore, energy content in 200 mL

gasoline is $0.2 \times 34.2 \text{ MJ} = 6.84 \text{ MJ}$. Genset running time is measured by the stop-watch.

	Gasoline Volume (mL)	Gasoline Energy Content (MJ)	Resistive Load (kW)	Generated Electricity					Genset	Genset Life	Gasoline
No				V-ms (Volt)	I-rms (Amp.)	Total Electric Energy (MJ)	Total Electric Energy (kWh)	Genset Energy Efficiency	Running Time (second)	Time per Liter Gasoline (minute/Liter)	
1	200	6.84	0	231.2	0	0.000	0	0.0%	1,035	86.3	0.696
2	200	6.84	0	222.7	0	0.000	0	0.0%	985	82.1	0.731
3	200	6.84	0	223.5	0	0.000	0	0.0%	1,010	84.2	0.713
4	200	6.84	0	222.5	0	0.000	0	0.0%	1,035	86.3	0.696
5	200	6.84	0	224	0	0.000	0	0.0%	1,065	88.8	0.676
average	200	6.84	0	224.8	0.0	0.000	0.0	0.0%	1026	85.5	0.702
6	200	6.84	0.522	223.2	2.34	0.435	0.1209	6.4%	855	71.3	0.842
7	200	6.84	0.513	224	2.29	0.472	0.131	6.9%	880	73.3	0.818
8	200	6.84	0.521	222.9	2.336	0.442	0.1227	6.5%	870	72.5	0.828
9	200	6.84	0.517	222.1	2.328	0.444	0.1234	6.5%	875	72.9	0.823
10	200	6.84	0.523	223.4	2.343	0.414	0.115	6.1%	840	70.0	0.857
average	200	6.84	0.519	223.1	2.327	0.441	0.123	6.5%	864	72.0	0.833
11	200	6.84	1.022	223.2	4.578	0.765	0.2125	11.2%	750	62.5	0.960
12	200	6.84	1.015	222.5	4.563	0.693	0.1925	10.1%	685	57.1	1.051
13	200	6.84	1.024	223.9	4.575	0.721	0.2003	10.5%	711	59.3	1.013
14	200	6.84	1.026	223.6	4.59	0.715	0.1986	10.5%	702	58.5	1.026
15	200	6.84	1.022	223.1	4.58	0.702	0.195	10.3%	690	57.5	1.043
average	200	6.84	1.022	223.3	4.577	0.719	0.200	10.5%	708	59.0	1.018
16	200	6.84	1.941	222.8	8.712	1.084	0.3011	15.8%	565	47.1	1.274
17	200	6.84	1.930	221.5	8.715	0.998	0.2773	14.6%	527	43.9	1.366
18	200	6.84	1.940	222	8.74	1.005	0.2791	14.7%	536	44.7	1.343
19	200	6.84	1.926	221.3	8.705	1.014	0.2816	14.8%	540	45.0	1.333
20	200	6.84	1.933	221.7	8.717	1.004	0.2788	14.7%	533	44.4	1.351
average	200	6.84	1.934	221.9	8,718	1.021	0.284	14.9%	540	45.0	1.333

Fig 10. Test results for different resistive load value.

A resistive load is the same as the generator output power. Electric voltage, current and total energy are measured by the electric power meter. Genset efficiency is defined as a ratio of generated electric energy to the supplied gasoline energy content. Genset life time per liter gasoline is calculated from genset running time in minute divided by gasoline volume in liter. Gasoline consumption rate is calculated from gasoline volume in liter divided by genset running time in hour.

Using results from average data, genset energy efficiency is plotted in the Figure 17. Four data points can be approximated by a quadratic function to represent genset energy efficiency curve.




Fig 11. Genset energy efficiency curve as a function of output power.

From the graph, efficiency of genset is zero at zero output power, or in idle condition. The maximum genset energy efficiency is around 15% when output power is around 2.1 kW and the curve starts to drop. Another study [14] on gensets showed maximum efficiency of 16%. This makes sense because when we try to test the genset using 2.5 kW resistive load, genset is running unstable and stop. This indicates that its efficiency declines when the output power is too high. Therefore this quadratic curve seems to be representative characteristic for this genset being evaluated.

Genset energy efficiency is calculated using the following relationship.

Genset energy efficiency
$$= \frac{\textit{Output power}}{\textit{Gasoline consumption rate} \times \textit{gasoline energy content}}$$

From this relationship, the gasoline consumption rate curve is defined from genset energy efficiency curve for given output power.

Gasoline consumption rate =
$$\frac{Output power}{Genset energy efficiency \times gasoline energy content}$$

Output power in kJ/s, gasoline energy content in kJ/liter and genset energy efficiency with no dimension. Applying the trend relation from Figure 17 with output power as independent variable x,

Gasoline consumption rate =
$$\frac{x \times 3600}{(0.136 \times -0.0303 \times^2) \times 34,200}$$

The constant 3600 is the convertion from second to hour. The gasoline consumption rate is drawn in the following figure. Based on this relation, fuel consumption increases at high output power area.




Fig 12. Genset fuel consumption rate curve as a function of output power.

Software renewable energy analysis HOMER (Hybrid Optimization of Multiple Electric Renewables) is using fuel consumption rate curve to be a linear function [10,14]. The curve comparison between the quadratic efficiency curve assumption and linear fuel consumption rate curve assumption are shown in the following figures.




Fig 13. Genset fuel consumption rate curve and energy efficiency curves comparions: linear efficiency curve (upper) vs. quadratic fuel consumption curve (lower).

Both curves are close in the range of 0-2 kW output power, however, the curves are significantly different in high output power area. Different genset machines behave differently close to their maksimum rated output power. The machine used in this test behaved unstable at high output

power and therefore the curves associated with quadratic energy efficiency curve seems to be closer to the machine real behavior.

Looking into idle condition, the genset is consuming 0.702 liter/hour to idle. This is the cost for making electricity available using a genset. This fuel consumption rate is equivalent to an internal power of

Internal Power at Idle = fuel consumption rate * fuel energy content = (0.702 L/hr) x (34,200 kJ/L) x (1 hr/ 3600 s)

$$= 6.67 \text{ kW}$$

Notice that this internal power at idle is more than twice of the genset rated output power.

We are going to calculate generated electric energy based on fuel price at the highest energy efficiency condition at output power 2.1 kW. Based on the curve, the fuel consumption rate at this condition is 1.45 liter/hour. In this test, gasoline Pertalite is used with unit price Rp. 7800 per liter. The price of electric energy per kWh is

Price of electric energy = fuel consumption rate / output power x gasoline price = 1.45 L/h / 2.1 kW X Rp.7800/L

$$= Rp. 5385 / kWh$$

This price is quite expensive compared to PLN price which is around Rp. 1500/kWh.

Notice that maximum genset energy efficiency is only 15%. It is quite low compared to other electric generators, such as PLTU with coal fuel where its efficiency could reach around 25-50% and hydro electric generator with its efficiency could reach 90-95%. Larger capacity genset and different brand of genset could have higher energy efficiency.

CONCLUSION

Based on the study on solar panel system and generator set, we can conclude the following

- Maximum power output of the solar panel system is only 75% from the total installed solar panel capacity of 2000 watt.
- Using PVGIS, we can estimate the loss of the solar PV system by matching inputs using actual energy production for the month June 2018. The cable and inverter loss is estimated to be around 29%, which is quite high.
- Cable loss could be the reason why daily maximum power produced to be much less than the capacity power specified.
 Verification can be done by replacing the cable with a better cable.
- Maximum energy efficiency of the generator set is only 15%.
- Fuel consumption rate at idle for this generator set is 0.702 L/hr, which can be interpreted as internal power of 6.67 kW.
- Although the rated value of the generator set is 2800 watt and its capacity is 3000 watt, the real maximum output power is only 2100 watt (around 70% of its maximum

- capacity). If the load is larger, the generator becomes unstable.
- Price to generate electric energy using this generator set is around Rp.5385/kWh. This calculation is based on fuel consumption and price only.
- Generator set is therefore expensive to operate with low efficiency. The usage should be minimized only in emergency situation.

REFERENCES

- Oviroh, P. O. and Jen, T.C., "The Energy Cost Analysis of Hybrid Systems and Diesel Generators in Powering Selected Base Transceiver Station Locations in Nigeria", Energies, 2018, 11, 687
- [2] Barade, M. G. and Roy, A., "Design and Optimization of Photovoltaic-Diesel Generator-Battery Hybrid System for off-grid areas", International Journal of Current Engineering and Technology, June 2016.
- [3] Bagher, A. M., Vahid, M. M. A., Mohsen, M., "Types of Solar Cells and Application", American Journal of Optics and Photonics, 2015; 3(5): 94-113
- [4] Rosa, A. V. D., "Fundamentals of Renewable energy processes (2 ed.)", 2009, Academic Press
- [5] Badan Pengkajian dan Penerapan Teknologi (BPPT), "Peta Potensi Pembangkit Listrik Tenaga Bayu (PLTB) di Indonesia dan Hasil Kajian Awal PLTB di 10 Lokasi", 2014, Report.
- [6] Hendriana, D., Firmansyah, T., Setiawan, J. D., & Garinto, D., "Design and Optimization of Low Speed Horizontal-Axis Wind Turbine using OpenFOAM.", 2015, ARPN Journal of Engineering and Applied Sciences, 10(21).
- [7] Badan Pengkajian dan Penerapan Teknologi (BPPT), "Wind energy potential and development in Indonesia. Indonesia.", 2013, Presented in Denpasar.
- [8] Clements, A., "Design and optimize three blade savonius wind turbine for wind electrical power generation in low wind speed area.", 2017, Thesis - Swiss German University, Tangerang, Indonesia.
- [9] Susanto, Y., "Easy and cheap Savonius vertical axis wind turbine for individual use.", 2017, Thesis - Swiss German University, Tangerang, Indonesia.
- [10] HOMER Energy, LLC, "HOMER Help Manual", www.homerenergy.com
- [11] Misron, N., Rizuan, S., Vaithilingam, A., Mailah, N. F., Tsuyoshi, H., Hiroaki, Y. and Yoshihito, S., "Performance Improvement of a Portable Electric Generator Using an Optimized Bio-Fuel Ratio in a Single Cylinder Two-Stroke Engine", Energies, 2011, 4, pp.1937-1949
- [12] Acakpovi, A., Michael, M. B., Majeed, I. B., "Grid Connected Hybrid Solar and Diesel Generator Set: A Cost Optimization with HOMER", Advances in Science, Technology and Engineering Systems Journal, 2017, Vol. 2, No. 4, pp.92-98
- [13] Bhuiyan, M. A. M., Deb, A., Nasir, A., "Optimum Planning of Hybrid Energy System using HOMER for Rural Electrification", International Journal of Computer Applications, 2013, Vol. 66, No.13
- [14] Ścibisz, M. and Makarski, P., "Efficiency of the generating set with synchronous generator supplied with single-phase electricity receivers", Teka. Commission of Motorization and Energetics in Agriculture, 2012, Vol. 12, No. 2, pp.245–248
- [15] De Souza, S. N. M., Lenz, A. M., Werncke, I., Nogueira, C. E. C., Antonelli, J., De Souza, J., "Gas emission and efficiency of an enginegenerator set running on biogas", Journal of the Brazilian Association of Agricultural Engineering, 2016, Vol. 36, N. 4, pp. 613-621
- [16] Dobrzański, L.A., Drygała, A., Giedroć, M., Macek, M., "Monocrystalline silicon solar cells applied in photovoltaic system", Journal of Achievements in Materials and Manufacturing Engineering, 2012, Vol. 53, Issue 1
- [17] Barhdadi, A. and Bennis, M., "PVGIS Approach for Assessing the Performances of the First PV Grid-connected Power Plant in Morocco", The African Review of Physics, 2012, 7, 0038
- [18] National Renewable Energy Laboratory (NREL), "Best Research Cell Efficiencies", www.nrel.gov

- [19] Huld, T., Šúri, M. and Dunlop, E. D., "A GISBased System for Performance Assessment of Solar Energy Systems over Large Geographical Regions", 2006, Solar 2006 Conference: Renewable Energy, key to climate recovery, 7-13 July 2006, Denver CO, USA.
- [20] Wikipedia, "Polycrystalline silicon" https://en.wikipedia.org/wiki/Polycrystalline_silicon
- [21] Connolly, J. P., Mencaraglia, D., Renard, C., Bouchier, D., "Designing III-V Multijunction Solar Cells on Silicon", 2013, 28th European Photovoltaic Solar Energy Conference and Exhibition
- [22] Jannat, A., Rahman, M. F., khan, M.S. H., "A Review Study of Organic Photovoltaic Cell", 2013, International Journal of Scientific & Engineering Research Volume 4, Issue 1
- [23] Glunz, S.W., Preu, R., Biro, D., "Chapter 1.16:Crystalline Silicon Solar Cells State-of-the-Art and Future Developments", 2012, Comprehensive Renewable Energy, ISBN: 978-0-08-087873-7, Elsevier
- [24] Wang, C., Zhang, H., Wang, T. H., Ciszek, T. F., "A continuous Czochralski silicon crystal growth system", 2003, Journal of Crystal Growth. 250 (1–2): 209–214.
- [25] Capper, P., Rudolph, P., "Crystal growth technology: semiconductors and dielectrics", 2010, Weinheim: Wiley-VCH. ISBN 9783527325931.
- [26] Lefèvre, M., Blanc, P., Espinar, B., at el, "The HelioClim-1 Database of Daily Solar Radiation at Earth Surface: An Example of the Benefits of GEOSS Data-CORE", 2014, IEEE Journal of Selected Topics in Applied Earth Observations and Sensing, Vol.7, No.5



This author profile is generated by Scopus. Learn more

Hendriana, Dena

https://orcid.org/0000-0002-6524-831X © 6508189351 (i) (i) Swiss German University, Java, Indonesia

Is this you? Connect to Mendeley account

135 Citations by 127 documents


Set alert

Edit profile

Potential author matches

Export to SciVal

Document & citation trends



Most contributed Topics 2017–2021 ①

Grid; Microgrid; Energy Systems

1 document

Rotor; Solidity; Hydromechanics

1 document

Solar Collectors; Solar; Tilt

1 document

View all Topics

16 Documents

Cited by 127 Documents

0 Preprints

31 Co-Authors

4 Topics

0 Awarded Grants

Note:

Scopus Preview users can only view an author's last 10 documents, while most other features are disabled. Do you have access through your institution? Check your institution's access to view all documents and features.

Export all Add all to list

Sort by Date (...

> View list in search results format

Conference Paper

> View references

Wind Speed Measurements and Comparisons in Cakung Jakarta Hendriana, D., Aziz, M.H., Subekti, G.A., ...Baskoro, G., Nasution, H.

ACM International Conference Proceeding Series, 2022, 58

Show abstract \vee

Related documents

△ Set document alert

0

Citations

Conference Paper		
A New 3-Phase 3-W	Vire 3-Level AC-DC Converter for Wind Energy	0
Conversion System	S	Citations
Garinto, D., Hendriana,	D., Yanto, H.A., Sutikno, T.	Citations
IECON Proceedings (Indus	strial Electronics Conference), 2020, 2020-October, pp. 3151–	
3156, 9254881		
Show abstract 🗸	Related documents	
Carlana Dana		
Conference Paper	a Wind Tunking for Low Wind Coard	•
	s Wind Turbine for Low Wind Speed	0
Hendriana, D., Budiarto,		Citations
Show abstract \vee	ence Proceeding Series, 2020, 3429874 Related documents	
SHOW ADSTRACT	Related documents	
Conference Paper		
Experimental Testb	ed for Solar PV-Battery Hybrid System	0
Hendriana, D., Sinaga, E	i.F., Djajadi, A.	Citations
ACM International Confer	ence Proceeding Series, 2020, 3429875	Citations
Show abstract 🗸	Related documents	
Conference		
Conference Paper	and and Douforman or Fuelveties for Deafter Color	_
•	ed and Performance Evaluation for Rooftop Solar	3
PV System and Gen		Citations
Hendriana, D., Sinaga, E	F., വ്യമ്യമർ। Kt, A. and Engineering Technology International Conferences, ASET	
2019 , 2019, 8714355	und Engineering Technology international Conferences, ASET	
Show abstract \vee	Related documents	
Article		
-	ration of low speed horizontal-axis wind turbine	7
using OpenFOAM		Citations
	rah, T., Setiawan, J.D., Garinto, D.	
ARPN Journal of Engineer	ing and Applied Sciences, 2015, 10(21), pp. 10264–10274	
Show abstract V	Related documents	
Article		
	Simulation of Flow Impingement Noise in an	۷
Exhaust Opening	. omitation of From Impingement Noise in un	6
	D., Gutzeit, B., Golsch, K., Fadler, G.	Citations
	of Passenger Cars - Mechanical Systems, 2011, 4(2), pp. 961–	
969	9 · 40001901 Caro · 1110014111041 Spote110, 2022, (2), pp. 702	
Show abstract 🗸	Related documents	
Conference Paper		_
	simulation of flow impingement noise in an	1
exhaust opening		Citations
	D., Gutzeit, B., Golsch, K., Fadler, G.	
SAE Technical Papers, 201		
Show abstract \vee	Related documents	
Article		
Numerical simulati	ons and measurements of mirror-induced wind	23
noise		Citations
	S., Hendriana, D., Frazer, T.	Citations
• •	of Passenger Cars - Mechanical Systems, 2009, 2(1), pp.	
1550–1562	3, -(-), ₋ (-), ₋	
1550–1562 Show abstract ∨	Related documents	

Conference Paper

Conference Paper

Numerical simulations and measurements of mirror-induced wind noise

 $\begin{array}{c} 1 \\ \text{Citations} \end{array}$

Lepley, D., Senthooran, S., Hendriana, D., Frazer, T.

SAE Technical Papers, 2009

Show abstract $\,\,\,\,\,\,\,\,\,\,$

Related documents

Back to top

About Scopus

What is Scopus

Content coverage

Scopus blog

Scopus API

Privacy matters

Language

日本語版を表示する

查看简体中文版本

查看繁體中文版本

Просмотр версии на русском языке

Customer Service

Help

Tutorials

Contact us

ELSEVIER

Terms and conditions \supset Privacy policy \supset

Copyright o Elsevier B.V \nearrow . All rights reserved. Scopuso is a registered trademark of Elsevier B.V.

We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies eta.

