SJR	<u> </u>	SI	SR CR	3								SCIma) 🖉
	SJR		Scim	nago Jourr	al & Country Rank			Enter Jo	ournal Title,	, ISSN or Publi	sher Name	Q
				Home	Journal Rankings	Country Rankings	Viz	Tools	Help	About Us		
											(i) ×	
				Su	bmit Research	n Paper						
				Arti	cle Submission							
				Cert	ificates for all authors, T	op Indexing, Impact Facto	or :- 7.1	7, DOI foi	published	paper		
				ijisrt.o	com				OPEN			

IOP Conference Series: Earth and Environmental Science

COUNTRY	SUBJECT AREA AND CATEGORY	PUBLISHER	H-INDEX
United Kingdom Image: Universities and research institutions in United Kingdom	Earth and Planetary Sciences └─Earth and Planetary Sciences (miscellaneous) Environmental Science (miscellaneous) Physics and Astronomy └─Physics and Astronomy (miscellaneous)	IOP Publishing Ltd.	41
A	RECENT MILLION VALUETTE EMPTONI MILLO VOCO IL MARTINI METALI RECENT MILLION VOCO IL MARTINI MA		


	(1) × Paper Publication Submit Paper Submission, 10000+ Published papers, 2000+ Universities published papers ijisrt.com		
	OPEN		
PUBLICATION TYPE	ISSN	COVERAGE	INFORMATION
Conferences and Proceedings	17551315, 17551307	2010-2022	Homepage How to publish in this journal ees@ioppublishing.or g


SCOPE

 \sim

The open access IOP Conference Series: Earth and Environmental Science (EES) provides a fast, versatile and cost-effective proceedings publication service.

 $\ensuremath{\bigcirc}$ Join the conversation about this journal





NAJI 1 year ago

Hello Dear

I participated as a corresponding author in IOP conf .series: Earth and Environment Science 877(2021)012046

I want do this IOP still in Scopus ???

kind regards

 \sim



Melanie Ortiz 1 year ago

Dear Naji, thank you very much for your comment. We suggest you consult the Scopus database directly. Keep in mind that the SJR is a static image (the update is made one time per year) of a database (Scopus) which is changing every day. The Scopus' update list can also be consulted here: https://www.elsevier.com/solutions/scopus/how-scopus-works/content Best Regards, SCImago Team

SCImago Team

SCImago Team

Alharia Dinata 2 years ago

IOP Conference Series: Earth and Environmental Science - Volume 708 is not available in Scopus.

reply



Melanie Ortiz 2 years ago

Dear Alharia, thank you very much for your comment, unfortunately we cannot help you with your request. We suggest you contact Scopus support: https://service.elsevier.com/app/answers/detail/a_id/14883/kw/scimago/supporthub/sc opus/ Best Regards, SCImago Team

Vani 2 years ago

good evening, whether this journal is Q4 or Q2?

reply



Melanie Ortiz 2 years ago

Dear Vani,

Thank you for contacting us.

As said below, we calculate the SJR data for all the publication's types, but the Quartile's data are only calculated for Journals and Book Series. Best regards, SCImago Team



 \sim

FEROSKHAN M 3 years ago

Carias: Farth and Environmental Calance Valuma E70 is not available in Casnu



Dear Sir/Madam,

thank you very much for your comment, unfortunately we cannot help you with your request. We suggest you contact Scopus support: https://service.elsevier.com/app/answers/detail/a_id/14883/kw/scimago/supporthub/sc opus/

Best Regards, SCImago Team

Natt 3 years ago

I would like to know the quartile of this journal. Why isn't it showing on the website?

reply



Melanie Ortiz 3 years ago

Dear Natt,

Thank you for contacting us. We calculate the SJR data for all the publication's types, but the Quartile's data are only calculated for Journals and Book Series. Best regards, SCImago Team



Nurgustaana 3 years ago

Dear SCImago Team!

I want to know previous quartiles of journal (for 2018 and 2019 years). I have tried find information about a quartile, but discovered just SJR for 2018. Could you please provide information about it? Yours sincerely, Nurgustaana

reply



Melanie Ortiz 3 years ago

SCImago Tear

SCImago Team

SCImago Team

Dear Nurgustaana,

Thank you for contacting us. We calculate the SJR data for all the publication types, but the Quartile data are only calculated for Journal type's publications. Best regards, SCImago Team



Mora 3 years ago

halls have to accord one of investigations within a high horizon when i find it he that title there are



Dear Mora,

thank you for contacting us. Could you provide us the Title of the journal? We remember that SCImago Journal & Country Rank shows all the information have been provided by Scopus. If you didn't localize the journal in the search engine, it means that Scopus / Elsevier has not provided us the corresponding data.

Best Regards, SCImago Team



Dr. Yousif 4 years ago

Dear Sir,

I have published a paper in Earth and Environmental Science Journal (only myself, single author) I am trying to withdraw it after 28 days of publishing online, is it possible? Could you please tell me the procedure of withdrawing a paper? Thank you,

reply



Melanie Ortiz 4 years ago

SCImago Team

SCImago Team

Dear Yousif,

thank you for contacting us.

We are sorry to tell you that SCImago Journal & Country Rank is not a journal. SJR is a portal with scientometric indicators of journals indexed in Elsevier/Scopus. Unfortunately, we cannot help you with your request, we suggest you to contact the journal's editorial staff , so they could inform you more deeply. Best Regards, SCImago Team



Agustinus Kastanya 4 years ago

need information about renking of the Journal on Scopus

k reply



Melanie Ortiz 4 years ago

Dear Agustinus, thank you very much for your comment, unfortunately we cannot help you with your request. We suggest you to consult the Scopus database directly. Remember that the SciPics a static image of a database (Scopus) which is changing overy day. Post



Mahipal 4 years ago

Dear Admin,

How could our journal include in your IOP?

reply



Melanie Ortiz 4 years ago

Dear Mahipal,

thank you for contacting us.

We suggest you to contact the IOP's editorial staff, so they could inform you more deeply. If you would like to make an application to Scopus, please contact them to help you with this issue here: https://www.elsevier.com/solutions/scopus/content/content-policy-and-selection

http://suggestor.step.scopus.com/suggestTitle/step1.cfm Best Regards, SCImago Team



Mursalin 4 years ago

Dear SCImago Team

My name is mursalin from Jambi City, Indonesia. I have published my article titled The Effect of Temperature on MDAG Purification Using Creaming Demulsification Technique at the IOP Conference Series: Earth and Environmental Science, Volume 309, conference 1 and could be accessed at: https://iopscience.iop.org/article/10.1088/1755-1315/309/1/012068. But why until now it does not appear into Google Scholar and my account.

Please help me to resolve the issue. Thank you for your kindness. I am waiting for good news from you.

SCImago Team

Sincerelly, Mursalin

reply



V

Melanie Ortiz 4 years ago

Dear Mursalin,



Танзиля Созаева 4 years ago

Доброго времени суток! Интересует информация по квартилю журнала (издания)

reply



Melanie Ortiz 4 years ago

Dear user, thank you very much for your request. You can consult that information in SJR website. Best Regards, SCImago Team



syaiful 5 years ago

I am very interested to send my paper to this conference

best regards

syaiful

reply



 \sim

Elena Corera 5 years ago

Connago rean

SCImago Team


Dear user, in the link below you will find the information corresponding to the author's instructions of this journal. Best regards, SCImago Team https://publishingsupport.iopscience.iop.org/author-guidelines-for-conference-proceedings/



reCAPTCHA Privacy - Terms

Submi

The users of Scimago Journal & Country Rank have the possibility to dialogue through comments linked to a specific journal. The purpose is to have a forum in which general doubts about the processes of publication in the journal, experiences and other issues derived from the publication of papers are resolved. For topics on particular articles, maintain the dialogue through the usual channels with your editor.





Source details

IOP Conference Series: Earth and Environmental Science Scopus coverage years: from 2010 to Present	CiteScore 2022 0.8	Û
ISSN: 1755-1307 E-ISSN: 1755-1315		
Subject area: (Earth and Planetary Sciences: General Earth and Planetary Sciences)	sjr 2022 0.197	(i)
Environmental Science: General Environmental Science		
Source type: Conference Proceeding View all documents > Set document alert Image: Save to source list Source Homepage	SNIP 2022 0.255	Ō

CiteScore CiteScore rank & trend Scopus content coverage


i	Improved CiteScore methodology	×
	CiteScore 2022 counts the citations received in 2019-2022 to articles, reviews, conference papers, book chapters and data	
	papers published in 2019-2022, and divides this by the number of publications published in 2019-2022. Learn more $>$	

CiteScore 2022
$$\checkmark$$

0.8 = $\frac{61,816 \text{ Citations } 2019 - 2022}{75,404 \text{ Documents } 2019 - 2022}$

Calculated on 05 May, 2023

CiteScore rank 2022 ①



View CiteScore methodology ightarrow CiteScore FAQ ightarrow Add CiteScore to your site $\sigma^{
m S}$

CiteScoreTracker 2023 ①

0.8 = 49,895 Citations to date 60,460 Documents to date

Last updated on 05 August, 2023 • Updated monthly

Q

About Scopus

What is Scopus
Content coverage
Scopus blog
Scopus API
Privacy matters

Language

日本語版を表示する 查看简体中文版本 查看繁體中文版本

Просмотр версии на русском языке

Customer Service

Help Tutorials

Contact us

ELSEVIER

Terms and conditions \neg Privacy policy \neg

Copyright \bigcirc Elsevier B.V \neg . All rights reserved. Scopus[®] is a registered trademark of Elsevier B.V. We use cookies to help provide and enhance our service and tailor content. By continuing, you agree to the use of cookies \neg .

RELX

PAPER • OPEN ACCESS

Preface

To cite this article: 2019 IOP Conf. Ser.: Earth Environ. Sci. 361 011001

View the article online for updates and enhancements.

You may also like

- <u>11th Asia-Pacific Conference on Plasma</u> <u>Science and Technology (APCPST-11)</u> and <u>25th Symposium on Plasma Science</u> for Materials (SPSM-25) Takayuki Watanabe, Toshio Kaneko, Makoto Sekine et al.
- International Conference on Inverse Problems 2010 Yiu-Chung Hon and Leevan Ling
- <u>12th International Conference on Damage</u> <u>Assessment of Structures</u>



This content was downloaded from IP address 103.235.34.146 on 14/03/2023 at 05:20

IOP Conf. Series: Earth and Environmental Science **361** (2019) 011001

Preface

The 7th International Conference on Sustainable Future for Human Security in conjunction with 3rd International Conference on Green Development in Tropical Regions was successfully held on 29-30th October 2018 in Padang, Indonesia. The conference is organized in collaboration between SustaiN Society and Graduate Program of Andalas University (UNAND), Padang, Indonesia. The conference also in cooperation with Kyoto University (Japan), Institute of International Relations and Area Studies (IIRAS) Ritsumeikan University (Japan), Gajah Mada University (UGM), Hasanuddin University, Jember University, Indonesia Islamic University (UII), Brawijaya University, School of Government and Public Policy Indonesia, Research Center for Biomaterials LIPI, and Pusbindiklatren BAPPENAS. The conference was also supported by Center for Environmental Study/*Pusat Studi Lingkungan Hidup* UNAND, Pemerintah Provinsi Sumatera Barat, Yayasan Belantara, PT. Rekayasa Pratama Konsultan, PT. Bukit Asam, Sinar Mas Land, PT. Rajawali Nusantara Indonesia, PT Semen Padang, Bank Nagari, and PT Dharma Ina Mandiri.

The conference brought the issue of "Sustainable Development: Global Challenges on Environmental Protection and Social Justice" and the objectives is providing a forum for international researchers, practitioners, public and private operators community to discuss, share and exchange their latest research and experience progress in relation with sustainable future issues; to develop and promote a sustainable networking between participants to hold human securities and bridging ideas into policies and desired realities; as well as to broaden information access for scientific communities toward global scientific, technology and engineering societies.

This topic is subcategorized into the following sub topics:

- 1. Energy and Environment (EnE)
 - a. Renewable energy and energy efficiency
 - b. Energy related biotechnology and nanotechnology
 - c. Sustainable waste management
 - d. Sustainable consumption and production
 - e. Life cycle and environmental impact assessment
 - f. Strategic environmental assessment
 - g. Environmental pollution control
- 2. Sustainable Tropical Forest (STF)
 - a. Community forest management
 - b. Forest for water, food and energy
 - c. Forest Biodiversity and ecosystem services
 - d. Silvicultural technique for rehabilitation
 - e. Sustainable timber and non-timber forest product
 - f. Soil and water conservation
 - g. Watershed management
 - h. Wetland management
- 3. Sustainable Agriculture (SA)
 - a. Food production system and technology

IOP Publishing

7th Sustain Conference in conjunction with 3rd ICGDTR 2018

IOP Conf. Series: Earth and Environmental Science **361** (2019) 011001 doi:10.1088/1755-1315/361/1/011001

- b. Agriculture and food process engineering
- c. Precision Agriculture
- d. Information and communication technology in agriculture
- e. Micro-climate and environment control
- f. Technology for climate change mitigation and adaptation
- g. Integrated Pest management
- h. Nursery and breeding technology
- i. Agricultural biotechnology
- 4. Sustainable Built Environment (BE)
 - a. Sustainable buildings and infrastructure
 - b. Sustainable and community development
 - c. Creative design and adaptability
 - d. Transportation and logistics
 - e. Regional/urban planning and design
 - f. Construction management
 - g. Heritage conservation
 - h. Tourism development
- 5. Climate Change (CC)
 - a. Biodiversity changes and scenarios
 - b. Carbon cycle
 - c. Hydro-meteorological disaster
 - d. Flood and drought caused by extreme weather
 - e. Debris flow and sediment transport
 - f. Community based disaster risk management
 - g. Technology for disaster mitigation and prevention
 - h. Surveillance and early warning systems
- 6. Social (SC)
 - a. Democracy, democratization, and human security
 - b. State and non-state actors in a changing World
 - c. Memories and identities
 - d. Sustainable development
 - e. Local preservation
 - f. Social resilience
 - g. Social inclusiveness
 - h. Peace, justice, and strong institution

The paper had been submitted was 135 papers and 95 were accepted and 89 presenters were attending the conference and 13 listeners. 49 papers have been peer reviewed and selected to be published in the *IOP Conference Series: Earth and Environmental Science*.

PAPER • OPEN ACCESS

7th Sustain Conference in conjunction with 3rd ICGDTR 2018

To cite this article: 2019 IOP Conf. Ser.: Earth Environ. Sci. 361 011002

View the article online for updates and enhancements.

You may also like

- Water in the forest: rain-vegetation interaction to estimate canopy interception in a tropical borneo rainforest H P Astuti and H Suryatmojo
- <u>Vibration suppression with electromagnetic</u> <u>hybrid vibration isolators</u> Fan Chen
- Effects of copper content in Sn-based solder on the intermetallic phase formation and growth during soldering N Mookam, P Tunthawiroon and K Kanlayasiri



This content was downloaded from IP address 103.235.34.146 on 14/03/2023 at 05:21

IOP Conf. Series: Earth and Environmental Science **361** (2019) 011002 doi:10.1088/1755-1315/361/1/011002

IOP Publishing

7th Sustain Conference in conjunction with 3rd ICGDTR 2018 **EDITORS**

Assoc. Prof. Benjamin McLellan Graduate School of Energy Science, Kyoto University Yoshida-Honmachi, Sakyo-ku, Kyoto 606-8501 Japan b.mclellan@yahoo.com.au

Nuki Agya Utama, Ph.D. Swiss German University The Prominence Tower, Jalan Jalur Sutera Barat Kav 15, Alam Sutera Kota Tangerang, Banten 15143 Indonesia agya.utama@gmail.com

Prof. Dr. Rudi Febriamansyah Graduate School of Andalas University Kampus UNAND Limau Manis Padang 25163 Indonesia <u>r_febriamansyah@agr.unand.ac.id</u>

SCIENTIFIC COMMITTEE

Dr. Muhammad Ery Wijaya - Climate Policy Initiative, Indonesia Dr. Hatma Survatmojo - Universitas Gadjah Mada, Indonesia Dr. S. Khoirul Himmi - Indonesian Institute of Sciences (LIPI) Dr. Ismu Rini Dwi Ari - Universitas Brawijaya, Indonesia Prof. Dr. Miguel Esteban - Waseda University, Tokyo, Japan Dr. Nino Viartasiwi - Pilar Data Research & Consulting/Resilience Development Initiative Prof. Hideaki Ohgaki - Kyoto University, Japan Prof. Kiyoshi Kobayashi - Kyoto University, Japan Prof. Jun Honna - Ritsumeikan University, Japan Prof. Hadiyanto - Diponegoro University, Japan Assoc. Prof. Hooman Farzaneh - Kyoto University, Japan Assoc. Prof. Yusuke Toyoda - Ritsumeikan University, Japan Assist. Prof. Qi Zhang - Petroleum University, Beijing, China Dr. Taro Sonobe - Kyoto University, Japan Halimin Herjanto, Ph.D. - Marist College, New York, USA Suharman Hamzah, PhD. - Hasanuddin University, Indonesia Adhiraga Pratama, Ph.D. - University of Indonesia, Indonesia Dr. Zulilham - University of Malaya, Malaysia Dr. Atit Tipichai – King Mongkut's Institute of Technology Ladkrabang, Thailand Dr. Robby Permata - Bung Hatta University, Indonesia Dr. Niken Prilandita - Institut Teknologi Bandung, Indonesia Dr. Slamet Widodo - Bogor Agricultural University, Indonesia Dr. Agus Trihartono - Jember University, Indonesia Dr. Yulianto P. Prihatmaji - Islamic University of Indonesia, Indonesia

7th Sustain Conference in conjunction with 3rd ICGDTR 2018

IOP Conf. Series: Earth and Environmental Science **361** (2019) 011002 doi:10.1088/1755-1315/361/1/011002

IOP Publishing

Dr. Novri Susan – Universitas Airlangga, Indonesia Puji Harsanto, Ph.D. – Muhammadiyah Yogyakarta University, Indonesia Wignyo Adiyoso, Ph.D. – National Development Planning Agency (BAPPENAS), Indonesia Dr. I Nengah Swastika – Tadulako University, Indonesia Haryono Huboyo, Ph.D. – Diponegoro University, Indonesia Dr. Maryoko Hadi – Ministry of Public Works of the Republic of Indonesia Dr. Kakuya Matsushima – Kyoto University

ORGANIZING COMMITTEE

Dr. Fadjar Goembira – Andalas University, Indonesia Prof. Dr. Bambang Istijono – Andalas University, Indonesia Dr. Eng. Ari Rahman – Pertamina University, Indonesia Dr. Eng. Prawira Fajarindra Belgiawan – Institut Teknologi Bandung, Indonesia Dr. Sari Lenggogeni – Andalas University, Indonesia Hendy Setiawan, Ph.D. – Universitas Gadjah Mada, Indonesia Dr. Fuji Astuti Febria – Andalas University, Indonesia Iqbal Ramdani Ridwan, M.A. – Universitas Gadjah Mada, Indonesia Roma Dian Andiyani – Universitas Gadjah Mada, Indonesia Taufiq Ihsan, M.T. – Andalas University Indonesia Lidia Situmorang – Universitas Gadjah Mada, Indonesia Dr. Titin Fatimah – Tarumanagara University, Indonesia Dr. Mohammad Zaini Dahlan – Institut Teknologi Bandung, Indonesia

Table of contents

Volume 361

2019

◆ Previous issue → Next issue →

7th International Conference on Sustainable Future for Human Security in conjunction with 3rd International Conference on Green Development in Tropical Regions "Sustainable Development: Global Challenges on Environmental Protection and Social Justice" 29–30 October 2018, Padang, West Sumatra Province, Indonesia

Accepted papers received: 26 September 2019 Published online: 09 December 2019

Open all abstracts

Preface			
OPEN ACCESS			011001
Preface			
+ Open abstract	Tiew article	PDF	
OPEN ACCESS			011002
7th Sustain Confe	erence in conjunctio	n with 3 rd ICGDTR 2018	
+ Open abstract	TView article	PDF	
OPEN ACCESS			011003
Peer review state	ement		
+ Open abstract	View article	🔁 PDF	

Papers

Climate Change			
OPEN ACCESS			012001
Initial development	ent of the digital cro	owd mapping for landslide monitoring and early warning system	
H Setiawan, W Wi	lopo, T F Fathani, B A	ndayani and D Karnawati	
	View article	PDF	
OPEN ACCESS			012002
Groundwater flo	w patterns and hydr	rochemical facies of Kendal groundwater basin, Central Java Province, Indonesia	
W Wilopo, D P Eka	a Putra, H Setiawan an	d R Susatio	
	View article	PDF	
OPEN ACCESS			012003
Historical precip	vitation data in Suma	atra and Kalimantan from 1879 to 1900, by using Dutch colonial materials	
R Kajita			
	View article	PDF	
OPEN ACCESS			012004
Mitigating simul	taneous returning h	ome after large-scale earthquakes: changing tourists' intentions to stay through public support	
K Sakai, Y Toyoda	and H Kanegae		
	View article	PDF	
Sustainable Built	t Environment		
OPEN ACCESS			012005
Urban kampung	and household ener	gy consumption in Bandung, Indonesia	
N Prilandita, S U P	Purwaningati and P N I	ndradjati	
	View article	PDF	

01200

Simulation-based framework of bonus zoning to provide public space in Bandung city

E Sugiana, T S D Hasan, D Zulkaidi and N Prilandita

+ Open abstract 🔄 View article 🏷 PDF

OPEN ACCESS			012007
Management stra	ategy of sustainable	urban drainage in Pekanbaru City	012007
Komala Sari			
+ Open abstract	View article	PDF	
OPEN ACCESS			012008
Study on roadsid	le greenery in Yogya	akarta City towards development of productive urban landscape	
A Sarwadi, S N R I	rwan, R N Utami and	A B Raya	
	Tiew article	PDF	
OPEN ACCESS			012009
Low energy mea	sures for residential	l buildings in tropical regime	
N A Utama, D Hen	driana, R Irawan, M H	ladi, T A Bahtiar and F Suhedi	
	Tiew article	PDF	
OPEN ACCESS			012010
Comparison stud	ly of beach geometr	ics and beach sand gradation related to abrasion potential based along the West Sumatra Province	
Y Putra, A Hakam,	B Istijono, Junaidi and	d B M Adji	
	Tiew article	PDF	
OPEN ACCESS			012011
Foundation stabi	lity on sandy soil du	ue to excessive pore water pressure: laboratory observations	
A Hakam, R Yuliet	, Risayanti, H G Putra	and Sunaryo	
+ Open abstract	TView article	PDF	
OPEN ACCESS			012012

The sispless spekis Branginuinatenaschisnite and esterar ausiys of arkies Estudy us conege Building and Septisanalicy.

J Rilatupa

+ Open abstract■ View article▶ PDF	
------------------------------------	--

OPEN ACCESS			012013
Comparative stud	dy of community-ba	ased composters, a case study in West Bandung Regency, West Java – Indonesia	
N H Afifah, I Juwa	na and M Satori		
+ Open abstract	View article	PDF	
OPEN ACCESS			012014
Strategy for deve	eloping sustainable	ecotourism	
P Wahono, D Poerr	nomo and M S Kusum	ah	
	View article	PDF	
OPEN ACCESS			012015
Effects of water	content to slope stal	bility in Pangkalan Lima Puluh Kota	
H Asnur, R Yuliet, A	A Hakam, H G Putra a	and Sunaryo	
	Tiew article	PDF	
OPEN ACCESS	· · · · · · · · · · · · · · · · · · ·		012016
_		community-based environmental sanitation development policy (SLBM) in Tebo Regency	
B Hidayat, T Ophiy	yandri and A Tudi		
	View article	🔁 PDF	
OPEN ACCESS			012017
A Study of Mech	nanical Performance	e of Supplementary Cementitious Material using Hot Water Curing	
S Hamzah and E Aj	prianti		
+ Open abstract	View article	PDF	
OPEN ACCESS			012018
		village (case study: Ngadas Village, Poncokusumo District, Malang Regency)	
This site uses cooki N Sari, D R Spring	ies. By continuing to u	ise this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.	8

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy. N Sari, D R Springfield and K E Sari

+ Open abstract	View article	🔁 PDF
-----------------	--------------	-------

Energy and Envi	ronment		
OPEN ACCESS			012019
The use of artific	cial wastewater for	water feeding of scrubber for treating coal burning emission	
H S Huboyo and Su	udarno		
+ Open abstract	View article	PDF	
OPEN ACCESS			012020
Recycling of text	tile sludge for remo	ving textile dye of reactive red 231 on aqueous solution	
A Rahman, N Kish	imoto, T Urabe and K	Ikeda	
	View article	PDF	
OPEN ACCESS			012021
Environmental h	ealth risk analysis c	lue to PM_{10} during 2015's smoke haze pollution in Sawahlunto City	
F Goembira, M Am	nin, T Ihsan and D Dja	fri	
	Tiew article	PDF	
OPEN ACCESS			012022
Microwave-assis	ted conversion of a	gro-industrial copra residue oil to diesel engine compatible fatty acid methyl esters	
Z Ilham, M I Hakir	ni, M R A Mansor and	l F Goembira	
	Tiew article	PDF	
OPEN ACCESS			012023
Resources-energy	y-development nex	us and its implications for achieving the SDGs in Asia	
B C McLellan, T W	Vatari, S Ogata and T T	Tezuka	
	View article	PDF	
Sustainable Agric	culture		

The site core solution of the site of the

Chemical compo	osition, fiber morphe	ology, and kraft pulping of empty fruit bunch of dura variety (Elaies guineensis Jack)	
R Yahya, Y Sariasi	h, D Silsia, N Nuriyati	n, Desmantoro, Mainaswati and O Elveri	
+ Open abstract	View article	PDF	
OPEN ACCESS			012025
The influence of	dietary sources on	the biological changes of a subterranean termite, Coptotermes formosanus Shiraki	
D Tarmadi, I Gusw	venrivo, M Ismayati, S	K Himmi, S Yusuf and T Yoshimura	
	View article	PDF	
OPEN ACCESS			012026
Termite assemble	age structure in Bat	am Island, Indonesia	
S K Himmi, B Wik	antyoso, M Ismayati, A	A Fajar, D Meisyara, N P R A Krishanti, D Zulfiana, A S Lestari, D Tarmadi, T Kartika et al	
	View article	PDF	
OPEN ACCESS			012027
The mapping of	sustainable food ag	riculture land in Kediri City	
K E Sari and F V D	Deswita		
	Tiew article	PDF	
OPEN ACCESS			012028
Initiation of onic	on callus (<i>allium wa</i>	kegiaraki) varieties of lembah palu at various light intensities	
Maemunah, R Yusu	uf, S Samudin, Yusran,	, Hawalina and N S Rini	
	Tiew article	PDF	
OPEN ACCESS			012029
Food security in	dex and livelihood a	assets of Pandaan District, Pasuruan Regency, Indonesia	
G Prayitno, N Safit	tri, A Subagiyo and B	Riska	
	Tiew article	PDF	

OPEN ACCESS

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.

Surveillance of ectoparasitic fungi Laboulbeniopsis termitarius thaxt and Antennopsis gallica buchli and heim on subterranean termite reticulitermes spp. in Japan

I Guswenrivo, D Tarmadi, H Sato, I Fujimoto and T Yoshimura

+ Open abstract 🔄 View article 🏲 PDF

Sustainable Trop	ical Forest		
OPEN ACCESS			012031
The improvement activities	nt of Cipunagara Riv	ver quality (BOD parameter) based on pollution load analysis of domestic, agriculture, farming and industrial	
I Juwana and D P N	Nugroho		
+ Open abstract	View article	PDF	
OPEN ACCESS			012032
Role of land cov	er change to landsli	des susceptibility in agricultural catchment	
M C Satriagasa, H	Suryatmojo and H N I	Dewi	
	View article	PDF	
OPEN ACCESS			012033
Landslide risk as	ssessment: human ad	ctivities influence on an agriculture catchment	
H N Dewi, H Surya	atmojo, Ngadisih and N	M C Satriagasa	
	View article	PDF	
OPEN ACCESS			012034
Groundwater lev	el response of the p	rimary forest, ex-peatland fire, and community mix plantation in the Kampar peninsula, Indonesia	
H Suryatmojo, M A	A Imron, M S Gasa, D	M Saputra and Maryani	
	Tiew article	PDF	
OPEN ACCESS			012035
Water in the fore	est: rain-vegetation i	nteraction to estimate canopy interception in a tropical borneo rainforest	
H P Astuti and H S	uryatmojo		

8

This site uses cookies. By continuing to use this site you agree to our use of cookies. To find out more, see our Privacy and Cookies policy.

OPEN ACCESS 012 The role of agroforestry system for microarthropods biodiversity at upstream area of Merawu watershed, Banjarnegara District, Indonesia U Sokheang, C Ratha, H Suryatmojo, M C Satriagasa, H N Dewi, H P Astuti and B Retnoadji
U Sokheang, C Ratha, H Suryatmojo, M C Satriagasa, H N Dewi, H P Astuti and B Retnoadji
+ Open abstract View article PDF
OPEN ACCESS 012
DNA finger print based on nuclear and chloroplast genome, combine analysis on Sulawesi cacao (<i>Theobroma cacao</i> L.)
N Suwastika, Umrah, Muslimin, Y Ishizaki, A F Cruz, Z Basri and T Shiina
+ Open abstract View article PDF
OPEN ACCESS 012
Experimental study on the effectiveness of finger joint with variations in wood species toward bending strength of glulam beams
B Anshari, A Rofaida, F Mahmud, Pathurahman and R Rahmalia
+ Open abstract View article PDF
JOURNAL LINKS
Journal home
Journal scope
Information for organizers
Information for authors
Contact us

Reprint services from Curran Associates



PAPER • OPEN ACCESS

Low energy measures for residential buildings in tropical regime

To cite this article: N A Utama et al 2019 IOP Conf. Ser.: Earth Environ. Sci. 361 012009

View the article online for updates and enhancements.

You may also like

 Awareness, benefits and drawbacks of net zero energy building practices: construction industry professional's perceptions

perceptions D O Nduka, A N Ede, K D Oyeyemi et al.

- Sequential search technique for obtaining the energy-efficient residential building in Gorontalo
 Mohamad Jahja, And Muhammad Nur Ftirah and Abdu Gunawan
- The potential of net zero energy buildings (NZEBs) concept at design stage for healthcare buildings towards sustainable development Roy Hazli Abdellah, Md Asrul Nasid Masrom, Goh Kai Chen et al.



244th Electrochemical Society Meeting

October 8 – 12, 2023 • Gothenburg, Sweden

50 symposia in electrochemistry & solid state science

Abstract submission deadline: **April 7, 2023**

Read the call for papers & **submit your abstract!**

This content was downloaded from IP address 139.192.154.221 on 01/03/2023 at 15:34

IOP Publishing

Low energy measures for residential buildings in tropical regime

N A Utama^{1,2}*, D Hendriana^{1,2}, R Irawan², M Hadi³, T A Bahtiar⁴ and F Suhedi⁴

¹Swiss German University, Tangerang, Banten, Indonesia

² Baryon Hasta Persada, Summarecon, Tangerang, Banten, Indonesia

³ Sub Direktorat Keterpaduan Perencanaan dan Kemitraan, Direktorat Keterpaduan Infrastruktur Permukiman, Direktorat Jenderal Cipta Karya, Kemen PUPR

⁴ Pusat penelitian dan pengembangan perumahan dan pemukiman balai penelitian dan pengembangan, Kemen PUPR

*E-mail: agya.utama@gmail.com

Abstract. Towards the direction of developing sustainable building in tropical regime in general and in Indonesia in particular, facing multiple dilemmas, one of the dilemmas starting from the issue of the core variables in the green building which is low-energy buildings. By definition the main target for low energy building is the target for self-sustaining its energy supply while improving its efficiency. The issue of low energy building, in recent years, gained attention and moved towards a large-scale introduction in the residential sector. During this process, international criteria for energy use in buildings have become stricter, whilst the national standard for low energy building have not move forward only Jakarta municipality and Bandung municipality have developed its strategic regulation to achieve those targets. With a primary focus on landed house both for semidetached and detached houses, this study analyses how the measures the low-energy buildings which may further developed to reduce the energy use in the residential sector. The main attention is on the designing the façade, wind flow and local material performances. A thermal and fluid dynamics approach is applied, which here means that the concept of low-energy buildings is investigated from two main perspectives, namely thermal comfort with low energy uses by means of optimization for natural cooling. The thesis thus encompasses methods from both engineering approaches the studied areas through design, assessments and simulations. The thesis reveals how an increased process integration of the building's energy system can improve the thermal comfort in low-energy buildings. Moreover, local climate data was use, local material was collected - to study how the heat influences can be predicted in a low-energy building in the Bandung climate. The thesis further focuses on the low-energy building as an element in our society.

1. Introduction

Energy demand are increasingly increasing, while fossil energy sources are decreasing in number. The International Energy Agency (IEA) predicts that by 2035, global energy-related CO2 emissions have exceeded today's levels by 20 percent [1]; this should appear rather thought-provoking. Although there are other energy sources besides fossil energy, renewable energy, but the amount is limited and still not as comfortable as fossil energy use. Besides that, the use of fossil energy causes an increase in greenhouse gas emissions that cause global warming. Data from KEMENLH (2009) shows, compared



Content from this work may be used under the terms of the Creative Commons Attribution 3.0 licence. Any further distribution of this work must maintain attribution to the author(s) and the title of the work, journal citation and DOI. Published under licence by IOP Publishing Ltd

7th Sustain Conference in conjunction with 3rd ICGDTR 2018

IOP Conf. Series: Earth and Environmental Science **361** (2019) 012009 doi:10.1088/1755-1315/361/1/012009

to other sources, the energy sector is the largest contributor to greenhouse gases (GHG), especially CO2. So saving energy use is very important for the continuity of the comfort of human life on earth. Moreover, it is known that the cost of Rp. 1 (one rupiah) for each energy saving effort is equivalent to the cost of Rp. 2 (two rupiahs) for the construction of a new power plant. This is exacerbated by the fact that the efficiency of electricity generation, distribution networks and electricity users is very low. Moreover, the reliance on renewable energy for its vast growing energy consumption, the capacity of energy demands, for which 150 GW is required by2030 [2]. As a result, the country is compiled to rely on fossil fuel particularly the natural gas and coal, as it is predicted that the cost of crude oil will drastically increase during the next 10 - 20 years. The future electricity demand growth is estimated using trend from economic growth. Moreover in average of 6.84% up to 2050 and 2008 capacity is accounted to 21 GW and assumes to be increase up to 415.6 GW in 2050 (in line with the demand measurement) [3].

Buildings represent in terms of primary energy use around 40 percent in most IEA countries (IEA, 2013b) [1]. Therefore, if dangerous and irreversible climatic consequences are to be avoided, the implementation of low-energy buildings in our society is crucial. The built environment has throughout history been influenced and renewed by various factors, and innovations that have induced this development have originated from either technological progress or social change. Today, however, climate change has added a new dimension, presenting our society with major challenges including a need to change how we define buildings [4].

Among the large energy users for buildings is residential, in this case including the region. Based on this background, it is necessary to design a residential area that can support energy savings, namely a low-energy area. Regional design is very important in designing energy saving housing. According to Kurniawaty [5] aspects of regional design contribute 67% and aspects of building design contribute 33% to the creation of a comfortable and energy-efficient dwelling. This is not excessive because based on several studies indicate that the micro climate (micro climate) is very decisive for the creation of comfortable housing without the need for active air conditioning such as air conditioning. Shady areas and water features can have lower air temperatures up to 6 C compared to arid regions, even though the two areas are in the same area, thus reducing the burden on buildings to create comfort in the building. Differences in outside air temperature and air temperature in the building are the main factors driving the heat transfer process from the outside into the building. The smaller the temperature difference outside and inside the building, the less amount of heat that enters the room. This results in a reduced thermal cooling system load. Thus the mind-set needs to be changed from building oriented towards site oriented (exterior and regional). Moreover according to Utama [6], the most load in cooling at residential building for landed houses from its perimeter load, or the heat from the façade. Building enclosures contribute 10-50% of the total building cost and 14-17% of the total material mass. The direct as well as indirect influence of the enclosure materials plays an important role in the building life cycle energy. Single landed houses, the typical houses in Indonesia, have been chosen for this study [7].

2. Methodology

2.1. Thermal comfort in buildings

Performance from thermal comfort refers to the process of simulation and modelling of energy transfer between buildings and the surrounding environment. For buildings with AC (Air Conditioning), estimating the cooling and heating loads, so that the calculation and measurement of HVAC size (Heating Ventilation Air Conditioning) can be accurately done. For buildings without air conditioning, this process calculates the variation of room temperature in a given period of time and helps to calculate the duration of the times when the condition of the room is uncomfortable. This quantification method produces an effective way to design buildings and help improve the quality of design with energy efficiency and comfortable space.

7th Sustain Conference in conjunction with 3rd ICGDTR 2018	IOP Publishing
IOP Conf. Series: Earth and Environmental Science 361 (2019) 012009	doi:10.1088/1755-1315/361/1/012009

Some heat exchanges are very possible between buildings and the environment outside. Parts of buildings such as walls, roofs, ceilings, floors, etc. Heat exchange also occurs from various building surfaces through convection and radiation. Besides solar radiation transmitted through translucent glass is also absorbed by the surface inside the building. Heat also arises from the presence of occupants in the building and also the use of lights and household appliances.

As seen in **Figure 1** which describes the heat properties of water vapor in graphical form. Understanding this psychometric chart can provide conceptual understanding visually in controlled environmental conditions such as examples of how hot air can hold moisture, and vice versa how moist air cools and produces moisture. The green boundary shows a comfort zone that shows the average condition of the Indonesian people in general, where the average temperature is between 22- 27° C and humidity between 40-60% [6][7].




Figure 1. Psychometric diagram for comfort zone, typical residential and typical industrial in Indonesia

2.2. Heat balance in the building

Designing low-energy buildings, also must take into account the heat balance, as shown **Figure 2**. Where information regarding heat coming from ambient, the heat coming from inside the building (internal heat), building orientation, windows, walls and type of roof, including climate data such as radiation, temperature (temperature) and wind speed. Material data including density, specific heat, conductivity and others. The heat balance in this building can help design buildings with thermal comfort and energy consumption in buildings.




Figure 2. Heat balance in the building

7th Sustain Conference in conjunction with 3rd ICGDTR 2018IOP PublishingIOP Conf. Series: Earth and Environmental Science 361 (2019) 012009doi:10.1088/1755-1315/361/1/012009

As an example of the graphical analysis **Figure 3**, the conditions of the heat comfort (shows as temperatures) profile of a room with a brick wall are also shown here, where the temperature or room temperature shows a lower figure than the temperature outside the building, meaning that the brick wall provides comfort to the occupants of the building by prevent heat through by reducing




Figure 3. Example of a temperature profile with typical bricks wall

temperature.

Bandung was chosen as a study and analysis of low-energy buildings, the average temperature in this area is between $14-36^{\circ}$ C, and the lowest position reaches $14-1^{\circ}$ C at night and as high as $35-36^{\circ}$ C which occurs during summer time during the day. The conditions of temperature, radiation, humidity in the study area as shown in the graph below, as seen that the hottest temperature peak points outside temperature occur between April, May and June. Air humidity is between 20% and the highest reaches 100% in heavy rain conditions. As shown in the air humidity in **Figure 4** below.




Figure 4. Temperature and humidity in the studied areas

2.3. Thermal comfort through fluid dynamics analysis

Many buildings in windy areas can use this energy to push air into a building on the side of the wind (the direction of the breeze) and cause it to come out on the side of a quiet wind (the direction of the wind is quiet). This type of natural ventilation can reduce the fan energy needed to move air inside the building, especially in large open plan offices. Restricting internal air movement will defeat the purpose of natural ventilation, which requires engineers and architects to make this decision at the beginning of the building design process. Because it is very difficult to get the right wind conditions

for natural ventilation, most of these types of buildings use a mixed-mode approach, installing fans to help air movement in stagnant wind conditions. In colder climate ventilation systems it is necessary to combine with a heat recovery system, so that hot air leaving the building can release some of its energy into the incoming air, thus avoiding some "energy penalties" to increase ventilation.

Natural ventilation is very important for conserving energy, reducing carbon emissions, and increasing the level of comfort of the built environment and indoor air quality. The Computational Fluid Dynamics (CFD) represents a combination of modern fluid dynamics, numerical mathematics and computer science. By using CFD wind environment simulation technology, architects can accurately project and intuitively describe the building's wind environment from design proposals, conduct analysis combined with knowledge in building technology science and simulation results, and analyze the strengths and weaknesses of various design choices and according to design revisions architecture [4].

Software for performing computational fluid dynamics is OpenFOAM and is an open source code. The power of OpenFOAM is a breaker and new utilities can be created by users with some prerequisite knowledge about basic techniques, physics and existing programming techniques. OpenFOAM is included with the pre and post-processing environment. The pre-and post-processing interface is an OpenFOAM utility, ensuring consistent data handling in all environments. The overall structure of OpenFOAM is shown in **Figure 5**.




Figure 5. The overall structure of OpenFOAM

In summary, this module uses the following equations:

The continuity equation

$$\frac{\partial \bar{u}_j}{\partial x_j} = 0,\tag{1}$$

The Momentum Equation

$$\frac{\partial \bar{u}_i}{\partial t} + \frac{\partial}{\partial x_j} \left(\bar{u}_j \bar{u}_i \right) - \frac{\partial}{\partial x_j} \left\{ \nu_{eff} \left[\left(\frac{\partial \bar{u}_i}{\partial x_j} + \frac{\partial \bar{u}_j}{\partial x_i} \right) - \frac{2}{3} \left(\frac{\partial \bar{u}_k}{\partial x_k} \right) \delta_{ij} \right] \right\} = -\frac{\partial \tilde{p}}{\partial x_i} + g_i \left[1 - \beta \left(\bar{T} - T_0 \right) \right]_{(2)}$$

Where v_{eff} is the effective kinematic viscosity, β is the coefficient of expansion.

The energy equation

$$\frac{\partial \bar{T}}{\partial t} + \frac{\partial}{\partial x_j} \left(\bar{T} \bar{u}_j \right) - \frac{\partial}{\partial x_k} \left(\kappa_{eff} \frac{\partial \bar{T}}{\partial x_k} \right) = 0.$$
(3)

Where κ_{eff} is the effective heat transfer coefficient

3. Result and discussion

3.1. Thermal result and analysis

The building to be simulated uses a simple building with a triangle shape as shown below. Assuming a wall height of 5 meters, the depth of space between the roof and ceiling is 1 meter deep, using red brick walls, tile floors and clay roof tiles and without using insulation. With building material properties such as seen in this picture Assuming ceiling thickness or ceiling is 10 mm, density or specific gravity 1100 kg / m3, specific heat is 840 j / kg. K and conductivity is 0.65 W / m. K.




Figure 6. comparison of a studied house with and without ceiling

From the analysis (as seen in *Figure 6*), it can be seen that the usage of ceiling is not inevitable, since the ceiling can be strong enough to withstand radiation and heat convection generated from solar radiation through the roof of the building. As seen in the right picture when no present of the ceiling the radiated area shown in bright yellow colour $(37^{\circ}C)$ is larger than the design with ceiling, also reflected in the coverage area where human are standing. The area largely covered with temperature around $34^{\circ}C$ where with ceiling is one degree less.




Figure 7. ceiling height simulation

Several simulation processes have been carried out in the study to determine the ceiling height, the ceiling height is simulated to get the lowest temperature area of various heights with some scenarios such as:

• 5.00 m (A),
• 4.25 m (B),
• 3.65 m (C),
• 2.40 m (D)

The results showed in *Figure 7 t*hat the temperature difference that was not so dramatically changed from the ceiling with a height of 2.4 m and 3.65 m, where areas with temperatures of $35 \degree C$ and $36 \degree C$ were dominant. Whereas with the ceiling height at 4.25m the room temperature of $34-35 \degree C$ dominates most of the room. As for the ceiling height at 5m the average temperature at the height of the human body in the range of $32.4 \degree C$.

IOP Conf. Series: Earth and Environmental Science **361** (2019) 012009

doi:10.1088/1755-1315/361/1/012009




Figure 8. A: clay roof and B: corrugated metal roof

Two alternatives material for the design with 5 meter ceiling height is selected, namely A: clay roof and B: Corrugated metal roof (*Figure 8*). The simulation result shows a significant temperature different between two materials (up to 3 C), this is due to the thermal properties of both materials, mainly its conductivity, specific heat as well as its density.

3.2. Fluid dynamic result and analysis

It is also in our interest to investigate the effects of natural winds on air circulation in the design of our homes. Let's consider the wind coming from the front of the house with a wind speed of 5 km / h, which is a typical wind speed in Ciparay, see the sketch below in *Figure 9*. We want to design a good location from wind vents to take advantage of this natural wind. The CFD simulation results can be seen in **Figure 9** below. In this picture, shows the air velocity profile in this cutting plan which shows that the wind connects the house from the air vents below and above the front door. Currents from leaving the room from similar vents close to the back door. Likewise the wind that also entered the front bedroom from the front ventilation around the window.




Figure 9. Natural wind direction to the model and its effect

There needs to be a hole in the bottom of the roof ceiling as an inlet for the natural convection process on the roof, under the tile. The width of the opening of this hole is as wide as possible by keeping in mind that rainwater does not enter, insects / birds not to enter, good aesthetics and safety. The choice for ceiling with holes is quite a lot and can be seen in the *Figure 10*.

IOP Conf. Series: Earth and Environmental Science 361 (2019) 012009

doi:10.1088/1755-1315/361/1/012009




Figure 10. Opening in ceiling for increasing wind enter from ambient and exhaust fan to reduce heat trapped in the lower ceiling

There needs to be an exhaust hole in the living room ceiling to help cool the roof space and help circulate air in the living room. This exhaust hole is intended to drain the relatively hot upper air from the living room to the hotter roof area. To prevent backflow, ie from the roof area to the bottom, we recommend that the exhaust hole be equipped with a fan so that the reverse air flow will not occur.

More over the study reveals an interesting result for the case city of Bandung, Indonesia. However the possible similar study with relatively similar result may be possible to be implemented in the tropical regime with similar climate condition with Bandung, where the day-night temperature different are relatively high during dry season and relative humidity in between 40-60% during dry season and 60-80% during rainy season.

References

- [1] IEA, 2013a. World Energy Outlook 2013, IEA, Paris. Energy and Power Engineering, 2012, 4, 226-232http://dx.doi.org/10.4236/epe.2012.44031
- [2] Utama N A, Ishihara K N, Tezuka T, Power Generation Optimization in ASEAN by 2030, Energy and Power Engineering, 2012, 4, 226-232, http://dx.doi.org/10.4236/epe.2012.44031
- [3] Utama N A, Ishihara K N, Zhang Q, and Tezuka T, 2050 ASEAN Electricity Demand: Case Study in Indonesia and Cambodia
- [4] Drexler H., El khouli S., 2012. HOLISTIC HOUSING. Concepts, Design Strategies and Processes, ISBN 978-3-920034-78-2, Germany.
- [5] Kurniawaty P, 2011. Kajian Konsep Desain Taman dan Rumah Tinggal Hemat [thesis]. Bogor. Institut Pertanian Bogor
- [6] Utama N A, Irawan R, Hendriana D, Setiadji R, 2017, Perancangan Kawasan Rendah Energi, Pusat penelitian dan pengembangan perumahan dan pemukiman balai penelitian dan pengembangan kementerian pekerjaan umum dan perumahan rakyat. Final Report.
- [7] Utama N A and Gheewala S H, Life cycle energy of single landed houses in Indonesia, Energy and Buildings, Volume 40, Issue 10, 2008, Pages 1911-1916