
REFERENCES

- Achinas, S., & Euverink, G. J. W. (2019). Effect of combined inoculation on biogas production from hardly degradable material. *Energies*, 12(2).
<https://doi.org/10.3390/en12020217>
- AgStar. (2012). Increasing Anaerobic Digester Performance with Codigestion. *Www.Epa.Gov*, September.
www.epa.gov/agstar.%0Ahttp://www.epa.gov/agstar/documents/codigestion.pdf
- Amin, F. R., Khalid, H., Zhang, H., Rahman, S., Zhang, R., Liu, G., & Chen, C. (2017). Pretreatment methods of lignocellulosic biomass for anaerobic digestion. In *AMB Express* (Vol. 7, Issue 1, p. 72). Springer Verlag. <https://doi.org/10.1186/s13568-017-0375-4>
- ASIAN AGRICULTURE. (2019). *The Benefits of Palm Oil | Economic, Efficiency, Versatility | Asian Agri*. <https://www.asianagri.com/en/media-en/articles/the-benefits-of-palm-oil>
- Badie, M., Asim, N., Jahim, J. M., & Sopian, K. (2014). Comparison of Chemical Pretreatment Methods for Cellulosic Biomass. *APCBEE Procedia*, 9, 170–174.
<https://doi.org/10.1016/j.apcbee.2014.01.030>
- Chaikitkaew, S., Kongjan, P., & O-Thong, S. (2015). Biogas Production from Biomass Residues of Palm Oil Mill by Solid State Anaerobic Digestion. In *Energy Procedia* (Vol. 79). Elsevier B.V. <https://doi.org/10.1016/j.egypro.2015.11.575>
- Chaipa, S., & Asavavisithchai, S. (2016). *Biogas production from palm fibers together with empty palm bunches using microbial sludge from anaerobic wastewater treatment system*. 1597–1604.
- Chen, Y., Stevens, M. A., Zhu, Y., Holmes, J., & Xu, H. (2013). Understanding of alkaline pretreatment parameters for corn stover enzymatic saccharification. *Biotechnology for Biofuels*, 6(1), 8. <https://doi.org/10.1186/1754-6834-6-8>
- Dani, S., & Wibawa, A. (2018). CHALLENGES AND POLICY FOR BIOMASS ENERGY IN INDONESIA. *International Journal of Business, Economics and Law*, 15.
- Dickerson, D. D. (2013). Computer 4 Total Solids. *Water Quality with Vernier*, 931–933.
https://ww2.odu.edu/~ddickers/documents/noaa_search/total_solids_01.pdf
- Dr.Ir. Dikin Antarjo, M. S. (2020). *BUKU KELAPA SAWIT 2018-2020.pdf* - Google Drive. Secreteriate of Directorate General of Estates.
<https://drive.google.com/file/d/1FVxpBNihnuB3ayAALBi-FtsBSHlUxMTD/view>

EIA. (2019). *EIA projects nearly 50% increase in world energy usage by 2050, led by growth in Asia - Today in Energy - U.S. Energy Information Administration (EIA)*. <https://www.eia.gov/todayinenergy/detail.php?id=41433>

Filer, J., Ding, H. H., & Chang, S. (2019). for Anaerobic Digestion Research. *Water*, 11(921). <https://doi.org/10.3390/w11050921>

GAPKI. (2020). *3 Bulan Berturut-turut, Produksi Sawit Naik Terus Nih! | Gabungan Pengusaha Kelapa Sawit Indonesia (GAPKI)*. <https://gapki.id/news/18313/3-bulan-berturut-turut-produksi-sawit-naik-terus-nih>

Ghaly, A., Ramkumar, D., Sadaka, S., & Rochon, J. (2000). *Effect of reseedling and pH control on the performance of a two-stage mesophilic anaerobic digester operating on acid cheese whey*.

Goenadi, D. H., Susila, W. R., & Isroi. (2008). *Pemanfaatan Produk Samping Kelapa Sawit Sebagai Sumber Energi Alternatif Terbarukan | Berbagi Tak Pernah Rugi*. <https://isroi.com/2008/03/12/pemanfaatan-produk-samping-kelapa-sawit-sebagai-sumber-energi-alternatif-terbarukan/>

Hambali, E., & Rivai -, M. (2017). *IOP Conference Series: Earth and Environmental Science The Potential of Palm Oil Waste Biomass in Indonesia in 2020 and 2030*. <https://doi.org/10.1088/1755-1315/65/1/012050>

Hambali, E., & Rivai, M. (2017). The Potential of Palm Oil Waste Biomass in Indonesia in 2020 and 2030. *IOP Conference Series: Earth and Environmental Science*, 65(1). <https://doi.org/10.1088/1755-1315/65/1/012050>

Harnadek, C. M. W., Guilford, N. G. H., & Edwards, E. A. (2015). Chemical Oxygen Demand Analysis of Anaerobic Digester Contents. *STEM Fellowship Journal*, 1(2), 2–5. <https://doi.org/10.17975/sfj-2015-008>

Horvath, A. (2019). *IOP Conference Series: Earth and Environmental Science Comparative start-up between mesophilic and thermophilic for acidified palm oil mill effluent treatment Comparative start-up between mesophilic and thermophilic for acidified palm oil mill effluent tr. 8*. <https://doi.org/10.1088/1755-1315/268/1/012028>

IEA. (2020). *The outlook for biogas and biomethane to 2040 – Outlook for biogas and biomethane: Prospects for organic growth – Analysis - IEA*. IEA (2020), Outlook for Biogas and Biomethane: Prospects for Organic Growth, IEA. <https://www.iea.org/reports/outlook-for-biogas-and-biomethane-prospects-for-organic-growth/the-outlook-for-biogas-and-biomethane-to-2040>

IRENA. (2017). *Renewable Energy Prospects: Indonesia*. <https://www.irena.org/publications/2017/Mar/Renewable-Energy-Prospects-Indonesia>

Irvan. (2018). *Processing of palm oil mill wastes based on zero waste technology Related content The Potential of Palm Oil Waste Biomass in Indonesia in 2020 and 2030 Performance Evaluation on Otto Engine Generator Using Gasoline and Biogas from Palm Oil Mill Effluent I*. <https://doi.org/10.1088/1757-899X/309/1/012136>

Ji, X.-J. (2012). *Schematic representation of lignocellulosic biomass pretreatment... / Download Scientific Diagram*. https://www.researchgate.net/figure/Schematic-representation-of-lignocellulosic-biomass-pretreatment-modified-from-18_fig1_221751505

Jingura, R. M., & Kamusoko, R. (2017). Methods for determination of biomethane potential of feedstocks: A review. *Biofuel Research Journal*, 4(2), 573–586. <https://doi.org/10.18331/BRJ2017.4.2.3>

Johari, S., & Widiassa, I. N. (2012). The Effect of Feed to Inoculums Ratio on Biogas Production Rate from Cattle Manure Using Rumen Fluid as Inoculums. In *Internat. J. of Waste Resources* (Vol. 2, Issue 1).

Kanchanasuta, S., & Pisutpaisal, N. (2016). Waste utilization of palm oil decanter cake on biogas fermentation ScienceDirect Waste utilization of palm oil decanter cake on biogas fermentation. *International Journal of Hydrogen Energy*, July. <https://doi.org/10.1016/j.ijhydene.2016.04.129>

Kaosol, T., & Sohgrathok, N. (2013). Enhancement of biogas production potential for anaerobic co-digestion of wastewater using decanter cake. *American Journal of Agricultural and Biological Science*, 8(1), 67–74. <https://doi.org/10.3844/ajabssp.2013.67.74>

Karuppiah, T., & Ebenezer Azariah, V. (2019). Biomass Pretreatment for Enhancement of Biogas Production. In *Anaerobic Digestion*. IntechOpen. <https://doi.org/10.5772/intechopen.82088>

Khairul Anuar, N., Che Man, H., Idrus, S., & Nik Daud, N. N. (2018). Biochemical methane potential (BMP) from anaerobic co-digestion of sewage sludge and decanter cake. *IOP Conference Series: Materials Science and Engineering*, 368(1). <https://doi.org/10.1088/1757-899X/368/1/012027>

Khanal, S. K., Nindhia, T. G. T., & Nitayavardhana, S. (2019). Biogas from wastes: Processes and applications. In *Sustainable Resource Recovery and Zero Waste Approaches* (pp. 165–174). Elsevier. <https://doi.org/10.1016/B978-0-444-64200-4.00011-6>

Kushkevych, I., Vítězová, M., Vítěz, T., & Bartoš, M. (2017). Production of biogas: Relationship between methanogenic and sulfate-reducing microorganisms. *Open Life Sciences*, 12(1), 82–91. <https://doi.org/10.1515/biol-2017-0009>

Manyi-Loh, C. E., Mamphweli, S. N., Meyer, E. L., Okoh, A. I., Makaka, G., & Simon, M. (2013). Microbial anaerobic digestion (bio-digesters) as an approach to the

decontamination of animal wastes in pollution control and the generation of renewable energy. In *International Journal of Environmental Research and Public Health* (Vol. 10, Issue 9, pp. 4390–4417). <https://doi.org/10.3390/ijerph10094390>

Miyamoto, K. (1997). *Chapter 4 - Methane production*.
<http://www.fao.org/3/w7241E/w7241e0f.htm>

MUNDI, I. (2021). *Palm Oil Production by Country in 1000 MT - Country Rankings*. INDEX MUNDI. <https://www.indexmundi.com/agriculture/?commodity=palm-oil&graph=production>

Nurdin, I. A., Syauqi, A., & Laili, S. (2020). Pengukuran Rasio C/N pada Campuran Daun Kelapa Sawit (*Elaeis guineensis* Jacq.) dan Feses Sapi (*Bos taurus* L.) dalam Fermentasi Biogas. *Jurnal SAINS ALAMI (Known Nature)*, 3(1), 29–36.
<https://doi.org/10.33474/j.sa.v3i1.6918>

Nutongkaew, T., Prasertsan, P., O-Thong, S., Chanthong, S., & Suyotha, W. (2020). Improved Methane Production Using Lignocellulolytic Enzymes from *Trichoderma koningiopsis* TM3 Through Co-digestion of Palm Oil Mill Effluent and Oil Palm Trunk Residues. *Waste and Biomass Valorization*, 11(10), 5123–5136.
<https://doi.org/10.1007/s12649-019-00838-z>

Purnomo, A., Suprihatin, Romli, M., & Hasanudin, U. (2018). Biogas production from oil palm empty fruit bunches of post mushroom cultivation media. *IOP Conference Series: Earth and Environmental Science*, 141(1). <https://doi.org/10.1088/1755-1315/141/1/012024>

Putri, M. P. (2018). ALKALINE PRETREATMENT OF OIL PALM LIGNOCELLULOSIC WASTE FOR BIOGAS PRODUCTION UNDER WET AND SOLID STATE FEMENTATION. *TAPPI Journal*, 17(07), 69.
<https://doi.org/10.32964/tj17.07>

Rabii, A., Aldin, S., Dahman, Y., & Elbeshbishy, E. (2019). A review on anaerobic co-digestion with a focus on the microbial populations and the effect of multi-stage digester configuration. *Energies*, 12(6). <https://doi.org/10.3390/en12061106>

Rasi, S., Veijanen, A., & Rintala, J. (2007). Trace compounds of biogas from different biogas production plants. *Energy*, 32(8), 1375–1380.
<https://doi.org/10.1016/j.energy.2006.10.018>

Ritchie, H. (2020). *Energy mix - Our World in Data*. <https://ourworldindata.org/energy-mix>
Rodriguez, C., Alaswad, A., Benyounis, K. Y., & Olabi, A. G. (2017). Pretreatment techniques used in biogas production from grass. In *Renewable and Sustainable Energy Reviews* (Vol. 68, pp. 1193–1204). Elsevier Ltd. <https://doi.org/10.1016/j.rser.2016.02.022>

Rongwang, C., Polprasert, S., & Kanchanasuta, S. (2017). Effect of partial ozonation and thermal pretreatment on biogas production from palm oil decanter cake. *Chemical Engineering Transactions*, 57, 1987–1992. <https://doi.org/10.3303/CET1757332>

Rosada, H. (2018). *Co-Digestion Of Cow Manure And Empty Fruit Bunches : Effect Of C / N Ratio And Kinetic Studies*. 13(9), 7052–7058.

S J Malik | Aparna Saraf | Srinivas Kasulla. (2020). *Biogas Production from Decanter Cake of Palm Oil Mill from South India*. January 2021, 1144–1147. <https://doi.org/10.5281/zenodo.4409642>

Saelor, S., Kongjan, P., & O-Thong, S. (2017). Biogas Production from Anaerobic Co-digestion of Palm Oil Mill Effluent and Empty Fruit Bunches. *Energy Procedia*, 138, 717–722. <https://doi.org/10.1016/j.egypro.2017.10.206>

Saidu, M., Yuzir, A., Salim, M. R., Richard, A., & Afiz, B. (2020). Effect of operating parameter on the anaerobic digestion oil palm mesocarp fibre with cattle manure for biogas production. *IOP Conference Series: Earth and Environmental Science*, 476(1). <https://doi.org/10.1088/1755-1315/476/1/012085>

Saidu, Mohammed, Yuzir, A., Salim, M. R., Salmiati, Azman, S., & Abdullah, N. (2014). Biological pre-treated oil palm mesocarp fibre with cattle manure for biogas production by anaerobic digestion during acclimatization phase. *International Biodeterioration and Biodegradation*, 95(PA), 189–194. <https://doi.org/10.1016/j.ibiod.2014.06.014>

Salman Zafar. (2020). *Biomass Wastes from Palm Oil Mills*. BioEnergy Consult. <https://www.bioenergyconsult.com/palm-biomass/>

Samuel, O. (2013). *Comparative Evaluation of Qualitative and Quantitative Biogas Production Potential of Oil Palm Fronds and Co-digestion with Cow Dung*. 3(4), 25–34.

Sitthikitpanya, S., Reungsang, A., & Prasertsan, P. (2018). Two-stage thermophilic bio-hydrogen and methane production from lime-pretreated oil palm trunk by simultaneous saccharification and fermentation. *International Journal of Hydrogen Energy*, 43(9), 4284–4293. <https://doi.org/10.1016/j.ijhydene.2018.01.063>

Speight, J. G. (2018). *Hydrolysis - an overview | ScienceDirect Topics*. ScienceDirect. <https://www.sciencedirect.com/topics/earth-and-planetary-sciences/hydrolysis>

Sriarachai, T., Thonglimp, V., & O-Thong, S. (2014). Ethanol and methane production from oil palm frond by two stage ssf. *Energy Procedia*, 52, 352–361. <https://doi.org/10.1016/j.egypro.2014.07.086>

STATISTA. (2020). *Palm oil industry in Indonesia- statistics & facts | Statista*. R. Hirschmann. <https://www.statista.com/topics/5921/palm-oil-industry-in-indonesia/>

STATISTA. (2021). • *Indonesia: area of oil palm plantations* | Statista. R. Hirschmann. <https://www.statista.com/statistics/971424/total-area-of-oil-palm-plantations-indonesia/>

Suksong, W., Jehlee, A., Singkhala, A., Kongjan, P., Prasertsan, P., Imai, T., & O-Thong, S. (2017). Thermophilic solid-state anaerobic digestion of solid waste residues from palm oil mill industry for biogas production. *Industrial Crops and Products*, 95, 502–511. <https://doi.org/10.1016/j.indcrop.2016.11.002>

Suksong, W., Promnuan, K., Seengenyong, J., & O-Thong, S. (2017). Anaerobic Co-Digestion of Palm Oil Mill Waste Residues with Sewage Sludge for Biogas Production. *Energy Procedia*, 138, 789–794. <https://doi.org/10.1016/j.egypro.2017.10.068>

Teh, C., & Sung, B. (2016). *Availability, use, and removal of oil palm biomass in Indonesia*.

Tepsour, M., Usmanbaha, N., Rattanaya, T., Jariyaboon, R., O-Thong, S., Prasertsan, P., & Kongjan, P. (2019). Biogas Production from Oil Palm Empty Fruit Bunches and Palm Oil Decanter Cake using. *Energies*, 12(4368), 1–14.

Wadchasit, P., Siripattana, C., & Nuithitikul, K. (2020). The effect of pretreatment methods for improved biogas production from oil-palm empty fruit bunches (EFB): Experimental and model. *IOP Conference Series: Earth and Environmental Science*, 463(1). <https://doi.org/10.1088/1755-1315/463/1/012126>

Walton, K. (2019). *Indonesia should put more energy into renewable power*. Low Institute. <https://www.lowyinstitute.org/the-interpretor/indonesia-s-should-put-more-energy-renewable-power>

Wattanasit, K., Asawatreratanakul, K., & O-thong, S. (2013). *Potential of Biogas Production of Oil Palm Mill Residues and its Anaerobic Co-digestion under Thermophilic Conditions*. 3.

WWF. (2020). *8 things to know about palm oil* | WWF. WWF. <https://www.wwf.org.uk/updates/8-things-know-about-palm-oil>

Zhou, H., & Wen, Z. (2019). Solid-State Anaerobic Digestion for Waste Management and Biogas Production. *Advances in Biochemical Engineering/Biotechnology*, 169(August), 147–168. https://doi.org/10.1007/10_2019_86

ABBREVIATIONS

OPF	: Oil Palm Frond
EFB	: Empty Fruit Bunch
EFBMM	: Empty Fruit Bunch Mushroom media
DC	: Decanter Cake
MF	: Mesocarp Fibre
OPT	: Oil Palm Trunk
OPTr	: Oil Palm Trunk residues
POME	: Palm Oil Mill Effluent
PKS	: Palm Kernel Shell
CPO	: Crude Palm Oil
WW	: Waste Water
OPA	: Oil Palm Ash
CM	: Cow Manure
CD	: Cow Dung
VS	: Volatile Solids
TS	: Total Solids
VFA	: Volatile Fatty Acids
SBS	: Sewage Biological Sludge
SCS	: Sewage Chemical Sludge
SS-AD	: Solid State Anaerobic Digestion
COD	: Chemical Oxygen Demand
AnCod	: Anaerobic Co-digestion
ND	: Not Defined

