

REFERENCES

Abramovič, H., Butinar, B. and Nikolič, V. (2007) 'Changes occurring in phenolic content, tocopherol composition and oxidative stability of *Camelina sativa* oil during storage', *Food Chemistry*. vol 104 (3), pp 903-909, doi: 10.1016/j.foodchem.2006.12.044.

Ahmed, M. *et al.* (2016) 'Oxidation of Lipids in Foods', *Sarhad Journal of Agriculture*, vol 32(3), pp 230-238. doi: 10.17582/journal.sja/2016.32.3.230.238.

Azizah, A. H., Nik Ruslawati, N. M. and Swee Tee, T. (1999) 'Extraction and characterization of antioxidant from cocoa by-products', *Food Chemistry*. vol 64(2), pp 199-202 doi: 10.1016/S0308-8146(98)00121-6.

Blainski, A., Lopes, G. C. and Palazzo de Mello, J. C. (2013) 'Application and Analysis of the Folin Ciocalteu Method for the Determination of the Total Phenolic Content from *Limonium Brasiliense L.*' *Molecules*, vol 18(6), pp. 6852–6864. doi: 10.3390/molecules18066852.

Caleb, O. O. (2008) 'EVALUATION OF AN ORANGE COLOR FROM AVOCADO SEEDS FOR USE AS A POTENTIAL NATURAL FOOD COLORANT'. University of Nairobi, no. A24/0141/2008

Chaves, M. A. and Borges, C. D. (2016) 'Avocado: characteristics, health benefits and uses' *SciElo*, vol46(4), pp. 747–754.

Cornelia, M. and Christianti, A. (2018) 'Utilization of modified starch from avocado (*Persea americana* Mill.) seed in cream soup production', *IOP Conference Series: Earth and Environmental Science*, vol 102(1). doi: 10.1088/1755-1315/102/1/012074.

Cortez, R. *et al.* (2017) 'Natural Pigments: Stabilization Methods of Anthocyanins for Food Applications', *Comprehensive Reviews in Food Science and Food Safety*, 16(1), pp. 180–198. doi: 10.1111/1541-4337.12244.

Dabas, D. *et al.* (2011) 'A Colored Avocado Seed Extract as a Potential Natural Colorant', *Journal of Food Science*. vol 76(9), pp c1335-c1341 doi: 10.1111/j.1750-

3841.2011.02415.x.

Dabas, D. (2012) *A Colored Avocado Seed Extract with Antioxidant, Anti-carcinogenic and Anti-inflammatory Effects*. Pennsylvania State University, Dissertation.

Dabas, D. *et al.* (2013) 'Avocado (*Persea americana*) Seed as a Source of Bioactive Phytochemicals', *Current Pharmaceutical Design*, 19(34), pp. 6133–6140. doi: 10.2174/1381612811319340007.

Deng, M. *et al.* (2018) 'Effect of Storage Conditions on Phenolic Profiles and Antioxidant Activity of Litchi Pericarp', *Molecules*, 23(9), p. 2276. doi: 10.3390/molecules23092276.

Dewanto, V. *et al.* (2002) 'Thermal processing enhances the nutritional value of tomatoes by increasing total antioxidant activity', *Journal of Agricultural and Food Chemistry*. 50(10), pp 3010-3014 doi: 10.1021/jf0115589.

Fauziah, N. A. and Saleh, C. (2016) 'Ekstraksi dan Uji Stabilitas Zat Warna dari Kulit Buah Alpukat (*Persea americana* Mill) dengan Metode Spektroskopi UV-VIS', *Jurnal Atomik*, 01(1), pp. 23–27.

Folasade, O.A., Olaide, R.A., Olufemi, T. A. (2016) 'Antioxidant properties of *Persea Americana* M. seed as affected by different extraction solvent', *Journal of Advances in Food Science & Technology*, 3(2), pp. 101–106. doi: 10.13140/RG.2.1.1714.2165.

Gendreau, E. and Corbineau, F. (2009) 'Physiological aspects of seed dormancy in woody ornamental plants', *Propagation of Ornamental Plants*. 9(3), pp 151-158

Githinji, P. *et al.* (2002) 'Quantitative analysis of total phenolic content in avocado (*Persia Americana*) seeds in eastern province of kenya', pp. 1073–1078.

Gogtay, N. J. and Thatte, U. M. (2017) 'Principles of correlation analysis', *Journal of Association of Physicians of India*. vol 65, pp 78-81

Gómez, F. S. *et al.* (2014) 'Avocado Seeds: Extraction Optimization and Possible Use as Antioxidant in Food', *Emergencias*, 25(3), pp. 439–454. doi: 10.3390/antiox3020439.

Graham, N. (2004) 'The influence of pH on the degradation of phenol and

- chlorophenols by potassium ferrate', 56, pp. 949–956. doi: 10.1016/j.chemosphere.2004.04.060.
- Halimah, A. D. N., Istiqomah and Rohmah, S. S. (2014) 'Pengolahan Limbah Biji Alpukat Untuk Pembuatan Dodol Pati Sebagai Alternatif Pengobatan Ginjal', *Jurnal Ilmiah Mahasiswa*, 4(1), pp. 32–37.
- Harivaindaran, K. V., Rebecca, O. P. S. and Chandran, S. (2008) 'Study of optimal temperature, pH and stability of dragon fruit (*Hylocereus polyrhizus*) peel for use as potential natural colorant', *Pakistan Journal of Biological Sciences*. 11(18), pp 2259-2253 doi: 10.3923/pjbs.2008.2259.2263.
- Hatzakis, E. *et al.* (2019) 'Perseorangin: A Natural Pigment from Avocado (*Persea americana*) Seed', *Food Chemistry*. Elsevier Ltd. Accepted Manuscript, PII: S0308-8146(19)-30703-7 doi: 10.1016/j.foodchem.2019.04.064.
- Henry, B. S. (1996) 'Natural Food Colors: Natural Food Colorant'. In: Hendry G.A.F., Houghton J.D. (eds) *Natural Food Colorants*. Springer, Boston, MA
- Henry, L. N., Mtaita, U. Y. and Kimaro, C. C. (2015) 'Nutritional efficacy of avocado seeds', 3(5), pp. 192–196.
- Hsu, M. (2010) 'The Agricultural Survey and Postharvest Handling Research of Avocado In Taiwan Introduction of Taiwan 's Agriculture and Postharvest Handling of Fruits and Vegetables', 2009(December 2010), pp. 103–113.
- Jespersen, L. *et al.* (2005) 'Heat and light stability of three natural blue colorants for use in confectionery and beverages', *European Food Research and Technology*. 220(304), pp 261-266 doi: 10.1007/s00217-004-1062-7.
- Kedare, S. B. and Singh, R. P. (2011) 'Genesis and development of DPPH method of antioxidant assay', *Journal of Food Science and Technology*, 48(4), pp. 412–422. doi: 10.1007/s13197-011-0251-1.
- Knill, C. J. and Kennedy, J. F. (2017) 'Degradation of cellulose under alkaline conditions', Elsevier 51(3) pp281-300. doi: 10.1016/S0144-8617(02)00183-2.
- Kusumawati, A. (2018) 'EKSTRAKSI ZAT PEWARNA TEKSTIL ALAMI DARI KULIT BUAH ALPUKAT (*PERCEA AMERICANA* MILL)' Thesis report,

Universitas Muhammadiyah Surakarta.

Martins, N. *et al.* (2016) 'Food colorants: challenges, opportunities and current desires of agro-industries to ensure consumer expectations and regulatory practices', Elsevier, vol 52 pp. 1–72.

Michalczyk, M. and MacUra, R. (2010) 'Effect of processing and storage on the antioxidant activity of frozen and pasteurized shadblow serviceberry (*Amelanchier canadensis*)', *International Journal of Food Properties*, 13(6), pp. 1225–1233. doi: 10.1080/10942910903013407.

Min, D. B. and Boff, J. M. (2002) 'Chemistry and Reaction of Singlet Oxygen in Foods', *Comprehensive Review in Food Science and Food Safety*, vol 1 pp 58-72.

Mintel Group (2017) *13 PRODUCTS YOU DIDN'T KNOW YOU COULD MAKE WITH AN AVOCADO*. Available at: <http://www.mintel.com/blog/food-market-news/13-products-you-didnt-know-you-could-make-with-an-avocado>.

Patras, A. *et al.* (2010) 'Effect of thermal processing on anthocyanin stability in foods; mechanisms and kinetics of degradation', *Trends in Food Science and Technology*, vol 21(1) pp. 3-11 doi: 10.1016/j.tifs.2009.07.004.

Ravichandran, K. *et al.* (2013) 'Impact of processing of red beet on betalain content and antioxidant activity', *Food Research International*, 50(2) pp. 670-675 doi: 10.1016/j.foodres.2011.07.002.

Réblová, Z. (2012) 'Effect of Temperature on the Antioxidant Activity of Phenolic Acids', *Czech Journal of Food Science* 30(2), pp. 171–177.

Sanchez, C. L. D. T. *et al.* (2015) 'Storage effect on phenols and on the antioxidant activity of extracts from *Anemopsis californica* and inhibition of elastase enzyme', *Journal of Chemistry*, 2015. doi: 10.1155/2015/602136.

Shan, J., Qian, J. and Gao, M. (2004) 'Kinetics and Mechanism of Oxidation of n – Propanolamine by Dihydroxydiperiodatonicelate (IV) in Alkaline', *Turkey Journal of Science* 28, pp. 9–15.

Soong, Y. Y. and Barlow, P. J. (2004) 'Antioxidant activity and phenolic content of selected fruit seeds', *Food Chemistry*, 88(3), pp. 411–417. doi:

- 10.1016/j.foodchem.2004.02.003.
- Statista (2017a) *Avocado Production Worldwide from 2000 to 2016 (in million metric tons)*. Available at: <https://www.statista.com/statistics/577455/world-avocado-production/>.
- Statista (2017b) *Global avocado production in 2017, by country (in 1,000 tons)*. Available at: <https://www.statista.com/statistics/593211/global-avocado-production-by-country/>.
- Suhendra, A. T., Awaloei, H. and Wuisan, J. (2016) 'Uji efek ekstrak biji alpukat (*Persea americana* Mill.) terhadap kadar kolesterol total pada tikus wistar (*Rattus norvegicus*)', *Jurnal e-Biomedik*, 4(1), pp. 0–6.
- Sulieman, A. (2017) 'DARKENING OF BRINED OLIVES BY RAPID ALKALINE ALKALINE OXIDATION', *Journal of Food Processing and Preservation*, 32 pp 586-599.
- Tabart, J. *et al.* (2007) 'Optimisation of extraction of phenolics and antioxidants from black currant leaves and buds and of stability during storage', *Food Chemistry*. 105(3) pp 1268-1275 doi: 10.1016/j.foodchem.2007.03.005.
- Tornberg, E. (2017) 'Different parameters affecting lipid oxidation in meatballs'. Master thesis, Lund University
- Tremocoldi, M. A. *et al.* (2018) 'Exploration of avocado by-products as natural sources of bioactive compounds', *PLoS ONE*, 13(2), pp. 1–12. doi: 10.1371/journal.pone.0192577.
- Uchenna, U. E., Shori, A. B. and Baba, A. S. (2017) 'Inclusion of avocado (*Persea americana*) seeds in the diet to improve carbohydrate and lipid metabolism in rats', *Revista Argentina de Endocrinología y Metabolismo*. Sociedad Argentina de Endocrinología y Metabolismo, 54(3), pp. 140–148. doi: 10.1016/j.raem.2017.07.005.
- Yachya, A. and Sulistyowati (2015) 'AKTIVITAS ANTI BAKTERI BIJI DAN KULIT BUAH ALPUKAT (*Persea Americana* Mill.) TERHADAP *Aerobacter aerogenes* DAN *Proteus mirabilis*'. *Jurnal Teknik UNIPA* 13(2), pp. 30–37.

Yudiandani, A., Raswen, E. and Ahmad, I., 2016. Pemanfaatan Biji Alpukat (Persea Americana Mill.) Untuk Pembuatan Edible Film. *Jurnal FAPERTA*, 3(2), pp.1-10.

Zohra, R., Redha, O. M. and Eddineb, L. S. (2016) 'Evaluation of Phenolic Content and Antioxidant Capacity of leaf extract from Phoenix Dactylifera L obtained by different pH of aqueous extraction', *Journal of Pharmacy Research*, 10(1), pp. 1–7. Available at: http://jprsolutions.info/article_detail.php?article_id=1146.

