

REFERENCES

- Abdali, D., Samson, S. E. and Kumar, A. (2015) 'How Effective Are Antioxidant Supplements in Obesity and Diabetes?', pp. 201–215. doi: 10.1159/000375305.
- Altemimi, A. *et al.* (2017) 'Phytochemicals: Extraction, Isolation, and Identification of Bioactive Compounds from Plant Extracts', *Plants by MDPI*, 6(42). doi: 10.3390/plants6040042.
- Chabib, L. *et al.* (2018) 'Potential medicinal plants for improve the immune system from Borneo Island and the prospect to be developed as nanomedicine', in *MATEC Web of Conferences*, p. 4006. doi: 10.1051/matecconf/201815404006.
- Chai, T. T. *et al.* (2012) 'Phenolic contents and antioxidant properties of *Stenochlaena palustris*, an edible medicinal fern', *Botanical Studies*, 53(4), pp. 439–446.
- Chear, N. J. Y. *et al.* (2016) 'Cholinesterase inhibitory activity and chemical constituents of *Stenochlaena palustris* fronds at two different stages of maturity', *Journal of Food and Drug Analysis*. Elsevier Ltd, 24(2), pp. 358–366. doi: 10.1016/j.jfda.2015.12.005.
- Dash, G. K., Syahirah, Z. and Mohd, B. (2016) 'Pharmacognostic studies on *Stenochlaena palustris* (Burm. f.) Bedd', 8(7), pp. 132–137.
- Hosseini, B., Saedisomeolia, A. and Allman-farinelli, M. (2016) 'Association Between Antioxidant Intake / Status and Obesity : a Systematic Review of Observational Studies', *Biological Trace Element Research*. Biological Trace Element Research. doi: 10.1007/s12011-016-0785-1.
- Joel, S. *et al.* (2012) 'Antimicrobial and antioxidant activity of kaempferol rhamnoside derivatives from *Bryophyllum pinnatum*', pp. 1–6.
- Jung, E. *et al.* (2016) 'Afzelin positively regulates melanogenesis through the p38

MAPK pathway', *Chemico-Biological Interactions*. Elsevier, 254, pp. 167–172. doi: 10.1016/J.CBI.2016.06.010.

Kemenkes (2018) *Potret Sehat Indonesia dari Riskesdas 2018, Kementerian Kesehatan Republik Indonesia*. Available at:
<http://www.depkes.go.id/article/view/18110200003/potret-sehat-indonesia-dari-riskesdas-2018.html> (Accessed: 20 June 2019).

Kusmardiyani, S., Novita, G. and Fidrianny, I. (2016) 'Antioxidant Activities From Various Extracts of Different Parts of Kelakai (*Stenochlaena Palustris*) Grown in Central Kalimantan - Indonesia', *Asian Journal of Pharmaceutical and Clinical Research*, 9, pp. 215–219. doi: 10.22159/ajpcr.2016.v9s2.13630.

Mizushina, Y. et al. (2006) 'β-Sitosterol-3-O-β-d-glucopyranoside: A eukaryotic DNA polymerase λ inhibitor', *The Journal of Steroid Biochemistry and Molecular Biology*. Pergamon, 99(2–3), pp. 100–107. doi: 10.1016/J.JSBMB.2005.12.007.

Moresby, P. (1998) 'Glycosides from stenochlaena palustris - phytochemistry.pdf', 49(8), pp. 0–5.

Ponnusamy, Y. et al. (2013) 'Antioxidant and antibacterial properties of Malaysian ferns used traditionally against infection', *Journal of Natural Product and Plant Resourse*, 3(6), pp. 14–18.

Rahmawati, D., Rifky, N. A. and Marpaung, A. M. (2017) 'palustris IPSFAB-2017 Extraction and stability analysis of antioxidant activity from *Stenochlaena palustris*', (September). doi: 10.14457/MSU.res.2017.19.

Riaz, A. et al. (2018) 'Astragalin: A Bioactive Phytochemical with Potential Therapeutic Activities', *Advances in Pharmacological Sciences*, 2018. doi: 10.1155/2018/9794625.

Suhartono, E. (2010) 'Stenochlaena palustris aqueous extract reduces hepatic peroxidative stress in *Marmota caligata* with induced fever', *Universa Medicina*, 29(3), pp. 123–128. doi: 10.18051/univmed.2010.v29.123-128.

Wang, J. et al. (2018) 'activities of kaempferol and its corresponding glycosides and the enzymatic preparation of kaempferol', pp. 1–12.

WHO (2018) *Obesity and overweight*, World Health Organization. Available at: <https://www.who.int/news-room/fact-sheets/detail/obesity-and-overweight> (Accessed: 20 June 2019).

Wiel, C. et al. (2019) 'BACH1 Stabilization by Antioxidants Stimulates Lung Cancer Metastasis', *Cell*, 178, pp. 330-345.e22.

Wijaya, E., Widiputri, D. I. and Rahmawati, D. (2017) 'Optimizing the antioxidant activity of Kelakai (*Stenochlaena palustris*) through multiplestage extraction process', in *AIP Conference Proceedings*. doi: 10.1063/1.5011891.

Zuraini, Z. et al. (2010) 'Newsletter Antimicrobial and Antifungal Activities of Local Edible Fern *Stenochlaena Palustris* (Burm . F .) Bedd Newsletter Zuraini et al .', 237(January), pp. 233–237.

SWISS GERMAN UNIVERSITY