
REFERENCES

- [1] G. W. Setiono, "Kinematic Model Analysis and Development of Walking Algorithm for 5 Degree of Freedom Bipedal Robot," Swiss German University, Tangerang, B.Eng. Thesis, 2012.
- [2] A. F. Sutanto, "Design and Implementation of Fuzzy Auto-Balance Control for Bipedal Robot," Swiss German University, Tangerang, B.Eng. Thesis, 2012.
- [3] D. Thomas, "Wiki: ROS/Introduction," Open Source Robotics Foundation, 22 May 2014. [Online]. Available: <http://wiki.ros.org/ROS/Introduction>. [Accessed 14 January 2017].
- [4] ROBOTIS, "ROBOTIS - Bioloid Premium Robot Kit," Robotis, 2017. [Online]. Available: http://en.robotis.com/index/product.php?cate_code=121010. [Accessed 28 May 2017].
- [5] Intel®, "Introducing the Intel® RealSense™ R200 Camera (world facing)," [Online]. Available: <https://software.intel.com/en-us/articles/realsense-r200-camera>.
- [6] Intel®, "Intel® RealSense™ Data Ranges," [Online]. Available: <https://software.intel.com/en-us/articles/intel-realsense-data-ranges>.
- [7] Y. Ogura, H. Aikawa, K. Shimomura and A. Morishima, "Development of a new humanoid robot WABIAN-2," in *IEEE International Conference on Robotics and Automation*, Orlando, FL, 2006.
- [8] K. Hirai, M. Hirose, Y. Haikawa and T. Takenaka, "The Development of Honda Humanoid Robot," in *International Conference on robotics and Automation*, 1998.
- [9] K. Kaneko, K. Harada, F. Kanehiro, G. Miyamori and K. Akachi, "Humanoid Robot HRP-3," in *International Conference on Intelligent Robots and Systems*, 2008.
- [10] I. W. Park, J. Y. Kim, J. Lee and J. H. Oh, "Mechanical Design of Humanoid Robot Platform KHR-3 (KAIST Humanoid Robot - 3:HUBO)," in *International Conference on Humanoid Robots*, 2005.
- [11] I. Ha, Y. Tamura and H. Asama, "Development of Open Humanoid Platform DARwIn-OP," in *International Conference on Instrumentation, Control, Information Technology and System Integration*, 2011.
- [12] D. Goualilier, V. Hugel, P. Blazevic, C. Kilner and J. Monceaux, "Mechatronics Design of NAO Humanoid," in *International Conference on Robotics and Automation*, 2009.
- [13] D. Xydas, "Cognitive Dissonance - Bioloid Project," 19 March 2015. [Online]. Available: <https://dxydas.com/category/robotics/bioloid-project/>. [Accessed 9 January 2017].
- [14] A. M. R., "Wiki: ROS/Concepts," Open Source Robotics Foundation, 21 June 2014. [Online]. Available: <http://wiki.ros.org/ROS/Concepts>. [Accessed 14 January 2017].
- [15] N. Koenig and D. A. Howard, "Gazebo," Open Source Robotics Foundation, 2012. [Online]. Available: <http://gazebosim.org/>. [Accessed 10 January 2017].
- [16] I. A. Sucas and S. Chitta, "MoveIt!," [Online]. Available: <http://moveit.ros.org>.
- [17] D. T. Coleman, "RVIZ," Open Source Robotics Foundation, [Online]. Available: <http://wiki.ros.org/rviz>.

- [18] E. Nicholls, "Bipedal Dynamic Walking in Robotics," The University of Western Australia, Nedlands WA, 1998.
- [19] S. Song, "Development of an Omni-directional Gait Generator and a Stabilization Feedback Controller for Humanoid Robots," Virginia Polytechnic Institute and State University, Virginia, M.Sc. Thesis 2010.
- [20] A. J. Ijspeert, "Central Pattern Generators for Locomotion Control in Animals and Robots: A Review," *Elsevier*, no. Neural Networks 21, pp. 642-653, 2008.
- [21] I. Ha, Y. Tamura and H. Asama, "Gait Pattern Generation and Stabilization for Humanoid Robot Based on Coupled Oscillators," in *IEEE/RSJ International Conference on Intelligent Robots and Systems*, San Francisco, USA, 2011.
- [22] S. Modi, "Comparison of Three Obstacle Avoidance Methods for an Autonomous Guided Vehicle," University of Cincinnati, Cincinnati, M.Sc. Thesis, 2002.
- [23] M. Antunes, J. Barreto, C. Premebida and U. Nunes, "Can Stereo Vision Replace a Laser Rangefinder," 2012.
- [24] C. Cadena, L. Carlone, H. Carrillo, Y. Latif, D. Scaramuzza, J. Neira, I. Reid and J. Leonard, "Past, Present, and Future of Simultaneous Localization and Mapping: Towards the Robust-Perception Age," *IEEE Transactions on Robotics*, vol. 32, no. 6, pp. 1309-1332, 2016.
- [25] K. Marcellino, "Designing, Developing, and Analyzing of Maneuver Walking Gait of Bipedal Robot," Swiss German University, Tangerang, B.Eng. Thesis, 2013.
- [26] S. Citra, "Development of Linear and Curve Trajectory Path Planning for Bipedal Robot Using a Camera Vision," Swiss German University, Tangerang, B.Eng. Thesis, 2013.
- [27] E. Elson, "Swarm Behavior: Modeling and Simulation of Bipedal Robots Using V-REP Simulator," Swiss German University, Tangerang, B.Eng. Thesis, 2015.
- [28] A. Satiamulyana, "Swarm Behavior: Study, Design, and Development of Communication Protocol for Bipedal Robot," Swiss German University, Tangerang, B.Eng. Thesis, 2015.
- [29] Robotis, "Dynamixel AX-12A," Robotis, [Online]. Available: http://support.robotis.com/en/product/actuator/dynamixel/ax_series/dxl_ax_actuator.htm.
- [30] Ultimaker, "Ultimaker 2+," Ultimaker, [Online]. Available: <https://ultimaker.com/en/products/ultimaker-2-plus>.
- [31] S. Cahoon, "MatterHackers - A GUIDE TO UNDERSTANDING THE TOLERANCES OF YOUR 3D PRINTER," 30 June 2017. [Online]. Available: <https://www.matterhackers.com/articles/a-guide-to-understanding-the-tolerances-of-your-3d-printer>.
- [32] Hardkernel, "Hardkernel - Odroid XU4," Hardkernel, [Online]. Available: http://www.hardkernel.com/main/products/prdt_info.php.
- [33] ROBOTIS, "ROBOTIS - USB2Dynamixel," ROBOTIS, [Online]. Available: http://support.robotis.com/en/product/auxdevice/interface/usb2dxl_manual.htm.
- [34] Microsoft, "XBOX Kinect - Specification," Microsoft, [Online]. Available: <https://msdn.microsoft.com/en-us/library/jj131033.aspx>.
- [35] D. Setiono, "Development of Humanoid Robot Simulation Using Gazebo Simulator," Swiss German University, Tangerang, B.Eng. Thesis, 2017.

-
- [36] H. Poleselo, "Wiki: dynamixel_controllers/Tutorials," 5 June 2017. [Online]. Available: http://wiki.ros.org/dynamixel_controllers/Tutorials.
- [37] B. Pierce, "Github - Brennan," [Online]. Available: <https://github.com/brennand>.
- [38] D. P. Capdepuy, "Generation Robots - Carry out simulations and make your DARwin-OP walk with Gazebo and ROS," [Online]. Available: <https://www.generationrobots.com/en/content/83-carry-out-simulations-and-make-your-darwin-op-walk-with-gazebo-and-ros>.
- [39] M. R., "Github - bioloid_typea_description," [Online]. Available: https://github.com/MathieuR/bioloid_typea_description.
- [40] A. G. Chrisanto, "Optimizing Delta Arm Robot By Implementing Robot Operating System - Industrial (ROS-I) And Vision-System," Swiss German University, Tangerang, B.Eng. Thesis, 2017.
- [41] mdhorn, "Wiki: realsense_camera," Open Source Robotics Foundation, March 2017. [Online]. Available: http://wiki.ros.org/realsense_camera.
- [42] K. Franke, "Wiki: depthimage_to_laserscan," Open Source Robotics Foundation, March 2013. [Online]. Available: http://wiki.ros.org/depthimage_to_laserscan.



SWISS GERMAN UNIVERSITY