

REFERENCES

- Agung, M. (2014). *Evaluation of Antioxidant and Antimicrobial Activities of Tropical Fruit Peel Extracts and Their Application as Preservative in Mayonnaise* (Bachelor). Swiss German University.
- Alam, M., Bristi, N., & Rafiquzzaman, M. (2013). Review on in vivo and in vitro methods evaluation of antioxidant activity. *Saudi Pharmaceutical Journal*, 21(2), 143-152. <http://dx.doi.org/10.1016/j.jsps.2012.05.002>
- Bajpai, V., Rahman, A., Dung, N., Huh, M. and Kang, S. (2008). In vitroInhibition of Food Spoilage and Foodborne Pathogenic Bacteria by Essential Oil and Leaf Extracts ofMagnolia liliifloraDesr. *Journal of Food Science*, 73(6), pp.M314-M320.
- Ballows, A. (1974). *Current techniques for antibiotic susceptibility testing* (1st ed.). Springfield, Illinois: Charles C. Thomas.
- Balouiri, M., Sadiki, M., & Ibnsouda, S. (2017). Methods for in vitro evaluating antimicrobial activity: A review. Retrieved 10 June 2017.
- Berry, R., Yang, F., Shokhireva, T., Amoia, A., Garrett, S., Goren, A., Korte, S., Zhang, H., Weichsel, A., Montfort, W. and Walker, F. (2015). Dimerization of Nitrophorin 4 at Low pH and Comparison to the K1A Mutant of Nitrophorin 1. *Biochemistry*, 54(2), pp.208-220.
- Bharti, S. and Roy, R. (2012). Quantitative ^1H NMR spectroscopy. *TrAC Trends in Analytical Chemistry*, 35, pp.5-26.
- Bonev, B., Hooper, J. and Parisot, J. (2008). Principles of assessing bacterial susceptibility to antibiotics using the agar diffusion method. *Journal of Antimicrobial Chemotherapy*, 61(6), pp.1295-1301.

Brown, S. and Hatzikonstantinou, H. (1979). The dimerization of ferrihaems. *Biochimica et Biophysica Acta (BBA) - General Subjects*, 585(1), pp.143-153.

Brown, W. & Poon, T. (2011). *Introduction to organic chemistry* (1st ed.). Hoboken, NJ: Wiley.

Cairns, D. (2012). *Essentials of pharmaceutical chemistry*. 1st ed. London: Pharmaceutical Press.

Chakraborty, S., Mahapatra, S. and Roy, S. (2011). Biochemical characters and antibiotic susceptibility of *Staphylococcus aureus* isolates. *Asian Pacific Journal of Tropical Biomedicine*, 1(3), pp.212-216.

Chandra, L. (2016). *KINETICS OF ENZYMATIC REACTION OF GALLIC ACID MODIFICATION*. Bachelor. Swiss German University.

Engelkirk, P. & Duben-Engelkirk, J. (2008). *Laboratory diagnosis of infectious diseases* (1st ed.). Baltimore: Wolters Kluwer Health/Lippincott Williams & Wilkins.

Faustina, F. (2013). *MAJOR COMPONENTS IN MATOA FRUIT PEEL AND THE ANTIOXIDANT AND ANTIMICROBIAL ACTIVITY OF ITS EXTRACT* (Bachelor). Swiss German University.

Ginting, M. (2012). *VALIDASI METODE LC-MS/MS UNTUK PENENTUAN SENYAWA ASAM TRANS*. Bachelor. Universitas Indonesia.

Gocan, S. (2002). Stationary Phases for Thin-Layer Chromatography. *Journal Of Chromatographic Science*, 40(10), 538-549.
<http://dx.doi.org/10.1093/chromsci/40.10.538>

Goldstein, E. (1992). The importance of susceptibility testing of anaerobes: A clinician's perspective. *Antimicrobial Newsletter*, 8(7), pp.49-52.

Harris, D., & Lucy, C. (2016). Quantitative chemical analysis (1st ed.). New York: W.H. Freeman.

Inc, B. (2017). *Intro to Chromatography / Applications & Technologies / Bio-Rad*. [online] Bio-rad.com. Available at: <http://www.bio-rad.com/en-id/applications-technologies/introduction-chromatography> [Accessed 16 Jun. 2017].

James, T. (1998). Fundamentals of NMR. *Department of Pharmaceutical Chemistry*. [online] Available at:

http://qudev.ethz.ch/content/courses/phys4/studentspresentations/nmr/James_Fundamentals_of_NMR.pdf [Accessed 16 Jun. 2017].

Ji, H. and Zhang, H. (2005). A CCSD estimation of the O–H bond dissociation enthalpies of pyrogallol. *New J. Chem.*, 29(4), pp.535-537.

Jorgensen, J. & Ferraro, M. (2009). Antimicrobial Susceptibility Testing: A Review of General Principles and Contemporary Practices. *Clinical Infectious Diseases*, 49(11), 1749-1755. <http://dx.doi.org/10.1086/647952>

Kadoma, Y., Murakami, Y., Ogiwara, T., Machino, M., Yokoe, I., & Fujisawa, S. (2010). Radical-Scavenging Activity and Cytotoxicity of p-Methoxyphenol and p-Cresol Dimers. *Molecules*, 15(3), 1103-1112. <http://dx.doi.org/10.3390/molecules15031103>

Kaper, J., Nataro, J., & Mobley, H. (2004). Pathogenic Escherichia coli. *Nature Reviews Microbiology*, 2(2), 123-140. <http://dx.doi.org/10.1038/nrmicro818>

Karioti, A., Sokovic, M., Ceric, A., Koukoulitsa, C., Bilia, A., & Skaltsa, H. (2011). Antimicrobial Properties of Quercus ilex L. Proanthocyanidin Dimers and Simple Phenolics: Evaluation of Their Synergistic Activity with Conventional Antimicrobials and Prediction of Their Pharmacokinetic Profile. *Journal Of Agricultural And Food Chemistry*, 59(12), 6412-6422. <http://dx.doi.org/10.1021/jf2011535>

Kedare, S., & Singh, R. (2011). Genesis and development of DPPH method of antioxidant assay. *Journal Of Food Science And Technology*, 48(4), 412-422. <http://dx.doi.org/10.1007/s13197-011-0251-1>

Keweloh, H., Weyrauch, G. and Rehm, H. (1990). Phenol-induced membrane changes in free and immobilized Escherichia coli. *Applied Microbiology and Biotechnology*, 33(1).

Koch, J. and Shivelor, G. (2015). *Design Principles for Liquid-Liquid Extraction / AICHE*. [online] Aiche.org. Available at:

<https://www.aiche.org/resources/publications/cep/2015/november/design-principles-liquid-liquid-extraction> [Accessed 15 Jun. 2017].

Lambert, P. (2002). Cellular impermeability and uptake of biocides and antibiotics in Gram-positive bacteria and mycobacteria. *Journal of Applied Microbiology*, 92(s1), pp.46S-54S.

Lewis, M. (2012). Natural Product Screening: Anti-oxidant Screen for Extracts. Colombia: University of British Columbia.

Lie, M. (2014). *Dimerization of 2-Allyphenol Using Peroxidase Enzyme as a Catalyst* (Bachelor). Swiss German University.

Marin, G., & Yablonsky, G. (2012). Kinetics of chemical reactions (1st ed.). Weinheim: Wiley-VCH.

Masuda, S., Hasegawa, K., Ishii, A., & Ono, T. (2004). Light-Induced Structural Changes in a Putative Blue-Light Receptor with a Novel FAD Binding Fold Sensor of Blue-Light Using FAD (BLUF); Slr1694 of Synechocystis sp. PCC6803†. *Biochemistry*, 43(18), 5304-5313. <http://dx.doi.org/10.1021/bi049836v>

Moon, J., & Shibamoto, T. (2009). Antioxidant Assays for Plant and Food Components. *Journal Of Agricultural And Food Chemistry*, 57(5), 1655-1666. <http://dx.doi.org/10.1021/jf803537k>

Nazzaro, F., Fratianni, F., De Martino, L., Coppola, R. and De Feo, V. (2013). Effect of Essential Oils on Pathogenic Bacteria. *Pharmaceuticals*, 6(12), pp.1451-1474.

Rackham, D. (1970). Quantitative analysis in pharmacy and pharmaceutical chemistry by nuclear magnetic resonance spectroscopy. *Talanta*, 17(10), pp.895-906.

Reichardt, C. (2011). Solvents and solvent effects in organic chemistry (1st ed.). New York: Wiley.

Renger, B., Végh, Z. and Ferenczi-Fodor, K. (2011). Validation of thin layer and high performance thin layer chromatographic methods. *Journal of Chromatography A*, 1218(19), pp.2712-2721.

RICHARDSON, J. (1998). The Staphylococci in Human Disease. Eds. K. B. Crossley and G. L. Archer. Churchill Livingstone 1997. Pp. 682. £90.00. ISBN 0 4430 7644 8. *Epidemiology And Infection*, 120(1), 111-114. <http://dx.doi.org/10.1017/s0950268897248387>

Rodríguez-Pérez, C., Quirantes-Piné, R., Uberos, J., Jiménez-Sánchez, C., Peña, A., & Segura-Carretero, A. (2016). Antibacterial activity of isolated phenolic compounds from cranberry (*Vaccinium macrocarpon*) against *Escherichia coli*. *Food Funct.*, 7(3), 1564-1573. <http://dx.doi.org/10.1039/c5fo01441g>

Ryan, K. & Sherris, J. (1976). Antimicrobial susceptibility testing. *Human Pathology*, 7(3), 277-286. [http://dx.doi.org/10.1016/s0046-8177\(76\)80038-x](http://dx.doi.org/10.1016/s0046-8177(76)80038-x)

Shaban, S., Aiad, I., El-Sukkary, M., Soliman, E. and El-Awady, M. (2015). Surface and biological activity of N-(((dimethoxybenzylidene)amino)propyl)-N,N-

dimethylalkyl-1-ammonium derivatives as cationic surfactants. *Journal of Molecular Liquids*, 207, pp.256-265.

Silhavy, T., Kahne, D. and Walker, S. (2010). The Bacterial Cell Envelope. *Cold Spring Harbor Perspectives in Biology*, 2(5), pp.a000414-a000414.

Singh, G., & Kumar, P. (2013). Extraction, gas chromatography-mass spectrometry analysis and screening of fruits of Terminalia chebula Retz. for its antimicrobial potential. *Pharmacognosy Research*, 5(3), 162. <http://dx.doi.org/10.4103/0974-8490.112421>

Sun, H., Li, G., Nie, X., Shi, H., Wong, P., Zhao, H. and An, T. (2014). Systematic Approach to In-Depth Understanding of Photoelectrocatalytic Bacterial Inactivation Mechanisms by Tracking the Decomposed Building Blocks. *Environmental Science & Technology*, 48(16), pp.9412-9419.

Takaya, Y., Terashima, K., Ito, J., He, Y., Tateoka, M., Yamaguchi, N. and Niwa, M. (2005). Biomimic transformation of resveratrol. *Tetrahedron*, 61(43), pp.10285-10290.

Thornberry, C., Swenson, J., Baker, C., McDougal, L., Stocker, S. and Hill, B. (1987). Susceptibility testing of fastidious and unusual pathogens. *Antimicrobial Newsletter*, 4(6), pp.47-55.

Tiwari, B., Valdramidis, V., O' Donnell, C., Muthukumarappan, K., Bourke, P. and Cullen, P. (2009). Application of Natural Antimicrobials for Food Preservation. *Journal of Agricultural and Food Chemistry*, 57(14), pp.5987-6000.

Troy, D. (2006). Remington (1st ed.). Philadelphia, Pa.: Lippincott Williams & Wilkins.

Ullmann's Encyclopedia of Industrial Chemistry. (2000).
<http://dx.doi.org/10.1002/14356007>

Ultee, A., Bennik, M. and Moezelaar, R. (2002). The Phenolic Hydroxyl Group of Carvacrol Is Essential for Action against the Food-Borne Pathogen *Bacillus cereus*. *Applied and Environmental Microbiology*, 68(4), pp.1561-1568.

van Dongen, W. and Niessen, W. (2012). LC-MS systems for quantitative bioanalysis. *Bioanalysis*, 4(19), pp.2391-2399.

Vogeser, M. and Parhofer, K. (2007). Liquid Chromatography Tandem-mass Spectrometry (LC-MS/MS) - Technique and Applications in Endocrinology. *Experimental and Clinical Endocrinology & Diabetes*, 115(09), pp.559-570.

Wandira, I. (2016). OPTIMIZATION OF SQUALENE YIELD FROM PALM FATTY ACID DISTILLATE (Bachelor). Swiss German University.

Welch, R. (2005). The *Escherichia coli* Hemolysin. *Ecosal Plus*, 1(2).
<http://dx.doi.org/10.1128/ecosalplus.8.7.2>

Xia, E., Deng, G., Guo, Y., & Li, H. (2010). Biological Activities of Polyphenols from Grapes. *International Journal Of Molecular Sciences*, 11(2), 622-646.
<http://dx.doi.org/10.3390/ijms11020622>

Xie, J., Wen, J., Wang, X., Zhang, J., Zhang, J., Kang, Y., Hui, Y., Zheng, W. and Yao, C. (2015). Potassium Hexacyanoferrate (III)-Catalyzed Dimerization of Hydroxystilbene: Biomimetic Synthesis of Indane Stilbene Dimers. *Molecules*, 20(12), pp.22662-22673.

Yang, G., Liu, Y., Liu, H., Yang, C., & Bai, L. (2010). Preparation of a Novel Emulsion-Templated MIP Monolith and its Application for on Line Assay of

Nifedipine in Human Plasma. *Journal Of Chromatography & Separation Techniques*, 01(02). <http://dx.doi.org/10.4172/2157-7064.1000103>

Zhu, N., Wang, M., Wei, G., Lin, J., Yang, C., & Ho, C. (2001). Identification of reaction products of (-)-epigallocatechin, (-)-epigallocatechin gallate and pyrogallol with 2,2-diphenyl-1-picrylhydrazyl radical. *Food Chemistry*, 73(3), 345-349. [http://dx.doi.org/10.1016/s0308-8146\(00\)00308-3](http://dx.doi.org/10.1016/s0308-8146(00)00308-3)

