

## REFERENCES

Bestech. (2016). *IR Online Thermometers*. [online] Available at: <http://www.bestech.com.au/ir-online-thermometers/> [Accessed 7 Dec. 2016].

Bluescope.com. (2016). *Antibacterial Steel*. [online] Available at: <https://www.bluescope.com/> [Accessed 8 Dec. 2016].

Cakic, S. (2007). *Effects of the Acrylic Polyol Structure and the Selectivity of the Employed Catalyst on the Performance of Two-Components Aqueous Polyurethane Coating*. *Sensors*. 2(7), pp308-318.

Fibermaxcomposites.com. (n.d.). *Fibermax Composites - Types of core materials*. [online] Available at: [https://www.fibermaxcomposites.com/shop/index\\_files/typesofcore.html](https://www.fibermaxcomposites.com/shop/index_files/typesofcore.html) [Accessed 27 Nov. 2016].

FLIR. (2017). *FLIR TG54 Spot IR Thermometer*. [online] Available at: <http://www.flir.com/instruments/tg54/> [Accessed 15 Jun. 2016].

Flycarpet.net. (2017). *Free Online Interactive Psychrometric Chart*. [online] Available at: <http://flycarpet.net/en/PsyOnline> [Accessed 16 Jun. 2017].

Husemoen, T., Klamer, M. and Morsing, E. (2004). Fungal Growth on Different Insulation Material Exposed to Different Moisture Regimes. *International Bio deterioration & Biodegradation.*, 54(2), pp277-282.

Indonesian Palm Oil Producers Association (Gapki), 2016.

Metecno (Thailand) Ltd, *Clean Room Panel*, 2016

Mullard Space Science Laboratory (2004). *Cleanroom Standards*. [online] Available at: [https://www.mssl.ucl.ac.uk/www\\_cleanroom/cleanroom/cr\\_standards.html](https://www.mssl.ucl.ac.uk/www_cleanroom/cleanroom/cr_standards.html) [Accessed 15 Jun. 2017].

Pike, R. (n.d.). *adhesive*. [online] Encyclopædia Britannica. Available at: <https://www.britannica.com/technology/adhesive> [Accessed 15 Jun. 2017].

PVC. *Heat Distortion Temperature (Softening Temperature)*. [online] Available at: <http://www.pvc.org/en/p/heat-distortion-temperature-softening-temperature> [Accessed 7 Dec 2016].

Republic of Indonesia Ministry of Agriculture. *Agricultural Statistic Database*, 2016.

RSES (2009). *THE PSYCHROMETRIC CHART AND ITS USE*. [online] Available at: <http://www.rses.org/assets/serviceapplicationmanual/630-16.pdf> [Accessed 15 Jun. 2017].

Sari, I. (2014). *Utilization of Oil Palm Empty Fruit Bunch for Insulated Sandwich Panel Core*. Tangerang: Swiss German University.

Sheil, D. C.–G, 2009. *Center for International Forestry Research*. <http://www.cifor.org> [Accessed 30 Oct. 2016].

Sudiyani, Y., Styarini, D., Triwahyuni, E., Sudiarmanto, Sembiring, K., Aristiawan, Y., Abimanyu, H. and Han, M. (2013). Utilization of Biomass Waste Empty Fruit Bunch Fiber of Palm Oil for Bioethanol Production Using Pilot–Scale Unit. *Energy Procedia*, 32, pp.31-38.

United States Department of Agriculture, 2016. *Indonesia palm oil production by year*. <http://www.indexmundi.com/agriculture/?country=id&commodity=palm-oil> [Accessed 30 Oct. 2016].

Wan Rosli, W. and Law, K. (2011). Oil Palm Fibers as Papermaking Materials: Potentials and Challenges. *Bioresources Journal*, 6(1), pp.901-917.

