

REFERENCES

- Aminov RI: *A brief history of the antibiotic era: lessons learned and challenges for the future*. Front Microbiol. 2010, 1:134. 10.3389/fmicb.2010.00134.
- Audah KA, Amsyir J, Almasyhur F, Hapsari AM, Sutanto H. *Development of extract library from indonesian biodiversity: Exploration of antibacterial activity of mangrove bruguiera cylindrica leaf extracts*. IOP Conf Ser Earth Environ Sci. 2018;130(1). doi:10.1088/1755-1315/130/1/012025.
- Audah KA, (2019). Drug Discovery: A Biodiversity Perpective. In: Siddiquee S., Melvin G., Rahman M. (eds) Nanotechnology: Application in Energy, Drug and Food. Springer, cham.
- Audah KA, Batubara I, Sutanto H. *LAPORAN PENGEMBANGAN EXTRACT LIBRARY DARI TUMBUHAN MANGROVE UNTUK PENEMUAN OBAT-OBATAN*. 2018.
- Baba SA, Malik SA (2015). *Determination of total phenolic and flavonoid content, antimicrobial and antioxidant activity of a root extract of Arisaema jacquemontii Blume*. Journal of Taibah University for Science. 9(4):449-54.
- Balouiri, M., Sadiki, M., & Ibnsouda, S. K. (2016). *Methods for in vitro evaluating antimicrobial activity : A review* \$. Journal of Pharmaceutical Analysis, 6(2), 71–79. <https://doi.org/10.1016/j.jpha.2015.11.005>.
- Banerjee D, Chakrabarti S, Hazra AK, Banerjee S, Ray J, Mukherjee B (2008). *Antioxidant activity and total phenolics of some mangroves in Sundarbans*. Afr. J Biotech. 7(6):805-810.
- Banjarnahor, S. D. S., and Artanti, N. 2015. *Antioxidant properties of flavonoids*. *Medical Journal of Indonesia*. 23(4): 239-244.

Baris O, Gulluce M, Sahin F, Ozer H, Kilic H, Ozkan H, Sokmen M, Ozbek T (2006). *Biological activities of the essential oil and methanol extract of Achillea biebersteinii Afan.* (Asteraceae). Turk. J. Biol. 30:65-73.

Batubara, R., Amsyir, J., Himawan, S., Batubara, I., and Audah, K. A. 2018. *Anticancer Screening of Mangrove Extract Library: Accelerating Drug Discovery from Indonesian Biodiversity.* Proceedings of the International Conference on Innovation, Entrepreneurship and Technology ICONIET 2018:1-6.

Bhagwat, S., Haytowitz, D., Wasswa-Kintu, S. and Holden, J. (2013). *USDA Develops a Database for Flavonoids to Assess Dietary Intakes.* Procedia Food Science, 2, pp.81-86.

Clarkson, C., Maharaj, V. J., Crouch, N. R., Grace, O. M., Pillay, P., Matsabisa, M. G., Bhagwandin, N., Smith, P. J., and Folb, P. I. 2004. *In vitro antiplasmodial activity of medicinal plants native to or naturalized in South Africa.* Journal of Ethnopharmacology 92(2-3): 177–191.

College of Veterinary Medicine, Iowa State University. *Methicillin Resistant Staphylococcus aureus.* 2016:1-27.

Cowan, M. (1999). *Plant Products as Antimicrobial Agents.* Clinical Microbiology Reviews, 12(4), pp.564-582.

Dahesihdewi A, Dwiprahasto I, Wimbarti S, Mulyono B. *Reducing Methicillin-Resistant Staphylococcus Aureus (MRSA) cross-infection through hand hygiene improvement in Indonesian intensive tertiary care hospital.* 2018;7(1):227-233. doi:10.15562/bmj.v7i1.782.

Das, G., Gouda, S., Mohanta, Y. K., and Patra, J. K. 2015. *Mangrove plants: A potential source for antincancer drugs.* Indian Journal of Geo-Marine Sciences 44(5): 666–672.

Dhayanithi N, Kumar T, Murthy R, Kathiresan K (2012). *Isolation of antibacterials from the mangrove, Avicennia marina and their activity against multi drug resistant Staphylococcus aureus*. Asian Pac. J. Trop. Biomed. 2(3):1892-1895.

Do QD, Angkawijaya AE, Tran-Nguyen PL, Huynh LH, Soetaredjo FE, Ismadji S, et al., (2014). *Effect of extraction solvent on total phenol content, total flavonoid content, and antioxidant activity of Limnophila aromatica*. Journal of food and drug analysis. 22(3):296-302.

Ergene A, Guler P, Tan S, Mirici S, Hamzaoglu E, Duran (2006). *Antimicrobial and antifungal activity of Heracleum sphondylium subsp. artivinense*. Afr J Biotechnol. 5(11):1087-1089.

Ermenlieva NM, Todorova TT, Tsankova GS, Tsvetelina K, Georgieva EP. *EFFECTIVENESS OF MRSA DETECTION METHODS IN THE LABORATORY PRACTICE – A*. 2016;22(2):1157-1159.

Fattouch S, Caboni P, Coroneo V, Tuberoso C, Angioni A, Dessi S, Marzouki N, Cabras P (2007). *Antimicrobial Activity of Tunisian Quince (Cydonia oblonga Miller) Pulp and Peel Polyphenolic Extracts*. J. Agric. Food Chem. 55(3):963- 969.

Fu L, Lu W, Zhou X (2016). *Phenolic Compounds and In Vitro Antibacterial and Antioxidant Activities of Three Tropic Fruits: Persimmon, Guava, and Sweetsop*. BioMed research international. 2016:4287461.

Ganora, L. (2009). *Herbal constituents*. Louisville, Colo.: Herbalchem Press.

Geethaa, S., Thavamany, P. J., Chiew, S. P., and Thong, O. M.. 2013. *Interference from ordinarily used solvents in the outcomes of Artemia salina lethality test*. J Adv Pharm Technol Res. 2013 Oct-Dec 4(4): 179–182.

Hamidi, R. M., Jovanova, B., and Panovska, T. K.. 2014. *Toxicological evaluation of the plant products using Brine Shrimp (Artemia salina L.) model*. Macedonian pharmaceutical bulletin 60(1): 9–18.

Hardy KJ, Hawkey PM, Gao F, Oppenheim BA. *Methicillin resistant Staphylococcus aureus in the critically ill.* British Journal of Anesthesia 2004;92 (I):121-30.

Hudzicki, J. (2016). *Kirby-Bauer Disk Diffusion Susceptibility Test Protocol,* (December 2009), 1–23.

Julkipli, Batubara RR, Jogia GE, Batubara I, Audah KA, Nunuk KN. *Introduction of bioprospecting opportunities for Indonesian mangrove species.* IOP Conf Ser Earth Environ Sci. 2018;183(1):10-15. doi:10.1088/1755-1315/183/1/012013.

Kumar S, Pandey AK (2013). *Chemistry and biological activities of flavonoids: an overview.* TheScientificWorldJournal. 2013:162750.

Levy SB, Marshall B: *Antibacterial resistance worldwide: causes, challenges and responses.* Nat Med. 2004, 10:122–129. 10.1038/nm1145.

Lobo, V., Patil, A., Phatak, A. and Chandra, N. (2010). *Free radicals, antioxidants and functional foods: Impact on human health.* Pharmacognosy Reviews, 4(8), pp.118-126.

Manuella. K (2016). *Evaluation of Antioxidant Activity of Mangrove Tree Rhizophora mucronata Leaf Extract.* Department of life Sciences, Swiss German University.

Meyer, B. N., Ferrigni, N. R., Putnam, J. E., Jacobsen, L. B., Nichols, D. E., and McLaughlin, J. L. 1982. *Brine Shrimp, A Convenient General Bioassay for Active Plant Constituents.* Journal of Medicine Plant Research 45: 31–34.

Michalak, A. (2006). *Phenolic Compounds and Their Antioxidant Activity in Plants Growing under Heavy Metal Stress.* Polish Journal of Environmental Studies, 15(4), pp.523-530.

Mierziak J, Kostyn K, Kulma A. (2014). *Flavonoids as Important Molecules of Plant Interactions with the Environment. Molecules.* 19(10):16240-65.

Modern Herbal Medicine. 2013. *Chapter 2: Principles of Herbal Pharmacology. Principles and Practice of Phytotherapy 2nd Edition :*17–82.

Molyneux, P. (2004). *The Use of the Stable Free Radical Diphenylpicryl-hydrazyl (DPPH) for Estimating Antioxidant Activity*. Songklanakarin Journal of Science and Technology, 26(2), pp.211-219.

Moghimpour, E., and Handali, S. 2015. *Saponin: Properties, Methods of Evaluation and Application*. Annual Research & Review in Biology 5(3): 207–220.

Mouafi FE, Abdel-Aziz SM, Bashir AA, Fyriad AA. *Phytochemical analysis and antimicrobial activity of mangrove leaves (Avicenna marina and Rhizophora stylosa) against some pathogens*. World Appl Sci J. 2014;29(4):547-554. doi:10.5829/idosi.wasj.2014.29.04.13901.

Namazi R, Zabihollahi R, Behbahanie M and Rezaei A. (2013). *Inhibitory Activity of Avicennia marina , a Medicinal Plant in Persian Folk Medicine , against HIV and HSV*, 12(April 2012), 435–443.

Neu HC. *The Crisis in Antibiotic Resistance*. Science (80-). 1992;257(5073):1064-1073. doi:10.1126/science.257.5073.1064.

Nilima S. Rajurkar And S. M. Hande. *Estimation of Phytochemical Content and Antioxidant Activity of Some Selected Traditional Indian Medicinal Plants*. Indian J. Pharm. Sci., 2011, 73 (2): 146-151.

Phey, L, 2014. *Gambaran Kuman Methicillin-Resistant Staphylococcus Aureus (MRSA) di Laboratorium Mikrobiologi Departemen Patologi Klinik Rumah Sakit Dr. Cipto Mangunkusumo Periode Januari-Desember 2010.;(3):171-175*

Polidoro BA, Carpenter KE, Collins L, et al. *The loss of species: Mangrove extinction risk and geographic areas of global concern*. PLoS One. 2010;5(4). doi:10.1371/journal.pone.0010095.

Poklar Ulrich, N., Ota, A., Šentjurc, M., Kure, S. and Abram, V. (2010). *Flavonoids and cell membrane fluidity*. Food Chemistry, 121(1), pp.78-84.

Procházková, D., Boušová, I. and Wilhelmová, N. (2011). *Antioxidant and prooxidant properties of flavonoids*. Fitoterapia, 82(4), pp.513-523.

Ray P, Gautam V, Singh R. *Methicillin-resistant Staphylococcus aureus (MRSA) in developing and developed countries : implications and solutions*. 2011;15(1):74-82.

Rayamajhi N. *Antibiotics Resistances : Past , Present and Future*. 2010;(June 2010).

Rege, A. and Chowdhary, A. (2014). *Evaluation of Alpha-amylase and Alpha-glucosidase Inhibitory Activities of Rhizophora mucronata*. International Journal of Pharmaceutical Sciences and Research, 5(6).

Rice-Evans, C., Miller, N. and Paganga, G. (1997). *Antioxidant properties of phenolic compounds*. Trends in Plant Science, 2(4), pp.152-159.

Richardson LA (2017) *Understanding and overcoming antibiotic resistance*. PLoS Biol 15(8): e2003775. <https://doi.org/10.1371/journal.pbio.2003775>.

Sieniawskal, E., and Baj, T. 2017. *Tannins. Pharmacognosy* 199–232.

Taylor AR. *Methicillin-resistant Staphylococcus aureus infections*. Prim Care - Clin Off Pract. 2013;1-26. doi:10.1016/j.pop.2013.06.002.

Tkachenko H, Buyun L, Terech-Majewska E, Osadowski Z (2016). *Antibacterial activity of ethanolic leaf extracts obtained from various ficus species (Moraceae) against the fish pathogen, Citrobacter freundii*. J Ecol Protection of the Coastline. 20: 117-136.

Ventola CL. *The Antibiotic Resistance Crisis Part 1: Causes and Threats*. 2015;40(4):277-283.

Weimann, C. and M. Heinrich, 1997. *Indigenous Anti-inflammatory and Anti-tumor Activity of the medicinal plants in Mexico: the example of the Nahua Marine Mangrove Rhizophora apiculata*. J. (Sierra de Zongolica). Botanica Acta, 110: 62-72.

Widyawati, S. R., Budianta, T. D. W., Kusuma, F. A., and Wijaya, E. L. 2014. *Difference of Solvent Polarity To Phytochemical Content and Antioxidant Activity of Pluchea indica Less Leaves Extract*. International Journal of Pharmacognosy and Phytochemical Research 6(4): 850–855.

Wu, C. 2014. *An important player in brine shrimp lethality bioassay: The solvent*. J Adv Pharm Technol Res. 2014 5(1): 57–58.

Yadav, R. N. S., and Agarwala, M. 2011. *Phytochemical analysis of some medicinal plants*. Journal of Phytology 3(12): 10–14.

