

## REFERENCES

Akhavan, T., Luhovyy, B. L., Brown, P. H., Cho, C. E., & Anderson, G. H. (2010). Effect of premeal consumption of whey protein and its hydrolysate on food intake and postmeal glycemia and insulin responses in young adults. *American Journal of Clinical Nutrition*. <https://doi.org/10.3945/ajcn.2009.28406>

Akhtar, M., Stenzel, J., Murray, B. S., & Dickinson, E. (2005). Factors affecting the perception of creaminess of oil-in-water emulsions. In *Food Hydrocolloids*. <https://doi.org/10.1016/j.foodhyd.2004.10.017>

Anderson, G. H., & Moore, S. E. (2004). Dietary proteins in the regulation of food intake and body weight in humans. *The Journal of Nutrition*. <https://doi.org/10.1146/annurev-nutr-080508-141056>

Baines, D. (2007). Flavouring substances: from chemistry and carriers to legislation. In A. Taylor & J. Hort (Eds.), *Modifying Flavour in Food* (pp. 10–12). Cambridge: Woodhead Publishing Ltd.

Baumgartner, R. N., Koehler, K. M., Gallagher, D., Romero, L., Heymsfield, S. B., Ross, R. R., ... Lindeman, R. D. (1998). Epidemiology of sarcopenia among the elderly in New Mexico. *American Journal of Epidemiology*. <https://doi.org/10.1093/oxfordjournals.aje.a009520>

Belitz, H.-D., Grosch, W., & Schieberle, P. (2009). *Food Chemistry* (4th ed.). Leipzig: Springer-Verlag.

Biolo, G., Maggi, S. P., Williams, B. D., Tipton, K. D., & Wolfe, R. R. (1995). Increased rates of muscle protein turnover and amino acid transport after resistance exercise in humans. *The American Journal of Physiology*. <https://doi.org/10.1017/CBO9781107415324.004>

BPOM. Peraturan Kepala Badan Pengawas Obat dan Makanan Republik Indonesia Nomor 4 Tahun 2014 Tentang Batas Maksimum Penggunaan Bahan Tambahan Pangan Pemanis (2014). Badan Pengawas Obat dan Makanan.

BPOM. Peraturan Kepala Badan Pengawas Obat dan Makanan Republik Indonesia Nomor 1 Tahun 2015 Tentang Kategori Pangan (2015). Badan Pengawas Obat dan Makanan.

BPOM. Peraturan Kepala Badan Pengawas Obat dan Makanan Republik Indonesia Nomor 9 Tahun 2016 Tentang Acuan Label Gizi (2016). Badan Pengawas Obat dan Makanan.

Campbell, B., Kreider, R. B., Ziegenfuss, T., La Bounty, P., Roberts, M., Burke, D., ... Antonio, J. (2007). International Society of Sports Nutrition position stand: Protein and exercise. *Journal of the International Society of Sports Nutrition*. <https://doi.org/10.1186/1550-2783-4-8>

Carunchia Whetstine, M. E., Croissant, A. E., & Drake, M. A. (2005). Characterization of Dried Whey Protein Concentrate and Isolate Flavor. *Journal of Dairy Science*. [https://doi.org/10.3168/jds.S0022-0302\(05\)73068-X](https://doi.org/10.3168/jds.S0022-0302(05)73068-X)

Chattopadhyay, S., Raychaudhuri, U., & Chakraborty, R. (2014). Artificial sweeteners - A review. *Journal of Food Science and Technology*. <https://doi.org/10.1007/s13197-011-0571-1>

Churchward-Venne, T. A., Burd, N. A., & Phillips, S. M. (2012). Nutritional regulation of muscle protein synthesis with resistance exercise: strategies to enhance anabolism. *Nutrition & Metabolism*. <https://doi.org/10.1186/1743-7075-9-40>

Cuthbertson, D. (2004). Anabolic signaling deficits underlie amino acid resistance of wasting, aging muscle. *The FASEB Journal*. <https://doi.org/10.1096/fj.04-2640fje>

Drake, M. A., Karagul-Yuceer, Y., Cadwallader, K. R., Civille, G. V., & Tong, P. S. (2003). Determination of the sensory attributes of dried milk powders and dairy ingredients. *Journal of Sensory Studies*.  
<https://doi.org/10.1111/j.1745-459X.2003.tb00385.x>

Euromonitor International. (2017). Sports Nutrition in Indonesia. Retrieved from <http://www.euromonitor.com/sports-nutrition-in-indonesia/report>

Fennema, O. R. (1996). *Food Chemistry*, Third Edition. Food science and technology.

Frauendorfer, F., & Schieberle, P. (2006). Identification of the key aroma compounds in cocoa powder based on molecular sensory correlations. *Journal of Agricultural and Food Chemistry*. <https://doi.org/10.1021/jf060728k>

Gwak, M. J., Chung, S. J., Kim, Y. J., & Lim, C. S. (2012). Relative sweetness and sensory characteristics of bulk and intense sweeteners. *Food Science and Biotechnology*. <https://doi.org/10.1007/s10068-012-0115-0>

Hara, K., Yonezawa, K., Weng, Q. P., Kozlowski, M. T., Belham, C., & Avruch, J. (1998). Amino acid sufficiency and mTOR regulate p70 S6 kinase and eIF-4E BP1 through a common effector mechanism. *Journal of Biological Chemistry*.  
<https://doi.org/10.1074/jbc.273.23.14484>

Hartman, J. W., Tang, J. E., Wilkinson, S. B., Tarnopolsky, M. A., Lawrence, R. L., Fullerton, A. V., & Phillips, S. M. (2007). Consumption of fat-free fluid milk after resistance exercise promotes greater lean mass accretion than does consumption of soy or carbohydrate in young, novice, male weightlifters. *American Journal of Clinical Nutrition*. [https://doi.org/10.1016/S0162-0908\(08\)79232-8](https://doi.org/10.1016/S0162-0908(08)79232-8)

Immanuel, D., Puspita, D. M., Edrina, F., Kahono, G. A., & Salim, M. (2017). Development of powdered protein product with enhanced taste and texture.

Janssen, I. (2010). Evolution of sarcopenia research. *Applied Physiology, Nutrition, and Metabolism*. <https://doi.org/10.1139/H10-067>

Januszevska, R. (2018). *Hidden Persuaders in Cocoa and Chocolate: A Flavor Lexicon for Cocoa and Chocolate Sensory Professionals*. Woodhead Publishing Ltd.

Katsanos, C. S. (2006). A high proportion of leucine is required for optimal stimulation of the rate of muscle protein synthesis by essential amino acids in the elderly. *AJP: Endocrinology and Metabolism*. <https://doi.org/10.1152/ajpendo.00488.2005>

Kemenkes. PERATURAN MENTERI KESEHATAN REPUBLIK INDONESIA NOMOR 75 TAHUN 2013 TENTANG ANGKA KECUKUPAN GIZI YANG DIANJURKAN BAGI BANGSA INDONESIA (2013). Menteri Kesehatan Republik Indonesia.

Kinsella, J. E. (1979). Functional Properties of Soy Proteins. *J. Am. Oil Chemists' Soc.*, 56, 242–258.

Kokini, J. L. (1987). The physical basis of liquid food texture and texture-taste interactions. *Journal of Food Engineering*. [https://doi.org/10.1016/0260-8774\(87\)90021-5](https://doi.org/10.1016/0260-8774(87)90021-5)

Lawless, H. T., & Heymann, H. (1999). *Acceptance and Preference Testing*. In *Sensory Evaluation of Food: Principles and Practices* (1st ed., pp. 430–474). Springer Science+Business Media.

Lemus-Mondaca, R., Vega-Gálvez, A., Zura-Bravo, L., & Kong, A. H. (2012). Stevia rebaudiana Bertoni, source of a high-potency natural sweetener: A comprehensive review on the biochemical, nutritional and functional aspects. *Food Chemistry*. <https://doi.org/10.1016/j.foodchem.2011.11.140>

Li, F., Yin, Y., Tan, B., Kong, X., & Wu, G. (2011). Leucine nutrition in animals and humans: MTOR signaling and beyond. *Amino Acids*.  
<https://doi.org/10.1007/s00726-011-0983-2>

Lisak, K., Lene, M., Jeličić, I., & Božanić, R. (2012). Sensory evaluation of the strawberry flavored yoghurt with stevia and sucrose addition. *Croatian Journal of Food Technology, Biotechnology and Nutrition*.

Liu, Z., Jahn, L. A., Long, W., Fryburg, D. A., Wei, L., & Barrett, E. J. (2001). Branched chain amino acids activate messenger ribonucleic acid translation regulatory proteins in human skeletal muscle, and glucocorticoids blunt this action. *J Clin Endocrinol Metab*.

Meilgaard, M., Civille, G. V., & Carr, B. T. (2007). *Sensory Evaluation Techniques*. CRC Press (3rd ed.).

Moskowitz, H. R. (1970). Ratio scales of sugar sweetness. *Perception & Psychophysics*, 7(5), 315–320. <https://doi.org/10.3758/BF03210175>

National Health Service. (2011). Supplements Who needs them? [Www.Nhs.Uk](http://www.Nhs.Uk).

NZMP. (2017). *Defining The Opportunity for Protein in Indonesia*.

Paddon-Jones, D., & Rasmussen, B. B. (2009). Dietary protein recommendations and the prevention of sarcopenia. *Current Opinion in Clinical Nutrition and Metabolic Care*. <https://doi.org/10.1097/MCO.0b013e32831cef8b>

Panjabi, M. M. (1992). The stabilizing system of the spine: Part I. function, dysfunction, adaptation, and enhancement. *Journal of Spinal Disorders*.  
<https://doi.org/10.1097/00002517-199212000-00001>

Pennings, B., Boirie, Y., Senden, J. M. G., Gijzen, A. P., Kuipers, H., & Van Loon, L. J. C. (2011). Whey protein stimulates postprandial muscle protein accretion more effectively than do casein and casein hydrolysate in older men. *American Journal of Clinical Nutrition*. <https://doi.org/10.3945/ajcn.110.008102>

Phillips, S. M. (2015). Nutritional Supplements in Support of Resistance Exercise to Counter Age-Related Sarcopenia. *Advances in Nutrition: An International Review Journal*. <https://doi.org/10.3945/an.115.008367>

Proud, C. G., & Denton, R. M. (1997). Molecular mechanisms for the control of translation by insulin. *The Biochemical Journal*. <https://doi.org/10.1042/bj3280329>

Rieu, I., Balage, M., Sornet, C., Giraudet, C., Pujos, E., Grizard, J., ... Dardevet, D. (2006). Leucine supplementation improves muscle protein synthesis in elderly men independently of hyperaminoacidaemia. *The Journal of Physiology*. <https://doi.org/10.1113/jphysiol.2006.110742>

Shallenberger, R. S. (2012). Taste Chemistry. <https://doi.org/10.1007/978-1-4615-2666-7>

Silva, N. L., Oliveira, R. B., Fleck, S. J., Leon, A. C. M. P., & Farinatti, P. (2014). Influence of strength training variables on strength gains in adults over 55 years-old: A meta-analysis of dose-response relationships. *Journal of Science and Medicine in Sport*. <https://doi.org/10.1016/j.jsams.2013.05.009>

Southward, C. (1998). Casein Products. *Chemical Processes in New Zealand*, III 1-12. Retrieved from <http://www.nzic.org.nz/>

Tang, J. E., Moore, D. R., Kujbida, G. W., Tarnopolsky, M. A., & Phillips, S. M. (2009). Ingestion of whey hydrolysate, casein, or soy protein isolate: effects on mixed muscle protein synthesis at rest and following resistance exercise in young men. *Journal of Applied Physiology*. <https://doi.org/10.1152/jappphysiol.00076.2009>

Taylor, A. J., & Hort, J. (2007). Modifying Flavour in Food. Modifying Flavour in Food. <https://doi.org/10.1533/9781845693367>

Trade, G. D. (2017). Annual Report 2017. Retrieved from <https://www.globaldairytrade.info/assets/Uploads/resources/Annual-Report-2017.pdf?v=17584>

van Aken, G. A., Vingerhoeds, M. H., & de Wijk, R. A. (2011). Textural perception of liquid emulsions: Role of oil content, oil viscosity and emulsion viscosity. Food Hydrocolloids. <https://doi.org/10.1016/j.foodhyd.2010.09.015>

Wang, X., Campbell, L. E., Miller, C. M., & Proud, C. G. (1998). Amino acid availability regulates p70 S6 kinase and multiple translation factors. The Biochemical Journal. <https://doi.org/10.1042/bj3340261>

Wardlaw, G. M., & M. Smith, A. (2009). Contemporary Nutrition: A Functional Approach (1st ed.). New York: McGraw-Hill.

Zhang, J. (2012). Protein-Protein Interactions in Salt Solutions. In Protein-Protein Interactions - Computational and Experimental Tools. <https://doi.org/10.5772/>