# WSN ROBOT FOR UNREACHABLE AREAS

By

ABDALLAH W. ALMUTAIRI

# MASTER'S DEGREE

in

MASTER OF MECHANICAL ENGINEERING (MME)

FACULTY OF ENGINEERING & INFORMATION TECHNOLOGY



# SWISS GERMAN UNIVERSITY

The Prominence Tower Jalan Jalur Sutera Barat No. 15, Alam Sutera Tangerang, Banten 15143 - Indonesia

Revision after the Thesis Defense on 31 JAN 2019

# STATEMENT BY THE AUTHOR

I hereby declare that this submission is my own work and to the best of my knowledge, it contains no material previously published or written by another person, nor material which to a substantial extent has been accepted for the award of any other degree or diploma at any educational institution, except where due acknowledgement is made in the thesis.

	is made in the thesis.	
	Abdallah W. Al-Mutairi  Student  Approved by:	Date
SW	Dena Hendriana, B.Sc., S.M., Sc.D  Thesis Advisor	Date
	Edi Sofyan, B.Eng., M.Eng., Ph.D  Thesis Co-Advisor	Date
	Dr. Maulahikmah Galinium S.Kom., M.Sc  Dean	Date

### **ABSTRACT**

## WSN ROBOT FOR UNREACHABLE AREAS


By Abdallah W. AL-Mutairi Dena Hendriana, B.Sc., S.M., Sc.D. Edi Sofyan, B.Eng., M.Eng., Ph.D

#### SWISS GERMAN UNIVERSITY

This research presents a hybrid robot with two manipulator arms and two cameras that move on XY plate built on a rover robot base. The proposed robot system will be controlled wirelessly via wear suit that contains special flexible sensors and accelerometers to detect the operator movements and direct interaction with robot in the same time and direction.

The main purpose of the implemented robot system is to replace human in difficult jobs such as moving heavy and rocks things while constructing building, that's through The human (operator) who controls the robot will have virtual reality glasses that will provide his eyes with images from cameras, since each camera will deliver an image to its corresponding eye. Therefore, 3D video can be achieved, beside that cameras XY plate on robot will move depending on human head movements that is determined via virtual reality glasses accelerometer sensor. In this thesis, the design and implementation of the proposed robot system will be discussed, the most important results achieved are the Wireless control is implemented and the Flexible sensors were used successfully, also the Control via human movement is achieved. On-line audio and video transmission is applied and The ability of new user defined extra sensors is available.

Keywords: Robots, Wireless communication, Wireless sensor networks, Manipulators, Virtual reality.



# **DEDICATION**

To my parents that without them not found in this life, and from them learned to withstand, no matter what the difficulties.

To my all dear teachers from them I picked up the letters and learned how to pronounce words, formulate phrases, and control the rules.

To colleagues, who spared no effort in providing information and data.

Calling upon the Almighty to be crowned with success and acceptance by the members of the distinguished discussion committee.

# **SWISS GERMAN UNIVERSITY**

### **ACKNOWLEDGEMENTS**

Firstly, I would like to thank God for giving me this achievement

I would first like to thank my thesis advisor DR. Dena Hendrianaat at Swiss German University. The door to DR. Dena office was always open whenever I ran into a trouble spot or had a question about my research or writing. He consistently allowed this thesis to be my own work, but steered me in the right the direction whenever he thought I needed it.

I would also like to acknowledge that DR. Edi Sofyan at Swiss German University as Co-Advisor and the second reader of this thesis, and I am gratefully indebted to his for his very valuable comments on this thesis.

Finally, I must express my very profound gratitude to my parents and to my fiancee for providing me with unfailing support and continuous encouragement throughout my years of study and through the process of researching and writing this thesis. This accomplishment would not have been possible without them. Thank you.

Abdallah Mutairi

# TABLE OF CONTENTS

		Page
STA	TEMENT BY THE AUTHOR	2
ABS	STRACT	3
DED	DICATION	5
ACK	KNOWLEDGEMENTS	6
TAE	BLE OF CONTENTS	7
LIST	Γ OF FIGURES	9
LIST	Γ OF TABLES	11
CHA	APTER 1 - INTRODUCTION	
1.1	Background	
1.2	Research questions and Hypothesis	
 1.3	Objectives	
1.4	Significance of study	
1.5	Problem definition	17
CHA	APTER 2 - LITERATURE REVIEW	20
2.1	Theoretical Perspectives	
2.2	Previous Studies	
2.2	1 Tevious Studies	24
CHA	APTER 3 – RESEARCH METHODS	27
3.1	Materials and Equipment	27
3.2	Analytical Method	27
3.3	How Robot System Work	28
3.4	Study Obstacle	31

CHAPTER 4 – RESULTS AND DISCUSSIONS				
4.1	Initial Evaluation	32		
4.2	Data Analysis	32		
4.3	Software System Design	51		
CHA	PTER 5 – CONCLUSION AND RECCOMENDATIONS	62		
	Conclusion			
5.2	Recommendations	63		
REFE	ERENCES	64		
CURI	RICULUM VITAE	66		

# **SWISS GERMAN UNIVERSITY**