

REFERENCES

Finar Chemicals, n.d. *HPLC Solvent Properties*. [Online] Available at: www.finarchemicals.com/pdf/hplc_solvent_properties_solvent_miscibility_table.pdf [Accessed 1 June 2018].

Aboul-Enein, A. M. et al., 2011. *Eichhornia crassipes* (Mart) Solms: from water parasite to potential medicinal remedy. *Plant Signal. Behav*, Volume 6, p. 834–836.

Abu-Dief, A. M. & Mohamed, I. M., 2015. A review on versatile applications of transition metal complexes incorporating Schiff bases. *Beni-Suef University Journal of Basic and Applied Sciences*, pp. 119-133.

Adeyemi, O. & Osubor, C. C., 2016. Assessment of nutritional quality of water hyacinth leaf protein concentrate. *Egyptian Journal of Aquatic Research*, 25 August.

Arulpriya, P., Lalitha, P. & Hemalatha, S., 2010. Antimicrobial testing of the extracts of *Samanea saman* (Jacq.) Merr. *Scholars Research Library*, 2(6), pp. 73-83.

Azwanida, N., 2015. A Review on the Extraction Methods Use in Medicinal Plants, Principle, Strength and Limitation. *Med Aromat Plants*, Volume 4, p. 196.

Biosecurity Queensland, 2016. Restricted Invasive Plant: Water hyacinth, *Eichhorniacrassipes*.

BPOM-RI, 2014. PERATURAN KEPALA BADAN PENGAWAS OBAT DAN MAKANAN REPUBLIK INDONESIA NOMOR 12 TAHUN 2014 TENTANG PERSYARATAN MUTU OBAT TRADISIONAL. *Badan Pengawas Obat dan Makanan Republik Indonesia*, pp. 9-12.

Center, T. D., Dray, F. A. J., Jubinsky, G. P. & Grodowitz, M. J., 1999. Biological control of water hyacinth under conditions of maintenance management; Can herbicides and insects be integrated?. *Environmental Management*, 2(23), pp. 241-256.

Center, T. D. & Spencer, N. R., 1981. The phenology and growth of water hyacinth (*Eichhornia crassipes* (Mart.) Solms) in a eutrophic north-central Florida lake.. *Aquatic Botany* 10, pp. 1-32.

Chantiratikul, P., Meechai, P. & Nakbanpote, W., 2009. Antioxidant Activities and Phenolic Contents of Extracts from *Salvinia molesta* and *Eichhornia crassipes*. *Research Journal of Biological Sciences*, 4(10), pp. 1113-1117.

Chanwitheesuk, A., Teerawutgulrag, A. & Rakariyatham, N., 2005. Screening of antioxidant activity and antioxidant compounds of some edible plants of Thailand Food Chem. *Food Chem*, Volume 92, pp. 491-497.

Derong, L. et al., 2016. An Overview of Plant Phenolic Compounds and Their Importance in Human Nutrition and Management of Type 2 Diabetes. *Molecules*, Volume 21, p. 1374.

Erkmen, O. & Bozoglu, T. F., 2016. Food Preservation by Reducing Water Activity. In: *Food Microbiology: Principles into Practice, 1*. s.l.:John Wiley & Sons, Ltd , pp. 83-90.

European Environment Agency, 2012. *The impacts of invasive alien species in Luxembourg*: Publications Office of the European Union.

Ewané, C. A., Lepoivre, P., de Bellaire, L. d. L. & Lassois, L., 2012. Involvement of phenolic compounds in the susceptibility of bananas to crown rot. A review. *Biotechnol. Agron. Soc. Environ.*, 16(3), pp. 393-404.

FDA, 2015. *Q3D Elemental Impurities Guidance For Industry*. s.l.:U.S. Department of Health and Human Services.

Feng-Lin, S. et al., 2010. Total Phenolic Contents and Antioxidant Capacities of Selected Chinese Medicinal Plants. *International Journal of Molecular Sciences* , Volume 11, pp. 2362-2372.

Food Agricultural Organization, 2002. Management of problematic aquatic. *FAO Efforts and Achievements During the Period 1991 - 2001* .

Galanakis, C. et al., 2013. A Knowledge Base for The Recovery of Natural Phenols with Different Solvents. *International Journal of Food Properties*, 16(2), pp. 382-396.

Gião, M. S. et al., 2009. Effect of particle size upon the extent of extraction of antioxidant power from the plants *Agrimonia eupatoria*, *Salvia sp.* and *Satureja montana*. *Food Chemistry*, 117(3), pp. 412-416.

Gichuki, J. et al., 2011. Water Hyacinth *Eichhornia crassipes* (Mart.) Solms-Laubach Dynamics and Succession in the Nyanza Gulf of Lake Victoria (East Africa): Implications for Water Quality and Biodiversity Conservation. *The Scientific World Journal*, 2 November.

Handa, S., Khanuja, S., Longo, G. & Rakesh, D., 2008. *Extraction Technologies for Medicinal and Aromatic Plants*. Italy: ICS-UNIDO.

Hasan, M. R. & Chakrabarti, R., 2009. Use of algae and aquatic macrophytes as feed in small-scale aquaculture. *A review*, pp. 53-55.

Holm, L. G., Plucknett, D. L., Pancho, J. V. & Herberger, J. P., 1977. The World's Worst Weeds: Distribution and Biology. *University Press*.

Hu, M. & Jacobsen, C., 2016. Analysis of Lipid and Protein Oxidation . In: *Oxidative Stability and Shelf Life of Foods Containing Oils and Fats*. s.l.:Nikki Levy, pp. 87-88.

Ibrahim, M. H., Jaafar, H. Z., Rahmat, A. & Rahman, Z. A., 2011. The Relationship between Phenolics and Flavonoids Production with Total Non Structural Carbohydrate and Photosynthetic Rate in *Labisia pumila* Benth. under High CO₂ and Nitrogen Fertilization. *Molecules*, Volume 16, pp. 162-174.

Jaishankar, M. et al., 2014. Toxicity, mechanism and health effects of some heavy metals. *Interdiscip Toxicol*, 7(2), pp. 60-72.

Jayanthi, P. & Lalitha, P., 2011. REDUCING POWER OF THE SOLVENT EXTRACTS OF EICHHORNIA CRASSIPES (MART.) SOLMS. *International Journal of Pharmacy and Pharmaceutical Sciences* , 3(3), pp. 126-128.

Jayanthi, P. & Lalitha, P., 2013. Antimicrobial activity of solvent extracts of *Eichhornia crassipes* (Mart.) Solms. *Der Pharma Chemica*, 5(3), pp. 135-140.

Jayanthi, P., Lalitha, P. & Sripathi, S. K., 2011. Phytochemical investigation of the extracts of *Eichhornia crassipes* and its solvent fractionates. *Journal of Pharmacy Research*, 4(5), pp. 1405-1406.

Jian-Ming, L., Peter, L. H., Qizhi, Y. & Changyi, C., 2010. Chemical and molecular mechanisms of antioxidants: experimental approaches and model systems. *Journal of Cellular and Molecular Medicine*, 14(4), pp. 840-860.

Kahkonen, M. P. et al., 1999. Antioxidant activity of plant extracts containing phenolic compounds. *J. Agric. Food Chem*, Volume 47, pp. 3954-3962.

King-Tom, C. et al., 1998. Tannins and Human Health: A Review. *Critical Reviews in Food Science and Nutrition*, 38(6), pp. 421-464.

Kohnak, L., 2015. *Individual plant of water hyacinth*. s.l.:s.n.

Kumar, S. & Pandey, A. K., 2013. Chemistry and Biological Activities of Flavonoids: An Overview. *TheScientificWorldJournal*, pp. 1-11.

Kumar, S. & Pandey, A. K., 2013. Chemistry and Biological Activities of Flavonoids: An Overview. *The Scientific World Journal*, pp. 1-16.

Lakshminarayana, G., Rao, S. K., Pantulu, A. J. & Thyagarajan, G., 1984. Compositions of lipids in roots, stalks, leaves and flowers of *Eichhornia crassipes* (Mart.) Solms.. *Aquat. Bot*, Volume 20, p. 219-227.

Lata, N. & Dubey, V., 2010. Preliminary phytochemical screening of *Eichhornia crassipes*: the world's worst aquatic weed. *Journal of Pharmacy Research*, 3(6), pp. 1240-1242.

Lathitha, P., Subashini, S. & Ponnusamy, J., 2012. Secondary metabolites of *Eichhornia crassipes* (Waterhyacinth): a review (1949 to 2011). *Nat. Prod. Commun*, 7(9), pp. 1249-1256.

Li, H. L. & Willaman, J. J., 1968. Distribution of alkaloids in angiosperm phytoeny. *Economic Botany*, 22(3), pp. 239-252.

Lü, J.-M., Lin, P. H., Yao, Q. & Chen, C., 2010. Chemical and molecular mechanisms of antioxidants: experimental approaches and model systems. *J Cell Mol Med*, 14(4), pp. 840-860.

Mailu, A. M., 2001. Preliminary assessment of the social, economic and environmental impacts of water hyacinth in the Lake Victoria basin and the status of control. *Australian Centre for International Agricultural Research: Conference Proceedings*, pp. 102-131.

Matindi, C. N., Njogu, P. M., Kinyua, R. & Nemoto, Y., 2014. Analysis of Heavy Metal Content in Water Hyacinth (*Eichhornia crassipes*) from Lake Victoria, Kenya. *Proceedings of 2014 International Conference on Sustainable Research and Innovation*, Volume 5, pp. 196-198.

Mellhorn, M., 2014. In: *Water hyacinths (Eichhorniacrassipes) and their presence in Shire River, Malawi: Problems caused by them and ways to utilize them elsewhere*. Sweden: Committee of Tropical Ecology Uppsala University, p. 181.

Mills, S. & Bone, K., 2013. Saponin. In: *Principles and Practice of Phytotherapy*. s.l.:Elsevier, pp. 44-47.

Moghimipour, E. & Handali, S., 2015. Saponin: Properties, Methods of Evaluation and Applications. *Annual Research & Review in Biology*, 5(3), pp. 207-220.

Mujingni, C., 2012. *Quantification of the impacts of water hyacinth on RiparianCommunities in Cameroon and assessment of an appropriate method of control: The case of the River Wouri basin*. Malmö, Sweden: World Maritime University.

Ndimele, P. E. & Jimoh, A. A., 2011. Water hyacinth (*Eichhornia crassipes* (Mart.) Solms.) in phytoremediation of heavy metal polluted water of Ologe Lagoon, Lagos, Nigeria. *Research Journal of Environmental Sciences*, 5(5), pp. 424-433.

Nimse, S. B. & Pal, D., 2015. Free radicals, natural antioxidants, and their reaction mechanisms. *Royal Society of Chemistry*, Volume 5, pp. 27986-28006.

Orozco-Mena, R., Salmerón-Ochoa, I., Ortega-Rivas, E. & Perez-Vega, S., 2014. Development of a Sustainable Process for the Solid-Liquid Extraction of Antioxidants from Oat. *Sustainability*, Volume 6, pp. 1504-1520.

Osumo, W. M., 2001. Effects of water hyacinth on water quality of Winam Gulf, Lake Victoria. *UNU-Fisheries Training Programme*, pp. 6-8.

Patel, S., 2012. Threats, Management and Envisaged Utilizations of Aquatic weed *Eichhornia crassipes*: An overview. *Reviews in Environmental Science and Biotechnology*, Volume 11, pp. 249-259.

Pattusamy, N. & Changa, M., 2017. Antioxidant activity of 3-arylidene-4-piperidones in the 1,1-diphenyl-2-picrylhydrazyl scavenging assay. *Journal of Taibah University for Science*, 11(1), pp. 40-45.

Ratan, A. & Verma, V. N., 2014. Photochemical studies of *Eichhornia crassipes* (Water Hyacinth). *International Letters of Chemistry, Physics and Astronomy*, 12 March, Volume 30, pp. 218-221.

Riedell, W. E. & Schumacher, T. E., 2009. Transport of Water and Nutrients in Plants. In: R. Lal, ed. *Agricultural Sciences*. Oxford: Eolss Publishers Co. Ltd., pp. 372-384.

Seyoum, M. & Fetali, T., 2012. *Proceedings of a national workshop on: Wetlands for sustainable development and climate change mitigation*. s.l.:s.n.

Shanab, M. M. S. & Shalaby, E. A., 2012. Biological activities and anticorrosion efficiency of water hyacinth (*Eichhornia crassipes*). *J. Med. Plants Res*, 6(23), p. 3950–3962.

Shanab, S., Shalaby, E., Lightfoot, D. & El-Shemy, H., 2010. Allelopathic effects of water hyacinth (*Eichhorniacrassipes*). *Public Library of Science One*, 5(10), p. 13200.

Silva, R. P., de Melo, M. M., Silvestre, J. A. & Silva, C. M., 2015. Polar and lipophilic extracts characterization of roots, stalks, leaves and flowers of water hyacinth (*Eichhornia crassipes*), and insights for its future valorization. *Industrial Crops and Products*, 26 July, pp. 1033-1038.

Singh, R., Gautam, N., Mishra, A. & Gupta, R., 2011. Heavy metals and living systems: An overview. *Indian Journal of Pharmacology*, 43(3), pp. 246-253.

Singh, R. P. & Kedare, S. B., 2011. Genesis and development of DPPH method of antioxidant assay. *J Food Sci Technol*, 48(4), pp. 412-422.

Soeprbowati, T. R., 2012. MITIGASI DANAU EUTROFIK : STUDI KASUS DANAU RAWAPENING. *Jurusan Biologi, Fakultas Sains dan Matematika Universitas Diponegoro*, pp. 36-46.

Sun, C., Wu, Z., Wang, Z. & Zhang, H., 2015. Effect of Ethanol/Water Solvents on Phenolic Profiles and Antioxidant Properties of Beijing Propolis Extracts. *Evidence-based Complementary and Alternative Medicine*.

Surendraraj, A., Farvin, K. H. S. & Anandan, R., 2013. Antioxidant Potential of Water Hyacinth (*Eichhornia crassipes*): In Vitro Antioxidant Activity and Phenolic Composition. *Journal of Aquatic Food Product Technology*, 22(1), pp. 11-26.

Thamaraiselvi, L. P. & Jayanthi, P., 2012. Preliminary studies on phytochemicals and antimicrobial activity of solvent extracts of *Eichhornia crassipes* (Mart.)Solms. *Asian Journal of Plant Science and Research*, 2(2), pp. 115-122.

Tulika, T. & Mala, A., 2015. Pharmaceutical potential of aquatic plant *Pistia stratiotes* (L.) and *Eichhornia crassipes*. *Journal of Plant Sciences*, 3(Medicinal Plants), pp. 10-18.

University of Missouri, n.d. *Division of Plant Science*. [Online] Available at: <https://plantsciences.missouri.edu/DMCLab/research/#> [Accessed 25 July 2018].

USDA Agricultural Research Service, 2012. *Common water hyacinth (Eichhornia crassipes)*. s.l.:s.n.

Utomo, A. D., 2014. Pengaruh cara pemanenan eceng gondok yang tidak ramah lingkungan terhadap kualitas air di Rawa Pening. *Prosiding Semnaskan UGM XI*, Volume 13, pp. 55-62.

Utomo, A. D., Ridho, M. R., Putranto, D. D. A. & Saleh, E., 2011. Keanekaragaman Plankton dan Tingkat Kesuburan Perairan di Waduk Gajah Mungkur. *urnal Widya Riset PerikananTangkapJ*, 3(6), pp. 415-422.

Utomo, A. D., RIDho, M. R., Putranto, D. D. & Saleh, E., 2013. Saedimentation rate in gajah mungkur reservoir, Central Java Indonesia. *International Journal of Development Research*, 3(4), pp. 001-004.

Utomo, A. W., 2017. Pola-pola Pemanfaatan Bengkok (Eceng Gondok) Di Sekitar Danau Rawa Pening Dalam Perspektif Pembangunan Berkelanjutan. *MERAJUT HIDUP DARI BENGOK*.

Vasudava, R. N. et al., 2014. Triterpenoid Saponins: A Review on Biosynthesis, Applications and Mechanism of Their Action. *Int J Pharm Pharm Sci*, 7(1), pp. 24-28.

Vasudeva, R. N. et al., 2014. Triterpenoid Saponins: A Review On Biosynthesis, Applications and Mechanism of Their Action. *International Journal of Pharmacy and Pharmaceutical Sciences*, 7(1), pp. 24-28.

Vasu, K., Goud, V. J., Suryam, A. & Charya, M. A. S., 2009. Biomolecular and phytochemical analyses of three aquatic angiosperms. *Afr. J. Microbiol. Res.*, 3(8).

Villamagna, A. M. & Murphy, B. R., 2009. Ecological and socio-economic effects of water hyacinth (*Eichhornia crassipes*): a review. *Freshwater Biology*.

Weed Science Society of America, 1984. Weed Science. *Composite list of weeds*, 32(2), pp. 1-137.

WHO, 2007. *WHO guidelines for assessing quality of herbal medicines with reference to contaminants and residues*. s.l.:s.n.

Widyawati, P. S., Budianta, T. D. W., Kusuma, F. A. & Wijaya, E. L., 2014. Difference of Solvent Polarity To Phytochemical Content and Antioxidant Activity of *Pluchea indica* Less Leaves Extracts. *International Journal of Pharmacognosy and Phytochemical Research*, 6(4), pp. 850-855.

Wilson, J. R. U. et al., 2007. The decline of water hyacinth on Lake Victoria was due to biological control by *Neochetina* spp.. *Aquatic Botany*, July, 87(1), pp. 90-93.

Wright, G. D., 2015. *Mathematical Modeling of the Solid-Liquid Extraction of Phenolic-Rich Compounds from Pinus contorta Bark*, s.l.: University of Toronto .

Xie, Y. & Yu, D., 2003. The significance of lateral roots in phosphorus (P) acquisition of water hyacinth (*Eichhornia crassipes*). *Aquatic Botany* 75, pp. 311-321.

ZEO, 2008. *Zambia Environment Outlook Report 3*, s.l.: Environmental Council of Zambia.

SWISS GERMAN UNIVERSITY