

REFERENCES

- Ahmia, A. C., *et al.* (2014). 'Raw material for biodiesel production. Valorization of used edible oil', *Revue des Energies Renouvelables Vol. 17 N2*, pp. 335-343.
- Almeida, E. S. (2011). 'Behaviour of the antioxidant tert-butylhydroquinone on the storage stability and corrosive character of biodiesel', *Fuel 90*, pp. 3480-3484.
- Almoselhy, R. I. M. (2014). '¹H NMR spectral analysis as a new aspect to evaluate the stability of some edible oils', *Annals of Agricultural Science 59 (2)*, pp. 201-206.
- Bala, B. K. (2005). 'Studies on biodiesels from transformation of vegetable oils for diesel engines', *Energy Educ Sci Technol 15*, pp. 1-45.
- Bondet, V., Brand-Williams, W., Berset, C. (1997). 'Kinetics and Mechanisms of Antioxidant Activity using the DPPH Free Radical Method', *LWT – Food Science and Technology 30 (6)*, pp. 609-615.
- British Petroleum (BP) (2017) *Statistical Review of World Energy June 2017*. Viewed 10 November 2017, Available at: <http://bp.com/statisticalreview>.
- Brown, W. and Poon, T. (2012). *Introduction to Organic Chemistry*, 5th edn. Fourth. United States: John Wiley & Sons.
- Christensen, *et al.* (2014). 'Long-term storage stability of biodiesel and biodiesel blends', *Fuel Processing Technology 128*, pp. 339-348.
- Demirbas, A. (2007). 'Importance of biodiesel as transportation fuel', *Energy policy 35*, pp. 4661-4670.
- Demirbas, A. (2008). 'Biofuel sources, biofuel policy, biofuel economy, and global biofuel projections', *Energy Conversion and Management 49*, pp. 2106-2116.
- Dunn, R. (2008). 'Antioxidants for improving storage stability of biodiesel', *Biofuels, Bioprod. Bioref 2*, pp. 304-318.

Foti, M. C. (2009). 'Antioxidant properties of phenols', *Journal of Pharmacy and Pharmacology* 59, pp. 1673-1685.

Franck, H. G. (1988). 'Industrial Aromatic Chemistry', Springer.

Gore, P. H. (1955). 'The Friedel-Crafts Acylation Reaction and Its Application to Polycyclic Aromatic Hydrocarbons', *Chem. Rev.* 55 (2), pp. 229-241.

Gore, P. H. (1964). In Friedel-Crafts and Related Reactions. Olah, G.A., Ed.; John Wiley & Sons Inc., Vol. III, Part I, p 1.

Hayyan, A., Mjalli, F. S., Hashim, M. A., Hayyan, M. and Alnashef, I. M. (2013) 'Conversion of free fatty acids in low grade crude palm oil to methyl esters for biodiesel production using chromosulfuric acid', *Bulgarian Chemical Communications*, 45(3), pp. 394–399.

International Energy Agency (IEA) (2017) *World Energy Outlook: 2017*. Viewed 10 November 2017,

Available at: http://www.iea.org/media/weowebiste/2017/Chap1_WEO2017.pdf.

Jadid, N., *et al.* (2017). 'Antioxidant Activities of Different Solvent Extracts of *Piper retrofractum* Vahl. using DPPH Assay'. American Institute of Physics Conference Proceedings 1854, pp. 020019.

Jarret, R. M., *et al.* (1989). 'Friedel-Crafts Acylation and Alkylation with Acid Chlorides', *Journal of Chemical Education* 66 (12), pp. 1056-1057.

Kang, J. (2012). 'Principle and Applications of LC-MS/MS for the Quantitative Bioanalysis of Analytes in Various Biological Samples, Tandem Mass Spectrometry – Applications and Principles', Dr Jeevan Prasain (Ed.), pp. 448-449.

Karavalakis, *et al.* (2010). 'Impact of Antioxidant Additives on the Oxidation Stability of Diesel/Biodiesel Blends', *Energy Fuels* 24, pp. 3682-3686.

Knothe, G. (2008). "'Designer" Biodiesel: Optimizing Fatty Ester Composition to Improve Fuel Properties', *Energy & Fuels* 22, pp. 1358-1364.

Laguerre, M., *et al.* (2013). 'How to boost antioxidants by lipophilization?' *Biochimie* 95 (1), pp. 20-26.

Larsson, J. (2009). Methods for measurement of solubility and dissolution rate of sparingly soluble drugs. Master Thesis. Sweden: Lund University.

Li, X., Wu, X., and Huang, L. (2009). 'Correlation between Antioxidant Activities and Phenolic Contents of Radix Angelicae Sinensis (Danggui)', *Molecules* 14, pp. 5349-5361.

Lin, L., *et al.* (2011). 'Opportunities and challenges for biodiesel fuel', *Applied Energy* 88, pp. 1020-1031.

Madhavi, D.L., *et al.* (1996). 'Technological aspects of food antioxidants', *Food Antioxidants: Technological, Toxicological, and Health Perspectives*, pp. 159-266.

Massachusetts Institute of Technology (MIT) Open Courseware. (no date). Viewed 18 May 2018, Available at: https://ocw.mit.edu/courses/chemistry/5-301-chemistry-laboratory-techniques-january-iap-2012/labs/MIT5_301IAP12_TLC_Handout.pdf.

Murray, K. K., *et al.* (2013). 'Definitions of terms relating to mass spectrometry (IUPAC Recommendations 2013)', *Pure Appl. Chem.* 85, pp. 1515-1609.

O'Brien, R.D. (1998). 'Fats and oils analysis', *Fats and Oils Formulating and Processing for Application*, pp. 181-249.

Odetoeye, T.E., Ogunniyi, D.S., and Olatunji, G.A. (2010). 'Preparation and evaluation of *Jatropha curcas* Linneaus seed oil alkyd resins', *Industrial Crops* 32 (3), pp. 225-230.

Parasuraman, S., *et al.* (2014). 'An Overview of Liquid Chromatography-Mass Spectroscopy Instrumentation', *Pharmaceutical Methods* 5 (2), pp. 48-55.

Park, S.Y., *et al.* (2013). 'Synthesis of Antioxidant and Evaluation of Its Oxidation Stability for Biodiesel', *Journal of the Korean Society of Tribologists & Lubrication Engineers* 29 (6), pp. 392-396.

Pennsylvania State University – Department of Chemistry. (no date). *Thin Layer Chromatography*. Viewed 15 November 2018, Available at: http://courses.chem.psu.edu/chem36/Experiments/PDF's_for_techniques/TLC.pdf.

Raja, E. K., *et al.* (2012). 'Friedel-Crafts Acylation with Amides', *J. Org. Chem* 77, pp. 5788-5793.

Roby, M. H. H., (2017). 'Synthesis and Characterization of Phenolic Lipids', *Phenolic Compounds – Natural Sources, Importance and Applications Chapter 4*, pp. 89-116.

Royal Society of Chemistry. (2009). *Ultraviolet – Visible Spectroscopy (UV)*. Viewed 22 June 2018, Available at: http://www.rsc.org/learn-chemistry/content/filerepository/CMP/00/001/304/UV-Vis_Student%20resource%20pack_ENGLISH.pdf

Ryu, K. (2009). 'Effect of antioxidants on the oxidative stability and combustion characteristics of biodiesel fuels in an indirect-injection (IDI) diesel engine', *Journal of Mechanical Science and Technology* 23, pp. 3105-3113.

Saluja, *et al.* (2016). 'Stability of biodiesel – A review', *Renewable and Sustainable Energy Reviews* 62, pp. 866-881

Schober, *et al.* (2004). 'The impact of antioxidants on biodiesel oxidation stability', *Eur. J. Lipid Sci. Technol.* 106, pp. 382-389.

Smith, B. T. (2015). 'Solubility and dissolution', in *Remington Education: Physical Pharmacy*. First Edition, pp. 31-37.

Tang, H., *et al.* (2008). 'Quality survey of biodiesel blends sold at retail stations', *Fuel* 87, 13-14, pp. 2951-2955.

Teixeira, J., *et al.* (2013). 'Hydroxycinnamic Acid Antioxidants: An Electrochemical Overview', *BioMed Research International*, pp. 1-11.

Transport & Environment (T&E). (2008). *The Real Impact of Growing Biofuels: Calculating Indirect Land-Use Change*. Viewed 17 October 2017, Available at: www.transportenvironment.org/Tag/fuels/page:3/.

University of Calgary. (no date). Electrophilic Aromatic Substitution. Viewed at 13 June 2018,

Available at: <http://www.chem.ucalgary.ca/courses/350/Carey5th/Ch12/ch12-7.html>.

Vogeser, M. and Parhofer, K. (2007). 'Liquid Chromatography Tandem-mass Spectrometry (LCMS/MS) – Technique and Applications in Endocrinology', *Experimental and Clinical Endocrinology & Diabetes* 115 (09), pp. 559-570.

Yu, Z., *et al.* (1994). 'Solubilities of Fatty Acids, Fatty Acid Esters, Triglycerides, and Fats and Oils in Supercritical Carbon Dioxide', *The Journal of Supercritical Fluids* 7, pp. 51-59.

Weng, C., and Huang, Y. (2014). 'Relationship structure-antioxidant activity of hindered phenolic compounds', *Grasas y Aceites* 65 (4), pp. 5-8

Wilson, J. C. P. (1936). 'Manufacture of Oil-Soluble Polyhydric Phenols', US 2063212 A.

