

REFERENCES

Adams,R.,(2014). Global spending on food colorants will reach \$2.3 bn by 2019. *Journal of Focus on Pigments*, 2014(5),4.[http://doi.org/10.1016/S0969-6210\(14\)70064-5](http://doi.org/10.1016/S0969-6210(14)70064-5).

Amalia, F., & Afnani, G. N. (2013). Extraction and Stability Test of Anthocyanin from Buni Fruits (*Antidesma Bunius* L) as an Alternative Natural and Safe Food Colorants. *Journal of Food and Pharmaceutical Sciences*, 1, 49–53. Retrieved from <http://jurnal.ugm.ac.id/jfps/article/view/1844>.

Amchova,P.,Kotolova,H.,Ruda-Kucerova,Jana.,(2015). Health safety issues of synthetic food colorants. *Journal of Regulatory Toxicology and Pharmacology*, Available online 25 September 2015.<http://doi.org/10.1016/j.yrtph.2015.09.026>.

Amr, A., & Al-Tamimi, E. (2007). Stability of the crude extracts of *Ranunculus asiaticus* anthocyanins and their use as food colourants. *International Journal of Food Science and Technology*, 42, 985–991.

Agency for Toxic Substances and Disease Registry (ATSDR). 2008. Toxicological profile for Aluminum. Atlanta, GA: U.S. *Department of Health and Human Services, Public Health Service*.

Amalia, F., & Afnani, G. N. (2013). Extraction and Stability Test of Anthocyanin from Buni Fruits (*Antidesma Bunius* L) as an Alternative Natural and Safe Food Colorants. *Journal of Food and Pharmaceutical Sciences*, 1, 49–53. Retrieved from <http://jurnal.ugm.ac.id/jfps/article/view/1844>

Barczak, A. (2005). ACYLATED ANTHOCYANINS AS STABLE , NATURAL FOOD COLORANTS – A REVIEW Anna B¹kowska-Barczak, 14(2), 107–115.

Buchweitz, M., Brauch, J., Carle, R., & Kammerer, D. R. (2013). Application of ferric anthocyanin chelates as natural blue food colorants in polysaccharide and gelatin based gels. *Food Research International*, 51(1), 274–282. <http://doi.org/10.1016/j.foodres.2012.11.030>

Buchweitz, M., Gudi, G., Carle, R., Kammerer, D. R., & Schulz, H. (2012). Systematic investigations of anthocyanin-metal interactions by Raman spectroscopy. *Journal of Raman Spectroscopy*, 43(12), 2001–2007. <http://doi.org/10.1002/jrs.4123>

Camp, J. Van, & Capanoglu, E. (2015). Colour retention , anthocyanin stability and

antioxidant capacity in black carrot (*Daucus carota*) jams and marmalades :
Effect of processing , storage conditions and in vitro gastrointestinal digestion ☆.
Journal of Functional Foods, 13(October 2014), 1–10.
<http://doi.org/10.1016/j.jff.2014.12.021>

Cavalcanti, R. N., Santos, D. T., & Meireles, M. A. A. (2011). Non-thermal
stabilization mechanisms of anthocyanins in model and food systems-An
overview. *Food Research International*, 44(2), 499–509.
<http://doi.org/10.1016/j.foodres.2010.12.007>

Fallis, A. . (2013). *Edible medicinal and non-medicinal plants. Journal of Chemical
Information and Modeling* (Vol. 53).
<http://doi.org/10.1017/CBO9781107415324.004>

Fang, Z., Zhang, M., Sun, Y., & Sun, J. (2007). Polyphenol oxidase from bayberry
(*Myricarubra* Sieb. et Zucc.) and its role in anthocyanin degradation. *Food
Chemistry*, 103,268–273.

Figueiredo, P., Elhabiri, M., Toki, K., Saito, N., Dangles, O., & Brouillard, R. (1996).
New aspects of anthocyanin complexation: Intramolecular copigmentation as a
means for colour loss? *Phytochemistry*, 41, 301–308.

Fossen, T., Cabrita, L., & Andersen, O. M. (1998). Colour and stability of pure anthocyanins
influenced by pH including the alkaline region. *Food Chemistry*, 63(4), 435–440.
[http://doi.org/10.1016/S0308-8146\(98\)00065-X](http://doi.org/10.1016/S0308-8146(98)00065-X)

González-Manzano, S.; Dueñas, M.; Rivas-Gonzalo, J. C.; Escribano-Bailón, M. T.;
Santos-Buelga, C. Studies on the Copigmentation between Anthocyanins and
Flavan-3-Ols and Their Influence in the Colour Expression of Red Wine. *Food
Chem.* 2009, 114 (2), 649–656.

Heinzen, C. (2002). Microencapsulation solves time-dependent problems of
foodmakers. *European Food and Drink Review*, 3, 27–30.

Inami, O., Tamura, I., Kikuzaki, H., & Nakatani, N. (1996). Stability of anthocyanins
of *Sambucus canadensis* and *Sambucus nigra*. *Journal of Agricultural and Food
Chemistry*,44, 3090–3096.

Jorjong, S., Butkhup, L., & Samappito, S. (2015). Phytochemicals and antioxidant
capacities of Mao-Luang (*Antidesma bunius* L.) cultivars from Northeastern
Thailand. *Food Chemistry*, 181, 248–55.
<http://doi.org/10.1016/j.foodchem.2015.02.093>

Kader, F., Rovel, B., Girardin, M., & Metche, M. (1996). Fractionation and
identification of the phenolic compounds of Highbush blueberries (*Vaccinium
corymbosum*, L.). *Food Chemistry*, 55(1), 35–40. <http://doi.org/10.1016/0308->

8146(95)00068-2

- Kallio, H., Pallasaho, S., Kärppä, J., & Linko, R. R. (1986). Stability of anthocyanins in crowberry juice. In G. Charalambous (Ed.), *The shelf life of foods and beverages* (pp. 285–292). Amsterdam: Elsevier.
- Kearsley, M. W., & Rodriguez, N. (1981). The stability and use of natural colors in foods: Anthocyanin, β -carotene and riboflavin. *International Journal of Food Science and Technology*, 16, 421–431.
- Markakis, P. (1982). Anthocyanins as Food Colors. <http://doi.org/10.1016/B978-0-12-472550-8.50001-9>
- Martín, A., Mattea, F., Gutierrez, L., Miguel, F., & Cocero, M. J. (2007). Coprecipitation of carotenoids and biopolymers with the supercritical anti-solvent process. *Journal of Supercritical Fluids*, 41, 138–147.
- Newsome, A. G., Culver, C. a, & Van Breemen, R. B. (2014). Nature's palette: The search for natural blue colorants. *Journal of Agricultural and Food Chemistry*, 62(28), 6498–6511. <http://doi.org/10.1021/jf501419q>
- Ngo, T., & Zhao, Y. (2009). Stabilization of anthocyanins on thermally processed red D'Anjou pears through complexation and polymerization. *LWT - Food Science and Technology*, 42, 1144–1152.
- Oren-shamir, M. (2009). Plant Science Does anthocyanin degradation play a significant role in determining pigment concentration in plants?, *177*, 310–316. <http://doi.org/10.1016/j.plantsci.2009.06.015>
- Osawa, Y. (1982). Copigmentation of anthocyanins. In P. Markakis (Ed.), *Anthocyanins as food colors* (pp. 41–68). New York: Academic Press.
- Rein, M. J. (2005). *Copigmentation reactions and color stability of berry anthocyanins. Dissertation Uni Helsinki*. <http://doi.org/10.1021/jf071205v>
- Rodrigues, A. S., Pérez-Gregorio, M. R., García-Falcón, M. S., & Simal-Gándara, J. (2009). Effect of curing and cooking on flavonols and anthocyanins in traditional varieties of onion bulbs. *Food Research International*, 42, 1331–1336.
- Sapers, G., Taffer, I., & Ross, L. (1981). Functional properties of a food colorant prepared from red cabbage. *Journal of Food Science*, 46, 105–109.
- Sigurdson, G. T., & Giusti, M. M. (2014). Bathochromic and hyperchromic effects of aluminum salt complexation by anthocyanins from edible sources for blue color development. *Journal of Agricultural and Food Chemistry*, 62(29), 6955–6965. <http://doi.org/10.1021/jf405145r>
- Sigurdson, G. T., Robbins, R. J., Collins, T. M., & Giusti, M. M. (2016). Evaluating

the role of metal ions in the bathochromic and hyperchromic responses of cyanidin derivatives in acidic and alkaline pH. *Food Chemistry*, 208, 26–34.
<http://doi.org/10.1016/j.foodchem.2016.03.109>

Starr, M. S., & Francis, F. J. (1968). Oxygen and ascorbic acid effect on relative stability of four anthocyanin pigments in cranberry juice. *Food Technology*, 22, 1293–1295.

Sun, J., Bai, W., Zhang, Y., Liao, X., & Hu, X. (2011). Identification of degradation pathways and products of cyanidin-3-sophoroside exposed to pulsed electric field. *Food Chemistry*, 126(3), 1203–1210.
<http://doi.org/10.1016/j.foodchem.2010.12.002>

Trouillas, P., Sancho-garc, J. C., Freitas, V. De, Gierschner, J., Otyepka, M., & Dangles, O. (2016). Stabilizing and Modulating Color by Copigmentation : Insights from Theory and Experiment.
<http://doi.org/10.1021/acs.chemrev.5b00507>

Trouillas, P., Sancho-garc, J. C., Freitas, V. De, Gierschner, J., Otyepka, M., Dangles, O., ... Russo, R. (2016). Stabilizing and Modulating Color by Copigmentation : Insights from Theory and Experiment, (May), 1–8.
<http://doi.org/10.1021/acs.chemrev.5b00507>

Schreiber, H. D.; Swink, A. M.; Godsey, T. D. (2010) The chemical mechanism for Al³⁺ complexing with delphinidin: a model for the bluing of hydrangea sepals. *Journal of Inorganic Biochemistry*, 104, 732–739.

Yoshida, K., Kitahara, S., Ito, D., & Kondo, T. (2006). Ferric ions involved in the flower color development of the Himalayan blue poppy, *Meconopsis grandis*. *Phytochemistry*, 67, 992–998

Wrolstad, R. E., & Erlandson, J. A. (1973). Effect of metal ions on the color of strawberry puree. *Journal of Food Science*, 38, 460–463.

Brouillard, R. (1981). Origin of the exceptional colour stability of the Zebrina anthocyanin. *Phytochemistry*, 22, 1311–1323.